


# Book of abstracts



## PHOTONICA2019

The Seventh International School and Conference on  
Photonics, 26 August – 30 August 2019, Belgrade, Serbia

& Machine Learning with Photonics Symposium  
(ML-Photonica 2019)



& ESUO Regional Workshop



& COST action CA16221



Editors: Milica Matijević, Marko Krstić and Petra Beličev

Belgrade, 2019

ABSTRACTS OF TUTORIAL, KEYNOTE, INVITED LECTURES,  
PROGRESS REPORTS AND CONTRIBUTED PAPERS

of

The Seventh International School and Conference on Photonics  
PHOTONICA2019, 26 August – 30 August 2019, Belgrade, Serbia

and

Machine Learning with Photonics Symposium

and

ESUO Regional Workshop

Editors

Milica Matijević, Marko Krstić and Petra Beličev

Technical Assistance

Danka Stojanović and Goran Gligorić

Publisher

Vinča Institute of Nuclear Sciences

Mike Petrovića Alasa 12-14, P.O. Box 522

11000 Belgrade, Serbia

Printed by


Serbian Academy of Sciences and Arts

Number of copies

300

ISBN 978-86-7306-153-5

PHOTONICA2019 (The Seventh International School and Conference on Photonics-[www.photonica.ac.rs](http://www.photonica.ac.rs)) is organized by Vinča Institute of Nuclear Sciences, University of Belgrade ([www.vinca.ac.rs](http://www.vinca.ac.rs)), Serbian Academy of Sciences and Arts ([www.sanu.ac.rs](http://www.sanu.ac.rs)), and Optical Society of Serbia ([www.ods.org.rs](http://www.ods.org.rs)).



Institute of Nuclear Sciences Vinča



Serbian Academy of Sciences and Arts



Optical Society of Serbia

Other institutions that helped the organization of this event are: Institute of Physics Belgrade, University of Belgrade ([www.ipb.ac.rs](http://www.ipb.ac.rs)), School of Electrical Engineering, University of Belgrade ([www.etf.bg.ac.rs](http://www.etf.bg.ac.rs)), Institute of Chemistry, Technology and Metallurgy, University of Belgrade ([www.ihtm.bg.ac.rs](http://www.ihtm.bg.ac.rs)), Faculty of Technical Sciences, University of Novi Sad ([www.ftn.uns.ac.rs](http://www.ftn.uns.ac.rs)), Faculty of Physics, University of Belgrade ([www.ff.bg.ac.rs](http://www.ff.bg.ac.rs)), and Faculty of Biology, University of Belgrade ([www.bio.bg.ac.rs](http://www.bio.bg.ac.rs)). Joint event “Machine learning with Photonics Symposium” has been co-organized with programme partners H2020-RISE-CARDIALLY, H2020 – MULTIPLY and H2020-EID-FONTE.

PHOTONICA2019 is organized under auspices and with support of the Ministry of Education, Science and Technological Development, Republic of Serbia ([www.mpn.gov.rs](http://www.mpn.gov.rs)). PHOTONICA2019 is supported and recognized by OSA - The Optical Society ([www.osa.org](http://www.osa.org)), Integrated Initiative of European Laser Research Infrastructures Laser Lab-Europe ([www.laserlab-europe.eu](http://www.laserlab-europe.eu)) and European Physical Society ([www.eps.org](http://www.eps.org)).



Ministry of Education, Science and Technological Development of the Republic of Serbia



The support of the sponsors of PHOTONICA2019 is gratefully acknowledged:



Development Center Serbia



Represented by LRM Ltd. Ljubljana / Slovenia



Optical Society of Serbia



CENTER FOR THE PROMOTION OF SCIENCE

## Circular dichroism in twisted resonator based chiral metamaterial

D. B. Stojanović<sup>1</sup>

<sup>1</sup>*Vinča Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*  
e-mail: dankas@vin.bg.ac.rs

An object is chiral if it cannot be overlapped with its mirror image. One of the manifestations of chirality in optics are chiral metamaterials, responsible for the appearance of optical activity and circular dichroism. These effects originate from polarization rotation which occurs because waves of the opposite handedness propagate with unequal phases and absorption rates through this kind of material [1].

Circular dichroism has an important role in applications of chiral metamaterials related to manipulation of circularly polarized waves. Nowadays, there is a need for development of devices relevant for terahertz and infrared technologies, in particular for spectroscopy, imaging and communications. Numerous designs of chiral resonant elements have been proposed until now, providing components for terahertz wave modulation, switching and sensing [2-4]. Similarly, chiral structures can enhance infrared signal of chiral molecules which enables detection of enantiomers of these molecules by measuring circular dichroism.

In this study, we performed numerical simulations of terahertz wave propagation through chiral metamaterial composed of twisted closed ring resonators [5]. In the absorption spectra, three resonances were distinguished as a result of the existence of electric dipoles and quadrupoles. By this design of resonator, high values of circular dichroism as well as strong local electric field enhancement are obtained. The most significant results are seen at first resonant frequency which appears as a consequence of the gap provided by twisting the ring resonator. Furthermore, we extended our research to infrared range by scaling the chiral resonator dimensions. Values of circular dichroism within this frequency range indicate different performance capabilities when comparing to the terahertz case. In addition, we examined the influence of losses in metal and dielectric on this quantity for both frequency ranges.

### REFERENCES

- [1] L. D. Barron, *Molecular Light Scattering and Optical Activity*, CUP (2004).
- [2] J. T. Collins et al., *Adv. Opt. Mater.* 5, 1700182 (2017).
- [3] D. B. Stojanović, J. Radovanović, V. Milanović, *Phys. Rev. A* 94, 023848 (2016).
- [4] T. Kan et al., *Nat. Commun.* 6, 8422 (2015).
- [5] D. B. Stojanović, et al., *J. Phys D: Appl. Phys.* 51, 045106 (2018).