doi: 10.2298/SOS0703281R

UDK 677.026.34:553.689 Raman Study Of Ba-Doped Ceria Nanopowders

M. Radović^{1*)}, Z. Dohčević-Mitrović¹, M. Šćepanović¹, M. Grujić-Brojčin¹, B. Matović², S. Bošković² Z. V. Popović¹

¹Institute of Physics, Center for Solid State Physics and New Materials, Pregrevica 118, P.O. Box 68, 11080 Belgrade, Serbia,

²Institute of Nuclear Sciences 'Vinca', 11001 Belgrade, Serbia

Abstract:

A series of $Ce_{1-x}Ba_xO_{2-y}$ ($5 \le x \le 0.20$) nanometric powders were synthesized by selfpropagating room temperature synthesis. XRD and Raman scattering measurements were used to characterize the samples at room temperature. All the samples are solid solutions with fluorite type structure with an average crystallite size about 5 nm. The redshift and asymmetric broadening of the Raman F_{2g} mode can be well explained with combined confinement and strain effects because of the nanocrystalline powders nature. The appearance of the additional peaks at ~560 cm⁻¹ and ~600 cm⁻¹, are attributed to extrinsic and intrinsic O^{2^-} vacancies in ceria lattice. Raman spectra of temperature treated $Ce_{0.80}Ba_{0.20}O_{2-\delta}$ sample revealed the instability of this system.

Keywords: Ba doped ceria nanopowders, XRD method, Raman scattering, phase separation

1. Introduction

Cerium dioxide is of interest because of its multiple applications such as catalysis in vehicle emissions-control systems [1], high storage capacitors [2], for high Tc superconducting structures [3], and for optical devices [4]. Recently, ceria based solid solutions have gained an increasing amount of attention due to their potential use as electrolyte material in solid oxide fuel cells [5] (SOFCs). Optimization of SOFCs, to operate at reduced temperatures can be performed with use of electrolyte materials, which have high ionic conductivity at moderate temperatures.

Monodisperse cerium nanoparticles have higher ionic conductivities than bulk material, due to the properties related to their nanostructured nature. Nanosized ceria doped with oxides of di- or trivalent metals exhibits high ionic conductivity at intermediate temperatures (400-700 0 C) and is a promising candidate for electrolyte SOFCs materials. Whenever the Ce⁴⁺ ions are replaced with di- or trivalent rare earth ions large density of oxygen vacancies are formed in ceria lattice enhancing the ionic conductivity of these materials [6,7]. The ionic conductivity significantly depends on the ionic radius and the concentration of the dopant too [8,9].

In the present work we described briefly the SPRT method as a possible method for preparing Ba-doped ceria nanopowders. To the best of our knowledge this method is for the first time used to synthesize the $Ce_{1-x}Ba_xO_{2-y}$ (5≤x≤0.20) solid solutions. The influence of

^{*)} Corresponding author: <u>marrad@phy.bg.ac.yu</u>

doping and heating treatment on the Raman spectra of doped ceria powders is also investigated. Raman spectroscopy at room temperature was used to identify and distinguish the presence of oxygen vacancies introduced into ceria lattice with doping from the intrinsic vacancies that originate from nonstoichiometry in doped samples.

2. Experiment

The solid solutions of Ba doped CeO_2 samples were prepared by a self-propagating room temperature synthesis (SPRT) using metal nitrates and sodium hydroxide as the starting materials. The synthesis involves hand-mixing starting materials in alumina mortar for 5-7 minutes until the mixture got light brown. After being exposed to air for 3h, the mixture was suspended in water. Rinsing out of reaction byproduct (NaNO₃) was performed by centrifuge Centurion 1020D at 3500 rpm. This procedure was performed 3 times with distilled water and twice with ethanol [10].

Single solid-state solutions were obtained according to reaction:

 $2[(1-x)Ce(NO_3)_36H_2O + xBaNO_3] + 6NaOH + (1/y)O_2 \rightarrow 2Ce_{1-x}Ba_xO_{2-y} + 6NaNO_3 + 9H_2O$

Compositions of $Ce_{1-x}Ba_xO_{2-y}$ were synthesized with x ranging from 0.05 to 0.20

The crystalline phases were identified by X-ray powder diffraction using Siemens D5000 diffractometer with Cu K_a radiation at room temperature. Diffractograms of the Ce₁ _xBa_xO_{2-y} samples were recorded over the 2 θ range from 20⁰ to 80⁰ using a position sensitive detector with 8⁰ acceptance angle. The average grain size was measured from the (111) XRD peak using the Scherrer formula. The average crystallite size was estimated to be 5 nm.

Room temperature Raman measurements were performed in the backscattering geometry using 514.5-nm line of Ar-ion laser, Jobin-Yvon U1000 monochromator and photomultiplier as a detector while high temperature Raman measurements were taken with same Ar^+ laser line using Jobin Yvon T64000 spectrometer equipped with Linkam TS 1500 microscope heating stage and nitrogen cooled charge-coupled-device detector (CCD). Overheating of the samples was avoided using a minimal laser power when no changes of the Raman spectra were noticed.

3. Results and discussion

According to the XRD spectra, Ba doped samples appeared to be of single phase for the whole doping range retaining the CeO_2 fluorite structure. Diffraction lines of Ba oxide were not registered in the whole doping range.

The XRD patterns for $Ce_{0.95}Ba_{0.05}O_{2-y}$, $Ce_{0.90}Ba_{0.10}O_{2-y}$ and $Ce_{0.85}Ba_{0.15}O_{2-y}$ samples are shown in Fig. 1 (a). Change of lattice parameter as a function of dopant concentration is shown in Fig.1 (b). Lattice parameter of pure CeO_2 is shown as reference one. The increasing of lattice constant with increasing dopant concentration is directly correlated with ionic size CeO_2 with a fluorite structure has one Raman active triply degenerate F_{2g} mode at 465 cm⁻¹.

This mode presents symmetrical stretching vibrations of CeO₈ vibrational unit and should be very sensitive to the oxygen sublattice disorder [11]. Raman study of CeO₂ nanoparticles have demonstrated that the F_{2g} mode shifts to lower energies with increasing linewidth while the line shape becomes asymmetric on the low-energy side as the particle size gets smaller [12]. This evolution of the Raman line can be attributed to the combined effect of phonon confinement and inhomogeneous strain [12,13]. To explain properly the evident phonon softening and increased linewidth asymmetry of the main F_{2g} mode in the Ce_{1-x}Ba_xO_{2-y} samples we used the phonon confinement model (PCM) that incorporates size and strain effects [13]. Raman intensity is calculated over the whole Brillouin zone by the following relation:

$$I(\omega) = \sum_{1}^{3} \int_{0}^{\infty} \rho(L) dL \int_{BZ} \frac{\exp(-\frac{q^{2} L^{2}}{8\beta})}{\left[\omega - (\omega_{i}(q) + \Delta \omega_{i}(q,L))\right]^{2} + \left[\Gamma_{0}/2\right]^{2}} d^{3}q$$
(1)

where $\rho(L)$ is Gaussian particle size distribution, L is particle size and Γ_0 is the linewidth of the Raman mode in bulk crystal. The factor β is an adjustable parameter depending on the strength of the phonon confinement in different nanomaterials. It varies from $\beta=1$ to $\beta=2\pi^2$ for Richter [14] and Cambpell [15] model respectively. In order to obtain the best fits of our experimental spectra we used higher degree of phonon confinement $\beta\sim 4\pi^2$.




Fig. 1 a) XRD spectra of $Ce_{0.95}Ba_{0.05}O_{2-y}$, $Ce_{0.90}Ba_{0.10}O_{2-y}$ and $Ce_{0.85}Ba_{0.15}O_{2-y}$ samples b) change of lattice parameter with dopant concentration.

Fig. 2 shows Raman spectra at room temperature of the Ba doped CeO_2 samples (circles) and numerical fits of the experimental data (lines) using PCM (Eq. 1).




Fig. 2 Raman spectra of Ba doped CeO₂ samples at room temperature.

The best accordance between the experimental and calculated curves is obtained for the average particle size L=6.6 nm value while the Gaussian width (*w*) is also given in Fig. 2 for each sample. As can be seen Raman spectra of Ce_{1-x}Ba_xO_{2-y} samples show systematic shift of the F_{2g} mode, positioned at ~ 457 cm⁻¹ for the lowest Ba doping concentration, to lower frequencies with increasing doping level (in a Ce_{0.80}Ba_{0.20}O₂₋₈ this mode is positioned at ~ 454 cm⁻¹) while the linewidth increases. Such a decrease in phonon energy is consistent with dilatation of unit cell parameter due to the incorporation of large Ba²⁺ ions in cerium lattice. On the other hand the broadening of the F_{2g} mode with increasing Ba content could be correlated with increasing O²⁻ vacancy concentration with doping because this mode is very sensitive to disorder in oxygen sub-lattice [11].





Fig. 3 Raman spectra of Ce_{0.85}Ba_{0.20}O_{2-y} sample during heating and cooling.


Besides the F_{2g} Raman mode there are two additional modes at ~ 560 cm⁻¹ and ~ 600 cm⁻¹. These modes are assigned to the extrinsic oxygen vacancies introduced into the ceria lattice by substitution of Ce⁴⁺ ions with Ba²⁺ ions and intrinsic oxygen vacancies due to the nonstoichiometry of ceria nanopowders [5, 10].

One sample with the highest Ba concentration $(Ce_{0.80}Ba_{0.20}O_{2.\delta})$ was temperature treated in order to investigate the phonon behaviour and stability of this system at high temperatures. Raman spectra of $Ce_{0.80}Ba_{0.20}O_{2.\delta}$ sample, obtained by heating (lines) and gradual cooling (dashed lines) are shown in Fig. 3. Temperature dependence of mode frequency upon heating and cooling is shown in Fig. 4.

We have found that frequency and linewidth of the F_{2g} mode continuously decreases by heating while the line shape becomes more symmetric up to 800 0 C when it becomes totally symmetric. In the Raman spectra at 300 0 C additional mode can be observed at 515 cm⁻¹. This mode can be ascribed to the Raman mode of Ba(O₂)_{0.79}O_{0.21} system [16]. Frequency of this mode increases with temperature increase up to 527 cm⁻¹ at 600°C, which corresponds to the frequency of the Ba(O₂)_{0.86}O_{0.14} system [16]. This mode disappears as the temperature further increases to 700°C. Therefore we concluded that at 300°C phase separation begins and certain types of Ba(O₂)_{1-x}O_x oxide system are formed. At higher temperatures these oxides are unstable. This conclusion is valid if we have in mind that barium oxide (peroxide) begins to decompose at 500°C in air [17].

Two competitive effects could be responsible for frequency and linewidth change during heating: anharmonic and size effects. If the anharmonic effects are dominant we would expect the frequency red shift and linewidth increase with temperature, while the expected particle growth with temperature would produce an opposite trend. The frequency shift is consistent with the theory regarding the anharmonic effects in crystals [18] but the linewidth behaviour is not. The only plausible explanation for that is that phase separation on CeO₂ and Ba(O₂)_{1-x}O_x takes place in Ce_{1-x}Ba_xO_{2-δ} samples during heating and at temperatures higher than 600 0 C Ba disappears from the ceria lattice. By cooling the frequency increases, reaching the value of 462.5 cm⁻¹ at room temperature. Linewidth continuously decreases, during cooling, down to 12.3 cm⁻¹ at room temperature. This behavior is typical for the anharmonic phonon behaviour in bulk samples and similar to that found in a CeO₂ polycrystalline sample [12] leading us to conclude that the Ce_{0.80}Ba_{0.20}O_{2-δ} sample transforms from nano to a polycrystalline CeO₂ sample by the above mentioned temperature treatment.





Intensity of modes at 560 cm⁻¹ and 600 cm⁻¹ increases with temperature increase until 300 0 C when they start to decrease in intensity and become very weak at 800 0 C. This means that the concentration of oxygen vacancies decreases with temperature. The sample becomes more stoichiometric and the structure defects are probably removed by heat treatment.

4. Conclusions

In summary, $Ce_{1-x}Ba_xO_{2-\delta}$ nanocrystalline samples ($5\leq x\leq 0.20$) were prepared by the SPRT method. From XRD and Raman measurements at room temperature we have concluded that $Ce_{1-x}Ba_xO_{2-\delta}$ samples are solid solutions with fluorite crystal structure in the whole doping range. The Raman spectra are well described using a spatial correlation model with combined size and inhomogeneous strain effects. At high temperatures a phase separation takes place between CeO_2 and $Ba(O_2)_{1-x}O_x$ systems. We demonstrated that Raman spectroscopy is a very effective diagnostic method in monitoring nanocrystalline size, detecting phase separation and the presence of intrinsic and introduced oxygen vacancies in the ceria lattice.

Acknowledgements

This work was supported by the MSRS under the project No. 141047 and the OPSA-026283 Project within the EC FP6 Programme and SASA Project F/134.

References

- 1. A. Trovarelli, Catal. Rev. Sci. Eng. 38 (1996) 439.
- 2. Z. Zhang, X. Du, W. Wang, J. Vac. Sci. Tech. A 18 (2000) 2928.
- 3. A. Walkenhorst, M. Schmitt, H. Adrian, K. Petersen, Appl. Phys. Lett. 64 (1994) 1871.
- 4. S. Kanakaraju, S. Mohan, A. K. Sood, Thin Solid Films 305 (1997) 191.
- Z. Dohcevic-Mitrovic, M. Grujic-Brojcin, M. Scepanovic, Z. V. Popovic, S. Boskovic, B. Matovic, M. Zinkevich, F. Aldinger, J. Phys. Cond. Matt. 18 (2006) 1.
- A. Sin, Y. Dubitsky, A, Zaopo, S. A. Aric`o, L. Gullo, D. La Rosa, S. Siracusano, V. Antonucci, C. Oliva, O. Ballabio, Solid State Ion. 175 (2004) 361.
- 7. C. Peng, Y. Wang, K. Jiang, Q. B. Bin, W. H. Liang, J. Feng and J. Meng, J. Alloys Compounds 349 (2003) 273.
- H. Deguchi, H. Yoshida, T. Inagaki, M. Horiuchi, Solid State Ionics 176 (2005) 1817.
- 9. L. Minervini, M. O. Zacate, R. W. Grimes, Solid State Ionics 116 (1997) 339.
- S. Boskovic, D. Djurovic, B. Matovic, M. Cancarevic, Z. Mitrovic-Dohcevic, Z. V. Popovic, M. Zinkevich, F. Aldinger, Materials Science Forum, 518 (2006) 95.
- 11. I. Kosacki, T. Suzuki, H. Anderson, P. Colomban, Solid State Ionics 149 (2002) 99.
- 12. J. E. Spanier, R. D. Robinson, F. Zhang, S. W. Chan, I. P. Herman, Phys. Rev. B 64 (2001) 245407.
- Z. Dohcevic-Mitrovic, M. Grujic-Brojcin, M. Scepanovic, Z. V. Popovic, S. Boskovic, B. Matovic, M. Zinkevich, F. Aldinger, Solid State Commun. 137 (2006) 387.
- 14. H. Richter, Z. Wang, L. Ley, Solid State Commun. 39 (1981) 625.
- 15. I. H. Campbell, P. M. Fauchet, Solid State Commun. 58 (1986) 739.
- 16. D. de Waal, K. Range, M. Konigstein, W. Kiefer, J. Raman Spect. 29 (1998)109.
- 17. J. H. Lunsford, X. Yang, K. Haller, J. Laane, J. Phys. Chem. 97 (1993) 13810.
- 18. M. Balkanski, R.F. Wallis, E. Haro, Phys. Rev. B 28 (1983) 1928.

Садржај: Серија нанопрахова $Ce_{1,x}Ba_xO_{2,y}$ ($5 \le x \le 0.20$), добијена је методом самораспростируће синтезе на собној температури (SPRT). За карактеризацију узорака коришћене су методе дифракције рендгенских зрака (XRD)и Раман спектроскопије. Сви узорци су чврсти раствори флуоритне структуре чија је средња величина кристалиа око 5nm. Померај Раман F_{2g} мода ка нижим енергијама и његово асиметрично ширење може се објаснити комбинованим ефектима фононског конфајнмента и стрејна. Појава додатних модова на ~560 ст⁻¹ и ~600 ст⁻¹, приписује се постојању уведених и својствених O^{2-} вакансија у церијумовој решетки. Раман спектри одгреваног $Ce_{0.80}Ba_{0.20}O_{2-\delta}$ узорка указују на нестабилност овог система. **Кључне речи:** Ва допирани нанопрахови церијума, XRD метод, *Ramaново расејање, сепарација фаза.*