



Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton–proton collisions[☆]

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 27 October 2011
 Received in revised form 16 January 2012
 Accepted 31 January 2012
 Available online 3 February 2012
 Editor: H. Weerts

ABSTRACT

Results of three searches are presented for the production of supersymmetric particles decaying into final states with missing transverse momentum and exactly two isolated leptons, e or μ . The analysis uses a data sample collected during the first half of 2011 that corresponds to a total integrated luminosity of 1 fb^{-1} of $\sqrt{s} = 7$ TeV proton–proton collisions recorded with the ATLAS detector at the Large Hadron Collider. Opposite-sign and same-sign dilepton events are separately studied, with no deviations from the Standard Model expectation observed. Additionally, in opposite-sign events, a search is made for an excess of same-flavour over different-flavour lepton pairs. Effective production cross sections in excess of 9.9 fb for opposite-sign events containing supersymmetric particles with missing transverse momentum greater than 250 GeV are excluded at 95% CL. For same-sign events containing supersymmetric particles with missing transverse momentum greater than 100 GeV , effective production cross sections in excess of 14.8 fb are excluded at 95% CL. The latter limit is interpreted in a simplified electroweak gaugino production model excluding chargino masses up to 200 GeV , under the assumption that slepton decay is dominant.

© 2012 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Many extensions to the Standard Model (SM) predict the existence of new states that decay to invisible particles. New coloured particles, such as the squarks (\tilde{q}) and gluinos (\tilde{g}) of supersymmetric (SUSY) theories [1], are among those predicted. These new particles could be accessible at the Large Hadron Collider (LHC). In R-parity conserving [2] SUSY models, the lightest supersymmetric particle (LSP) is stable and weakly interacting, and SUSY particles are pair-produced. The LSP escapes detection, giving rise to events with significant missing transverse momentum (E_T^{miss}). The dominant SUSY production channels at the LHC are: squark-(anti)squark, squark-gluino and gluino pair production. The squarks and gluinos are expected to decay into quarks and the SUSY partners of the gauge and Higgs bosons, charginos, $\tilde{\chi}^\pm$, and neutralinos, $\tilde{\chi}^0$. Weak gauginos and sleptons may also be pair-produced, albeit with smaller cross sections, and dilepton searches are potentially very sensitive to direct electroweak gaugino production: $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$, $\tilde{\chi}_2^\pm \tilde{\chi}_1^0$, $\tilde{\chi}_1^\pm \tilde{\chi}_1^\mp$ and $\tilde{\chi}_2^0 \tilde{\chi}_2^0$.

SUSY events can produce charged leptons with high transverse momentum (p_T) through the decays of neutralinos and charginos. The main processes are: (a) $\tilde{\chi}_i^0 \rightarrow l^\pm \nu \tilde{\chi}_j^\mp$, (b) $\tilde{\chi}_i^\pm \rightarrow l^\pm \nu \tilde{\chi}_j^0$,

(c) $\tilde{\chi}_i^0 \rightarrow l^\pm l^\mp \tilde{\chi}_j^0$ and (d) $\tilde{\chi}_i^\pm \rightarrow l^\pm l^\mp \tilde{\chi}_j^\pm$, where l is an e , μ or τ lepton (only e and μ are considered in this Letter). These decays can be direct, or proceed via an intermediate slepton.

In each SUSY event there are two independent cascade decays. Two leptons are produced in events in which two gauginos decay via cascade (a) or (b), or events in which one gaugino decays via cascade (c) or (d). In the former case, the events may contain same sign leptons and the lepton flavour may differ. In the latter case, the leptons will have the same flavour, and searching for an excess of opposite-sign same-flavour dilepton events over different flavour events offers one of the best routes to the model-independent measurement of SUSY particle masses via end-points in the dilepton invariant mass distribution [3–5].

Previous results of SUSY searches at the LHC for final states with two leptons, electrons or muons, can be found in Refs. [6–9]. This Letter presents updated results using data recorded during 2011 from each of the three ATLAS searches for SUSY in events with exactly two leptons and significant missing transverse momentum. The two inclusive searches for opposite- and same-sign lepton pairs and the search for an excess of events with same-flavour lepton pairs proceed similarly to those reported in Refs. [6] and [7], with minor modifications. The latter is termed a “flavour subtraction” analysis, and considers the subtraction of different-flavour dilepton events from those of same-flavour. In the 2011 analyses, the rejection criteria for cosmic ray muons are stricter and the method for estimating their contamination to the signal

* © CERN for the benefit of the ATLAS Collaboration.

* E-mail address: atlas.publications@cern.ch.

regions is modified. Lepton kinematic selection criteria are also adjusted to match the single lepton triggers used in 2011. The experimental environment differs significantly from that of 2010 due to the higher rate of multiple proton–proton collisions per bunch-crossing (pile-up) produced by the LHC.

In 2010, the dilepton analyses set limits in high- E_T^{miss} signal regions, $E_T^{\text{miss}} > 100(150)$ GeV for opposite-sign (same-sign) analyses. In this 2011 analysis, a wider variety of signal regions is considered, placing requirements on E_T^{miss} , but also on the number of high- p_T jets (see Table 1). Additionally, exclusion limits are set in a simplified model of electroweak gaugino production (in these simplified models the LSP is bino-like and the effect of a Higgsino admixture in the chargino and neutralino states not considered). Previous limits on electroweak gaugino production can be found in Refs. [35–42]. These limits are not directly comparable to those in this Letter because of the assumptions made for the simplified models considered.

2. The ATLAS detector

The ATLAS detector [10] is a multi-purpose particle physics apparatus with a forward–backward symmetric cylindrical geometry and nearly 4π coverage in solid angle.¹ It contains four superconducting magnet systems, which comprise a thin solenoid surrounding the inner tracking detector (ID), and barrel and endcap toroids supporting a muon spectrometer. The ID consists of a silicon pixel detector, a silicon microstrip detector (SCT), and a transition radiation tracker (TRT). The muon spectrometer surrounds the calorimeters and consists of a system of precision tracking chambers ($|\eta| < 2.7$), and detectors for triggering ($|\eta| < 2.4$). In the pseudorapidity region $|\eta| < 3.2$, high-granularity liquid-argon (LAr) electromagnetic (EM) sampling calorimeters are used. An iron-scintillator tile calorimeter provides coverage for hadron detection over $|\eta| < 1.7$. The end-cap and forward regions, spanning $1.5 < |\eta| < 4.9$, are instrumented with LAr calorimetry for both EM and hadronic measurements.

3. Trigger and data sample

The data used in this analysis were recorded between March and June 2011, with the LHC operating at a centre-of-mass energy of 7 TeV. Application of beam, detector and data-quality requirements gives a total integrated luminosity of 1.04 fb^{-1} , with an estimated uncertainty of 3.7% [11].

Events must pass either a single electron or a single muon trigger. The p_T thresholds of these triggers are 20 GeV and 18 GeV respectively. These triggers reach full efficiency for electrons with $p_T > 25$ GeV and muons with $p_T > 20$ GeV, with typical efficiencies for leptons selected for offline analysis of 96% for electrons, and of 75% and 88% for muons in the barrel ($|\eta| < 1.05$) and endcap ($1.05 < |\eta| < 2.4$) regions, respectively.

4. Monte Carlo

Monte Carlo (MC) simulated event samples are used to develop and validate the analysis procedure and to help evaluate the SM backgrounds in the various signal regions. Production of top quark pairs is simulated with MC@NLO [12], using a top quark mass of 172.5 GeV and the next-to-leading order

(NLO) parton distribution functions (PDF) CTEQ6.6 [13], which are used with all NLO MC codes in this analysis. Samples of W production and Z/γ^* production, with accompanying jets, are produced with ALPGEN [14].² Diboson (WW , WZ , ZZ) production is simulated with HERWIG [15], W^+W^+jj production with MadGraph [16] and single top production with MC@NLO. Fragmentation and hadronisation for the ALPGEN and MC@NLO samples are performed with HERWIG, using JIMMY [17] for the underlying event. ALPGEN and POWHEG [18] samples are used to assess the systematic uncertainties associated with the choice of generator for $t\bar{t}$ production, and AcerMC [19] samples are used to assess the uncertainties associated with initial and final state radiation (ISR/FSR). The simplified electroweak gaugino production models are simulated using HERWIG++ [20], with cross sections calculated at NLO using PROSPINO [21]. Samples of QCD jet events are generated with PYTHIA using the MRST2007LO* modified leading-order PDF [22], which are used with all leading-order MC codes in this analysis. The QCD jet MC is only used for cross-checks of components of the data-driven background estimation.

The MC samples are produced using the ATLAS MC10b parameter tune [23] and a GEANT4 [24] based detector simulation [25]. MC samples are reweighted so that the number of interactions per bunch crossing agrees with that in data.

5. Object reconstruction

Electrons are reconstructed from clusters in the electromagnetic calorimeter matched to a track in the ID. Electrons are required to pass the “medium” [26] electron definition (selection criteria based mainly on lateral shower shape requirements in the calorimeter) and have $p_T > 20$ GeV and $|\eta| < 2.47$. Electrons within $0.2 < \Delta R < 0.4$ of any jet are discarded, where $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$. When the jet-electron distance is below 0.2, the jet is removed. For electrons in the signal region, the quality criterion is raised to “tight” by placing additional requirements on the ratio of calorimetric energy to track momentum, and the number of high-threshold hits in the TRT. Furthermore, the electrons are required to be isolated: the p_T sum of tracks above 1 GeV within a cone of size $\Delta R < 0.2$ around each electron candidate (excluding the electron candidates themselves) is required to be less than 10% of the electron’s p_T . If the electron is the highest p_T lepton in the pair, the p_T requirement is raised to 25 GeV.

Muons are reconstructed using either a full muon spectrometer track matched to an ID track, or a muon spectrometer track segment matched to an extrapolated ID track. Muons are required to have $p_T > 10$ GeV, $|\eta| < 2.4$, and to be well reconstructed, with sufficient hits in the pixel, SCT, and TRT detectors. Muon tracks reconstructed independently in both the ID and muon spectrometer are required to have a good match and a compatible momentum measurement in both detectors. Muons within $\Delta R < 0.4$ of any jet are discarded. In order to reject muons resulting from cosmic rays, tight cuts are applied to the origin of the muon relative to the primary vertex (PV): muon tracks are required to have a longitudinal impact parameter $|z_0| < 1$ mm and a transverse impact parameter $|d_0| < 0.2$ mm. Muons in the signal region must be isolated: the p_T sum of tracks within a cone of size $\Delta R < 0.2$ around the muon candidate (excluding the muon candidate itself) is required to be less than 1.8 GeV. If a muon in a signal region is the highest p_T lepton in the pair, the p_T requirement is raised to 20 GeV.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point in the centre of the detector and the z -axis along the beam pipe. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity η is defined in terms of the polar angle θ by $\eta = -\ln \tan(\theta/2)$.

² The MC samples for $Z/\gamma^* + \text{jets}$ are divided into two invariant mass windows. The first cover $10 < m_{ll} < 40$ GeV and are referred to in this Letter as “Drell–Yan” events. The second cover the region $m_{ll} > 40$ GeV and are referred to as $Z + \text{jets}$.

Jets are reconstructed using the anti- k_t jet clustering algorithm [27] with a distance parameter of 0.4. The inputs to the jet algorithm are clusters formed from energy deposits in the calorimeter. Jets are required to have $p_T > 20$ GeV and $|\eta| < 2.8$. Events with any jet that fails quality criteria designed to remove noise and non-collision backgrounds [28] are rejected.

The missing transverse momentum (E_T^{miss}) in this analysis is the magnitude of the vector sum of the p_T of reconstructed objects in the event. The objects considered are jets with $p_T > 20$ GeV, signal leptons, any additional non-isolated muons (for example from semi-leptonic decays of hadrons in jets) and calorimeter clusters with $|\eta| < 4.5$ which are not associated to any of the aforementioned objects.

6. Event selection

The primary vertex (the vertex with the highest summed track p_T^2) in each event is required to have at least five associated tracks. Due to readout problems in the LAr calorimeter for a subset of the data, events in data and MC containing a jet with $p_T > 20$ GeV or an identified electron with $-0.1 < \eta < 1.5$ and $-0.9 < \phi < -0.5$ are rejected (resulting in a loss of less than 2% of the data). Each selected event must contain exactly two reconstructed leptons, e or μ , satisfying the conditions described in Section 5. Events containing exactly two electrons (muons) must satisfy the electron (muon) trigger. For events containing exactly one electron and one muon: those with an electron with $p_T > 25$ GeV must satisfy the electron trigger, while events with no such electron must have a muon with $p_T > 20$ GeV and satisfy the muon trigger. Events containing an electron with $p_T > 25$ GeV which do not satisfy the electron trigger are recovered using the muon trigger provided the p_T of the muon is greater than 20 GeV.

Additionally, both leptons in each pair must satisfy the signal region requirements. To remove low-mass dilepton resonances, the invariant mass (m_{ll}) of the lepton-pair must be greater than 12 GeV. The selected events are then classified as opposite-sign or same-sign, depending on the respective charges of each lepton in the pair.

The various signal regions defined for the opposite-sign (OS-x), same-sign (SS-x) and flavour-subtraction (FS-x) analyses are given in Table 1. The opposite-sign and same-sign signal regions are designed to provide sensitivity to R-parity conserving SUSY models with high- E_T^{miss} (OS-inc and SS-inc) and electroweak gaugino production (SS-inc). Signal regions that introduce requirements on the multiplicity and p_T of jets in the events (OS-3j, OS-4j and SS-2j) exploit the expected presence of jets in cascade decays from coloured SUSY particle production. The three latter regions are optimised by considering their potential reach in the parameter space of mSUGRA/CMSSM [1] models.³ For the flavour-subtraction analysis, the signal regions aim to fully exploit the natural cancellation of $t\bar{t}$ and other flavour-symmetric background events and to have a minimum contamination from Z/γ^* + jets and diboson events. The contamination from flavour-asymmetric background is reduced with either a veto on events with m_{ll} near the mass of the Z boson (FS-no Z), requirements on jet multiplicity and p_T (FS-2j) or very high- E_T^{miss} (FS-inc).

7. Background evaluation

The background from cosmic rays must be evaluated in all signal regions. Muons from hard scattering processes typically have very low values of $|z_0|$ and $|d_0|$ since they originate from the PV of the event. The distributions of both $|z_0|$ and $|d_0|$ for cosmic rays are broad. In the $\mu\mu$ channels the expected numbers of cosmic ray events in each signal region are evaluated using the $|z_0|$ distribution of muons in dimuon events for which the $|z_0|$ and $|d_0|$ requirements have been relaxed. The region $1 < |z_0| < 100$ mm is populated with cosmic rays. Due to the fall off of the tracking efficiency at large z_0 , this region can be well described by a Gaussian fit. This fit can be used to evaluate the number of cosmic rays in the region $|z_0| < 1$ mm, given the estimated number in the region $1 < |z_0| < 100$ mm after the application of the signal region selection cuts. This procedure yields contributions from cosmic rays of $< 10^{-3}$ events in each signal region. The coincidence of a single reconstructed collision electron and a single reconstructed cosmic ray muon is much less likely than the probability of reconstructing a cosmic ray event as two reconstructed muons in coincidence with a collision event. This sets a conservative estimate of the contribution in the $e\mu$ channels of $< 10^{-3}$ events.

The SM backgrounds to each search are evaluated using a combination of MC simulation and data-driven techniques. Contributions from single top and diboson events are evaluated using the MC samples described in Section 4, scaled to the luminosity of the data sample. The former must be evaluated only in OS-x and FS-x signal regions, while the latter must be evaluated in all signal regions. Contributions from Z/γ^* + jets and $t\bar{t}$ events (which must be estimated in OS-x and FS-x signal regions, but not SS-x regions) are evaluated using MC samples normalised to data in appropriate control regions (CR). SM processes generating events containing at least one fake or non-isolated lepton are collectively referred to as “fake lepton” background, generally consisting of semi-leptonic $t\bar{t}$, single top, $W + \text{jets}$ and QCD light and heavy-flavour jet production. The fake lepton background is obtained using a purely data-driven technique for all signal regions. The background from charge misidentification (from electrons in events which have undergone hard bremsstrahlung with subsequent photon conversion) is important in the same-sign signal region and is estimated using a partially data-driven technique.

The following paragraphs first describe the evaluation of the backgrounds which contribute only to the opposite-sign (and flavour-subtraction) signal regions. The fake lepton background for all signal regions is then described. Lastly, details are given of how the background from charge misidentification is estimated for each same-sign signal region.

The fully leptonic $t\bar{t}$ background in the signal regions is obtained by extrapolating from the number of $t\bar{t}$ events in a suitable control region, after correcting for contamination from non- $t\bar{t}$ events, into the signal regions using the ratio of the number of MC $t\bar{t}$ events in the signal region to those in the control region. The numbers of $t\bar{t}$ events in a given control region are determined using a “top-tagging” algorithm. The top-tagging requirement is imposed through the use of the variable m_{CT} [29]. This observable can be calculated from the four-vectors of the selected jets and leptons:

$$m_{CT}^2(v_1, v_2) = [E_T(v_1) + E_T(v_2)]^2 - [\mathbf{p}_T(v_1) - \mathbf{p}_T(v_2)]^2, \quad (1)$$

where v_i can be a lepton (l), a jet (j), or a lepton-jet combination (jl), transverse momentum vectors are defined by \mathbf{p}_T and transverse energies E_T are defined as $E_T = \sqrt{p_T^2 + m^2}$. The quantities $m_{CT}(j, j)$, $m_{CT}(l, l)$ and $m_{CT}(jl, jl)$ are bounded from above by analytical functions of the top quark and W boson

³ These models have varying universal scalar and gaugino mass parameters m_0 and $m_{1/2}$, but fixed values of the universal trilinear coupling parameter $A_0 = 0$ GeV, ratio of the vacuum expectation values of the two Higgs doublets $\tan\beta = 10$, and Higgs mixing parameter, $\mu > 0$.

Table 1

Criteria defining each of the three signal regions for the opposite-sign (OS-x) analysis, each of the two signal regions for the same-sign analysis (SS-x) and each of the three regions for the flavour-subtraction (FS-x) analysis. Regions OS-inc and FS-inc are identical.

Signal region	OS-inc	OS-3j	OS-4j	SS-inc	SS-2j	FS-no Z	FS-2j	FS-inc
E_T^{miss} [GeV]	250	220	100	100	80	80	80	250
Leading jet p_T [GeV]	–	80	100	–	50	–	–	–
Second jet p_T [GeV]	–	40	70	–	50	–	–	–
Third jet p_T [GeV]	–	40	70	–	–	–	–	–
Fourth jet p_T [GeV]	–	–	70	–	–	–	–	–
Number of jets	–	≥ 3	≥ 4	–	≥ 2	–	≥ 2	–
m_{ll} veto [GeV]	–	–	–	–	–	80–100	–	–

masses. A top-tagged event must have at least two jets with $p_T > 20$ GeV, and the scalar sum of the p_T of at least one combination of two jets and the two leptons in the event must exceed 100 GeV. Furthermore, top-tagged events are required to possess m_{CT} values calculated from combinations of jets and leptons consistent with the expected bounds from $t\bar{t}$ events as described in Ref. [30] ($m_{\text{CT}}(jj)$ in the allowed area of the $m_{\text{CT}}(jj)$ - $p_T(jj)$ plane, $m_{\text{CT}}(l_1, l_2)$ in the allowed area of the $m_{\text{CT}}(l_1, l_2)$ - $p_T(ll)$ plane and $m_{\text{CT}}(j_1, j_2)$ compatible with $t\bar{t}$) as well as lepton-jet invariant mass values consistent with top quark decays ($m(j_1 l_1) < 155$ GeV and $m(j_1 l_2) < 155$ GeV). The contributions in each opposite-sign signal region are obtained using three separate control regions (one for each signal region). All three control regions (for OS/FS-inc, OS-3j and OS-4j) require, in addition to the top-tagged lepton pairs, $60 < E_T^{\text{miss}} < 100$ GeV, except in the $e^\pm e^\mp$ and $\mu^\pm \mu^\mp$ channels of OS-inc, where $80 < E_T^{\text{miss}} < 100$ GeV is required. In the first (a control region for OS/FS-inc), no requirement is placed on the jets, while in the second (for OS-3j) and third (for OS-4j), three jets and four jets with $p_T > 40$ GeV are required respectively. In these control regions the numbers of observed events (1010, 238 and 52 in control regions one through to three, respectively) are in good agreement (better than 1 σ) given statistical and systematic uncertainties with the expected rates from $t\bar{t}$ and non- $t\bar{t}$ SM processes, resulting in ratios of data to MC in the control regions compatible with one. The contamination from non- $t\bar{t}$ events lies between 15 and 20%. In the first two signal regions for the flavour subtraction analysis (FS-no Z and FS-2j), the contribution from fully-leptonic $t\bar{t}$ is taken from MC.

Similarly, the contribution from $Z/\gamma^* + \text{jets}$ events in the signal regions is estimated by extrapolating the number of $Z/\gamma^* + \text{jets}$ events observed in a control region into the signal region using ratios derived from MC. All Z/γ^* control regions contain lepton-pair events satisfying the same selection criteria as the signal region but with $E_T^{\text{miss}} < 20$ GeV and an additional $81 < m_{ll} < 101$ GeV requirement. Three distinct control regions are necessary for the three different opposite-sign signal regions: the first (a control region for OS/FS-inc) places no requirements on the number of jets in the event, while the second and third (for OS-3j and OS-4j respectively) require jets with p_T as described in Table 1. Similarly, in the control regions for the flavour-subtraction signal regions (FS-no Z and FS-2j), the corresponding jet requirements in Table 1 are used. In these control regions the numbers of observed events are in good agreement with the expectation from MC, given the systematic and statistical uncertainties on the MC expectation. The predicted numbers of $Z/\gamma^* + \text{jets}$ events in each signal region are compatible with the MC expectation (within 1 σ).

The probabilities of fake leptons being reconstructed as prompt, isolated leptons are evaluated from suitable control regions. Putative fake leptons are identified as those satisfying a loose set of identification requirements, and the fraction of these that pass the tight identification requirements used for signal leptons is measured. For muons, the looser identification requirements are iden-

tical to those of the signal muons, except the isolation requirement is dropped. Looser electrons must be both “medium” as defined in Ref. [26] and not isolated, but are otherwise identical to the signal electrons. The probability of identifying a heavy-flavour decay, light-jet or photon conversion as a prompt electron is evaluated from events with a single electron satisfying the relaxed identification requirements, $E_T^{\text{miss}} < 30$ GeV, at least one jet and $\Delta\phi$ between the lepton and E_T^{miss} directions less than 0.5 (reducing W backgrounds). The corresponding control region for estimating the prompt muon misidentification probability also requires $E_T^{\text{miss}} < 30$ GeV and selects events with two same-sign muons satisfying the relaxed identification requirements. The contamination from processes producing prompt, isolated leptons has been studied in MC simulations and is small. With this “lepton” definition, both control regions and signal regions have a similar composition and are dominated by heavy-flavour decays, light-jets, and photon conversions. In each signal region (OS-x, SS-x and FS-x) the observed numbers of events in data with two loose leptons, two tight leptons, or one of each are counted. Systems of linear equations are then constructed for each signal region relating the observed numbers of events with two fake leptons, two real leptons, or one of each to the observed event counts, using the measured probabilities of misidentification for fakes and efficiencies for identification of real leptons. The latter are obtained for electrons and muons separately from events with a single same-flavour opposite-sign lepton pair with m_{ll} within 5 GeV of the Z mass. Simultaneous solution of these equations in each signal region yields the expected number of events in each which contain fake leptons. This method is the “matrix-method” described in Ref. [31].

The contribution from charge misidentification in each SS-x region is studied using $Z \rightarrow e^+e^-$ MC events. The probability of charge misidentification is ascertained by comparing the charges of generator level electrons to those of reconstructed electron candidates following the application of the same-sign signal region cuts. The misidentification probability is calculated as a function of electron rapidity and transverse momentum and applied to $t\bar{t} \rightarrow e^\pm l^\mp$ ($l = e, \mu$) MC events to evaluate, in each signal region, the number of same-sign events from incorrect charge assignment. The charge misidentification probabilities in the $Z \rightarrow e^+e^-$ and $t\bar{t}$ MC samples are consistent. A single scaling factor is used to correct for discrepancies between the charge misidentification rates in data and simulation. The p_T distributions in data and MC are in good agreement. The probability of misidentifying the charge of a muon and the contributions from charge misidentification of $Z/\gamma^* + \text{jets}$ and other SM backgrounds are negligible.

Fully-leptonic $t\bar{t}$ production is the dominant SM background in the search for opposite-sign dileptons, making up at least 50% of the total SM event yield. Smaller contributions arise from $Z/\gamma^* + \text{jets}$, diboson and single-top production, and events containing at least one fake or non-prompt lepton. In all but the highest jet multiplicity opposite-sign signal regions, $Z/\gamma^* + \text{jets}$ events are the next most significant contribution. After flavour

Table 2

A summary of the dominant systematic uncertainties on the estimates of the fully-leptonic $t\bar{t}$ event yields in each opposite-sign signal region. The uncertainties are different in each signal region, because each has a different control region.

Signal region	OS-inc	OS-3j	OS-4j
MC & CR statistics	7%	10%	21%
JES	11%	6%	6%
JER	1%	11%	15%
Generator	16%	13%	58%
ISR/FSR	20%	16%	26%
Total	27%	25%	68%

subtraction, flavour-symmetric backgrounds like $t\bar{t}$ naturally cancel. Events with a fake lepton dominate the same-sign signal samples. Other significant backgrounds come from diboson production and charge mismeasurements. The estimate of the diboson background includes the process W^+W^+jj , but neglects ttW which has been found to be insignificant. The relative size of each SM background component in each signal region is illustrated in Fig. 1.

8. Systematic uncertainties

The primary sources of systematic uncertainty on the background event estimations are: the jet energy scale (JES), the jet energy resolution (JER) and theory and MC modelling. Uncertainties in lepton reconstruction and identification (momentum and energy scales, resolutions and efficiencies) give smaller contributions. The JES and JER uncertainties are jet p_T and η dependent. They are measured using the complete 2010 dataset using the techniques described in Ref. [32], with an additional contribution (7%) added to the JES uncertainty to account for the effect of higher pile-up in the 2011. Theoretical and MC modelling uncertainties are determined by using different generators and varying the amount of ISR/FSR (for $t\bar{t}$), as described in Section 4. Additional uncertainties arise from limited MC statistics. An uncertainty on the luminosity of 3.7% is included [11].

The main systematic uncertainties on the $t\bar{t}$ background in each OS-x region are summarised in Table 2. The largest uncertainties (generator and ISR/FSR) affect only the scale factor relating the number of MC $t\bar{t}$ events in the control region to the signal region. Since $t\bar{t}$ dominates the event yields in these regions, these uncertainties make up most of the total systematic uncertainty on the estimated opposite-sign background. For the evaluation of the (smaller) contributions from Z/γ^* + jets events, a large statistical uncertainty on the MC predictions in the control regions dominates the error. The uncertainties on the single top (in OS-x and FS-x) and diboson (in OS-x, SS-x and FS-x) backgrounds are dominated by the JES and JER contributions. The uncertainties on the yields in all signal regions from events containing fake leptons are dominated by the knowledge of the mis-identification probabilities. This uncertainty makes up most of the total uncertainty on the background yields in SS-x.

Systematic uncertainties on the signal expectations are evaluated through variations of the factorisation and renormalisation scales in PROSPINO between half and twice their default values, and by including the uncertainty on α_s and on the PDF provided by CTEQ6. Uncertainties are calculated for individual SUSY processes. In the relevant regions of the illustrated mass plane the resulting uncertainties on the signal cross sections are typically 4–8%. Further uncertainties on the numbers of predicted signal events arise from the JES uncertainty (1–18%), luminosity (3.7%) and finite statistics of the signal Monte Carlo samples.

Table 3

Predicted number of background events, observed number of events and the corresponding 95% CL upper limit on $A \times \epsilon \times \sigma$, calculated using the CL_s technique, for each opposite-sign and same-sign signal region.

	Background	Obs.	95% CL
OS-inc	15.5 ± 4.0	13	9.9 fb
OS-3j	13.0 ± 4.0	17	14.4 fb
OS-4j	5.7 ± 3.6	2	6.4 fb
SS-inc	32.6 ± 7.9	25	14.8 fb
SS-2j	24.9 ± 5.9	28	17.7 fb

9. Results and interpretation

9.1. Opposite and same-sign inclusive

The expected and observed numbers of opposite-sign and same-sign lepton-pair events in each signal region are compared in Table 3 to the background expectation. Good agreement is observed. These results are used to set limits on the effective production cross section, the product of the cross section for new phenomena, the kinematic and geometrical acceptance and reconstruction and event selection efficiencies. Limits are set using the CL_s prescription, as described in Ref. [33], and setting the upper limit on the effective production cross section as the limit on the number of observed signal events divided by the integrated luminosity. The results are given in Table 3 in each signal region.

The signal region SS-inc is particularly sensitive to low mass electroweak gaugino production and the cascade decays into leptons, so only this region is used to set upper limits on the cross section for $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ pair production. The cross section upper limits on $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ pair production, in the simplified direct electroweak gaugino production models detailed in Ref. [34] (Section V, I), are illustrated in Fig. 2 as a function of the $\tilde{\chi}_1^\pm$ and LSP ($\tilde{\chi}_1^0$) masses. In this figure, the limits on the effective cross section (taking into account the uncertainties on the signal described in Section 8) are divided by the product of the acceptance and efficiency for each point individually to obtain a grid of limits on the cross section (multiplied by branching ratio). Also shown are the observed and expected limit contours. The results in Fig. 2 are for slepton masses between the LSP and second lightest neutralino masses and the hierarchy $m_{\tilde{l}} = m_{\tilde{\chi}_1^0} + \frac{1}{2}(m_{\tilde{\chi}_1^\pm} - m_{\tilde{\chi}_1^0})$ with $m(\tilde{\chi}_1^\pm) = m(\tilde{\chi}_2^0)$.

In these simplified models, the squarks are very heavy (permitting only direct $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ production), the masses of slepton of different flavours are assumed to be degenerate and the branching ratios for both $\tilde{\chi}_1^\pm \rightarrow \tilde{l}^\pm \nu, \tilde{\nu} l^\pm$ and $\tilde{\chi}_2^0 \rightarrow \tilde{l}^\pm l^\mp$ decays are set to one (with branching ratios for $(\tilde{\chi}_1^\pm \rightarrow \tilde{l}\nu)$ and $(\tilde{\chi}_1^\pm \rightarrow \tilde{\nu}l)$ equal to 50%). Furthermore, the sleptons have equal contributions of \tilde{l}_L and \tilde{l}_R , including all slepton and sneutrino flavours. The branching ratio for $(\tilde{l} \rightarrow l \tilde{\chi}_1^0)$ is 100% and the branching ratio for $(\tilde{\nu} \rightarrow \nu \tilde{\chi}_1^\pm)$ 100%. In this channel, leptons are produced in the cascades: $\tilde{\chi}_1^\pm \tilde{\chi}_2^0 \rightarrow (\nu \tilde{l}^\pm)(l^\pm \tilde{\chi}_1^0) \rightarrow (\nu l^\pm \tilde{\chi}_1^0)(l^\pm l^\mp \tilde{\chi}_1^0)$ and $\tilde{\chi}_1^\pm \tilde{\chi}_2^0 \rightarrow (l^\pm \tilde{\nu})(l^\pm \tilde{l}^\mp) \rightarrow (l^\pm \nu \tilde{\chi}_1^0)(l^\pm l^\mp \tilde{\chi}_1^0)$ (with equal branching ratios). The cross section for the line with $m(\tilde{\chi}_1^\pm) = m(\tilde{\chi}_2^0) = 200$ GeV is 0.51 pb. Models in the low-mass region have acceptances of ~ 5 –15% for $\tilde{\chi}_1^0$ – $\tilde{\chi}_1^\pm$ mass differences from 50 to 200 GeV, and efficiencies of $\sim 20\%$. If decays to sleptons are dominant, charginos with masses up to 200 GeV are excluded, under the assumptions of these simplified models.

9.2. Flavour-subtraction analysis

In the flavour-subtraction analysis, limits are set on the excess in the number of opposite-sign same-flavour events (multiplied by




Fig. 1. The E_T^{miss} distributions of same-sign dilepton events before any jet requirement (a), and after requiring two high- p_T jets (b) and the E_T^{miss} distributions of all opposite-sign dilepton events before any jet requirement (c), after requiring 3 high- p_T jets (d) and after the 4 jet requirement (e). Errors on data points are statistical, while the error band on the SM background represents the total uncertainty. The lower inserts show the ratio between the data and the SM expectation. The component labelled “Fake leptons” is evaluated using data as described in the text. The remaining background contributions are from MC, normalised to their respective cross sections and the luminosity of the data sample.




Fig. 2. 95% CL cross section upper limits (\mathcal{S}_{CL}) in pb and observed and expected limit contours for $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ production in direct gaugino simplified models.

detector acceptances and efficiencies) in the appropriate signal regions. This is done using pseudo-experiments. The opposite-sign same-flavour excess is quantified using the quantity \mathcal{S} , defined as

$$\mathcal{S} = \frac{N(e^\pm e^\mp)}{\beta(1 - (1 - \tau_e)^2)} + \frac{\beta N(\mu^\pm \mu^\mp)}{(1 - (1 - \tau_\mu)^2)} - \frac{N(e^\pm \mu^\mp)}{1 - (1 - \tau_e)(1 - \tau_\mu)}, \quad (2)$$

which measures the excess of opposite-sign same-flavour events (first two terms) over different-flavour events (third term), taking into account the ratio of electron to muon efficiency times acceptance (β), and the electron and muon trigger efficiencies (τ_e and τ_μ), under the assumption that the trigger selection adopted for $e^\pm \mu^\mp$ events is equivalent to a logical OR of the electron and muon triggers. This quantity, \mathcal{S} , is effectively the excess in the number of same-flavour events multiplied by detector acceptances and efficiencies. The ratio of acceptances and efficiencies, β , is determined from data to be 0.75 ± 0.05 , with the quoted error including both systematic and statistical uncertainties. The muon trigger efficiency, τ_μ , averaged over the barrel and end-cap is taken to be $(81.6 \pm 0.3)\%$.

The numbers of events in each signal region give $N(e^\pm e^\mp)$, $N(e^\pm \mu^\mp)$ and $N(\mu^\pm \mu^\mp)$ for each region. The invariant mass distributions of the dilepton events with high- E_T^{miss} are illustrated in Fig. 3. To quantify the consistency between the observed \mathcal{S} value and the SM prediction the expected distribution of \mathcal{S}_b in the absence of new phenomena is determined. This distribution possesses a mean given by $\bar{\mathcal{S}}_b$ and a width dominated by statistical fluctuations of the numbers of events observed in each channel. The distributions for \mathcal{S}_b can be determined by generating pseudo-experiments. For each pseudo-experiment the mean numbers of background events in each channel and from each source are sampled, taking appropriate account of correlations between the uncertainties in the values of these means. The resulting number of background events in each channel is then used to construct a Poisson distribution from which the observed number of events in that channel is drawn. The sampled event counts in each channel are then used with Eq. (2) to determine a value of \mathcal{S}_b , taking care also to sample values of τ_e , τ_μ and β according to their means and uncertainties. The distribution of \mathcal{S}_b obtained from these hypothetical signal-free experiments are characterised by a mean and an RMS, as detailed in Table 4. The non-zero $\bar{\mathcal{S}}_b$ is due to the irreducible background from $Z/\gamma^* + \text{jets}$ and diboson events. The

Table 4

The observed values of \mathcal{S} in the data (\mathcal{S}_{obs}), and the mean and RMS of the distributions of the expected \mathcal{S}_b from one million hypothetical signal-free pseudo-experiments.

	\mathcal{S}_{obs}	$\bar{\mathcal{S}}_b$	RMS
FS-no Z	$131.6 \pm 2.5(\text{sys})$	118.7 ± 27.0	48.6
FS-2j	$142.2 \pm 1.0(\text{sys})$	67.1 ± 28.6	49.0
FS-inc	$-3.06 \pm 0.04(\text{sys})$	0.7 ± 1.6	4.5

Table 5

Consistency of the observation with the SM expectation (middle column), computed as the percentage of signal-free pseudo-experiments giving values of \mathcal{S} greater than the observation, \mathcal{S}_{obs} . Observed limit (right column) on the numbers of same-flavour events from new phenomena multiplied by detector acceptances and efficiencies in each signal region.

	$\mathcal{S} > \mathcal{S}_{\text{obs}} (\%)$	Limit $\bar{\mathcal{S}}_s$ (95% CL)
FS-no Z	39	94
FS-2j	6	158
FS-inc	79	4.5

assumption that the trigger selection for different flavour dilepton events is equivalent to a logical OR between the electron and muon triggers leads to a slight underestimate of the effective excess of same-flavour events in each region (greatest at 3.5% of \mathcal{S}_{obs} in FS-inc, negligible in comparison to the RMS which drives the limit).

The distribution of \mathcal{S}_b values obtained in this way can be used to evaluate the probability of observing a value of \mathcal{S} at least as large as \mathcal{S}_{obs} . The width of the distribution is dominated by Poisson fluctuations in the number of events. The consistency between data and the SM expectation in each signal region is summarised in Table 5. The agreement is better than 2σ in all cases.

Limits are also set on $\bar{\mathcal{S}}_s$, the mean contribution to \mathcal{S} from new phenomena. The statistical procedure employed follows that used to determine the consistency of the observed value of \mathcal{S} with the background expectation. The pseudo-experiments are modified by adding signal event contributions to the input mean numbers of background events in each channel. An assumption must be made regarding the relative branching ratio of new processes into same-flavour and different flavour final states, as adding flavour uncorrelated contributions to the same-flavour and different-flavour channels increases the width of the \mathcal{S} distribution. Given such an assumption, a limit can be set on $\bar{\mathcal{S}}_s$ by comparing \mathcal{S}_{obs} with the distribution of \mathcal{S} values obtained from the new set of signal-plus-background pseudo-experiments. If the assumption is made that the branching fractions for $e^\pm e^\mp$ and $\mu^\pm \mu^\mp$ in new physics events are identical, and the branching fraction for $e^\pm \mu^\mp$ final states is zero, then the limits tabulated in the right most column of Table 5 are obtained. The most stringent limits are set in FS-inc, which requires $E_T^{\text{miss}} > 250$ GeV.

10. Summary

This Letter reports results of three searches for new phenomena in final states with opposite-sign and same-sign dileptons and missing transverse momentum. These searches also include signal regions that place requirements on the number and p_T of energetic jets in the events. There is good agreement for all signal regions between the numbers of observed events and the SM predictions. Model-independent limits are quoted on the cross section multiplied by acceptances and efficiencies for the inclusive analyses, and limits on the same-flavour excess multiplied by acceptances and efficiencies for the flavour-subtraction analysis, all of which improve on results obtained with the 2010 dataset. Cross sections in excess of 9.5 fb for opposite-sign events with




Fig. 3. Distributions of the invariant mass in data together with the SM expectation for same-flavour (SF) dilepton events with $E_T^{\text{miss}} > 80 \text{ GeV}$ after a Z-veto requirement (FS-no Z) (a) and 2-jet requirement (FS-2j) (b). Also shown are the different-flavour (DF) distributions. Errors on data points are statistical, while the error bands on the SM predictions represent the total uncertainties.

missing transverse momentum greater than 250 GeV are excluded at 95% CL. In events with missing transverse energy greater than 250 GeV a limit is set on the number of same-flavour lepton pairs from new physics, multiplied by detector acceptance and efficiency, of 4.5. Cross sections in excess of 10.2 fb for same-sign events, with missing transverse momentum greater than 100 GeV, are excluded at 95% CL. Additionally, new limits have been presented on the chargino mass in direct electroweak gaugino production modes using simplified models. Charginos with masses up to 200 GeV are excluded, under the assumptions of these models.

Acknowledgements

We wish to thank CERN for the efficient commissioning and operation of the LHC during this initial high-energy data-taking period as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; ARTEMIS, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-

T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] Yu.A. Gol'fand, E.P. Likhtman, JETP Lett. 13 (1971) 323; A. Neveu, J.H. Schwartz, Nucl. Phys. B 31 (1971) 86; A. Neveu, J.H. Schwartz, Phys. Rev. D 4 (1971) 1109; P. Ramond, Phys. Rev. D 3 (1971) 2415; D.V. Volkov, V.P. Akulov, Phys. Lett. B 46 (1973) 109; J. Wess, B. Zumino, Phys. Lett. B 49 (1974) 52; J. Wess, B. Zumino, Nucl. Phys. B 70 (1974) 39.
- [2] P. Fayet, Phys. Lett. B 69 (1977) 489; G.R. Farrar, P. Fayet, Phys. Lett. B 76 (1978) 575.
- [3] I. Hinchliffe, F.E. Paige, M.D. Shapiro, J. Soderqvist, W. Yao, Phys. Rev. D 55 (1997) 5520.
- [4] B.C. Allanach, C.G. Lester, M.A. Parker, B.R. Webber, JHEP 0009 (2000) 004.
- [5] D. Costanzo, D.R. Tovey, JHEP 0904 (2009) 084.
- [6] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1682.
- [7] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1647.
- [8] CMS Collaboration, JHEP 1106 (2011) 026.
- [9] CMS Collaboration, JHEP 1106 (2011) 077.
- [10] ATLAS Collaboration, JINST 3 (2008) S08003.
- [11] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630; ATLAS Collaboration, ATLAS-CONF-2011-116, <http://cdsweb.cern.ch/record/1376384>, 2011.
- [12] S. Frixione, B.R. Webber, JHEP 0206 (2002) 029; S. Frixione, P. Nason, B.R. Webber, JHEP 0308 (2003) 007; S. Frixione, E. Laenen, P. Motylinski, JHEP 0603 (2006) 092.
- [13] P.M. Nadolsky, et al., Phys. Rev. D 78 (2008) 013004.
- [14] M.L. Mangano, M. Moretti, F. Piccinini, R. Pittau, A.D. Polosa, JHEP 0307 (2003) 001.
- [15] G. Corcella, et al., JHEP 0101 (2001) 010.
- [16] J. Alwall, et al., JHEP 1106 (2011) 128.
- [17] J. Butterworth, J. Forshaw, M. Seymour, Z. Phys. C 72 (1996) 637.
- [18] S. Frixione, P. Nason, C. Oleari, JHEP 0711 (2007) 070.
- [19] B.P. Kersevan, E. Richter-Was, arXiv:hep-ph/0405247v1, 2004.

- [20] M. Bahr, et al., Eur. Phys. J. C 58 (2008) 639.
- [21] W. Beenakker, M. Klasen, M. Krämer, T. Plehn, M. Spira, P.M. Zerwas, Phys. Rev. Lett. 83 (1999) 3780.
- [22] A. Sherstnev, R. Thorne, Eur. Phys. J. C 55 (2008) 553.
- [23] ATLAS Collaboration, ATL-PHYS-PUB-2010-014, <https://cdsweb.cern.ch/record/1303025>, 2010;
- ATLAS Collaboration, ATLAS-CONF-2010-031, <http://cdsweb.cern.ch/record/1277665>, 2010.
- [24] S. Agostinelli, et al., Nucl. Instr. Meth. A 506 (2003) 250.
- [25] ATLAS Collaboration, G. Aad, et al., Eur. Phys. J. C 70 (2010) 823.
- [26] ATLAS Collaboration, JHEP 1012 (2010) 060.
- [27] M. Cacciari, G.P. Salam, G. Soyez, JHEP 0804 (2008) 063;
- M. Cacciari, G.P. Salam, Phys. Lett. B 641 (2006) 57.
- [28] ATLAS Collaboration, ATLAS-CONF-2010-038, <http://cdsweb.cern.ch/record/1277678>, 2010.
- [29] D. Tovey, JHEP 0804 (2008) 034.
- [30] G. Polesello, D. Tovey, JHEP 1003 (2010) 030.
- [31] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1577.
- [32] ATLAS Collaboration, Eur. Phys. J. C, submitted for publication, arXiv:1112.6426, 2011.
- [33] A.I. Read, J. Phys. G 28 (2002) 2693.
- [34] J. Alwall, P. Schuster, N. Toro, Phys. Rev. D 79 (2009) 075020;
- D. Alves, et al., arXiv:1105.2838, 2011.
- [35] DO Collaboration, Phys. Lett. B 680 (2009) 34.
- [36] CDF Collaboration, arXiv:0910.1931.
- [37] LEP2 SUSY Working Group Collaboration, http://lepsusy.web.cern.ch/lepsusy/www/sleptons_summer04/slep_final.html.
- [38] ALEPH Collaboration, Phys. Lett. B 526 (2002) 206.
- [39] ALEPH Collaboration, Phys. Lett. B 583 (2004) 247.
- [40] DELPHI Collaboration, Eur. Phys. J. C 31 (2003).
- [41] L3 Collaboration, Phys. Lett. B 580 (2004) 37.
- [42] OPAL Collaboration, Eur. Phys. J. C 32 (2004).

ATLAS Collaboration

G. Aad⁴⁸, B. Abbott¹¹¹, J. Abdallah¹¹, A.A. Abdelalim⁴⁹, A. Abdesselam¹¹⁸, O. Abdinov¹⁰, B. Abi¹¹², M. Abolins⁸⁸, H. Abramowicz¹⁵³, H. Abreu¹¹⁵, E. Acerbi^{89a,89b}, B.S. Acharya^{164a,164b}, D.L. Adams²⁴, T.N. Addy⁵⁶, J. Adelman¹⁷⁵, M. Aderholz⁹⁹, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²², J.A. Aguilar-Saavedra^{124b,a}, M. Aharrouche⁸¹, S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴⁰, G. Aielli^{133a,133b}, T. Akdogan^{18a}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴, A. Akiyama⁶⁷, M.S. Alam¹, M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksi²⁹, I.N. Aleksandrov⁶⁵, F. Alessandria^{89a}, C. Alexa^{25a}, G. Alexander¹⁵³, G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob²⁰, M. Aliev¹⁵, G. Alimonti^{89a}, J. Alison¹²⁰, M. Aliyev¹⁰, P.P. Allport⁷³, S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷¹, A. Alonso⁷⁹, M.G. Alvaggi^{102a,102b}, K. Amako⁶⁶, P. Amaral²⁹, C. Amelung²², V.V. Ammosov¹²⁸, A. Amorim^{124a,b}, G. Amorós¹⁶⁷, N. Amram¹⁵³, C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁵, T. Andeen³⁴, C.F. Anders²⁰, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{89a,89b}, V. Andrei^{58a}, M.-L. Andrieux⁵⁵, X.S. Anduaga⁷⁰, A. Angerami³⁴, F. Anghinolfi²⁹, N. Anjos^{124a}, A. Annovi⁴⁷, A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a}, S. Aoun⁸³, L. Aperio Bella⁴, R. Apolle^{118,c}, G. Arabidze⁸⁸, I. Aracena¹⁴³, Y. Arai⁶⁶, A.T.H. Arce⁴⁴, J.P. Archambault²⁸, S. Arfaoui^{29,d}, J.-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, C. Arnault¹¹⁵, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²⁰, S. Asai¹⁵⁵, R. Asfandiyarov¹⁷², S. Ask²⁷, B. Åsman^{146a,146b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁶⁹, A. Astvatsatourov⁵², G. Atoian¹⁷⁵, B. Aubert⁴, E. Auge¹¹⁵, K. Augsten¹²⁷, M. Aurousseau^{145a}, N. Austin⁷³, G. Avolio¹⁶³, R. Avramidou⁹, D. Axen¹⁶⁸, C. Ay⁵⁴, G. Azuelos^{93,e}, Y. Azuma¹⁵⁵, M.A. Baak²⁹, G. Baccaglioni^{89a}, C. Bacci^{134a,134b}, A.M. Bach¹⁴, H. Bachacou¹³⁶, K. Bachas²⁹, G. Bachy²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁸, T. Bain¹⁵⁸, J.T. Baines¹²⁹, O.K. Baker¹⁷⁵, M.D. Baker²⁴, S. Baker⁷⁷, E. Banas³⁸, P. Banerjee⁹³, Sw. Banerjee¹⁷², D. Banfi²⁹, A. Bangert¹³⁷, V. Bansal¹⁶⁹, H.S. Bansil¹⁷, L. Barak¹⁷¹, S.P. Baranov⁹⁴, A. Barashkou⁶⁵, A. Barbaro Galtieri¹⁴, T. Barber²⁷, E.L. Barberio⁸⁶, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁵, T. Barillari⁹⁹, M. Barisonzi¹⁷⁴, T. Barklow¹⁴³, N. Barlow²⁷, B.M. Barnett¹²⁹, R.M. Barnett¹⁴, A. Baroncelli^{134a}, G. Barone⁴⁹, A.J. Barr¹¹⁸, F. Barreiro⁸⁰, J. Barreiro Guimarães da Costa⁵⁷, P. Barrillon¹¹⁵, R. Bartoldus¹⁴³, A.E. Barton⁷¹, D. Bartsch²⁰, V. Bartsch¹⁴⁹, R.L. Bates⁵³, L. Batkova^{144a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, G. Battistoni^{89a}, F. Bauer¹³⁶, H.S. Bawa^{143,f}, B. Beare¹⁵⁸, T. Beau⁷⁸, P.H. Beauchemin¹¹⁸, R. Beccherle^{50a}, P. Bechtle⁴¹, H.P. Beck¹⁶, M. Beckingham¹³⁸, K.H. Becks¹⁷⁴, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁵, V.A. Bednyakov⁶⁵, C.P. Bee⁸³, M. Begel²⁴, S. Behar Harpaz¹⁵², P.K. Behera⁶³, M. Beimforde⁹⁹, C. Belanger-Champagne⁸⁵, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵³, L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova¹⁰⁷, K. Belotskiy⁹⁶, O. Beltramello²⁹, S. Ben Ami¹⁵², O. Benary¹⁵³, D. Benchekroun^{135a}, C. Benchouk⁸³, M. Bendel⁸¹, N. Benekos¹⁶⁵, Y. Benhammou¹⁵³, D.P. Benjamin⁴⁴, M. Benoit¹¹⁵, J.R. Bensinger²², K. Benslama¹³⁰, S. Bentvelsen¹⁰⁵, D. Berge²⁹, E. Bergeaas Kuutmann⁴¹, N. Berger⁴, F. Berghaus¹⁶⁹, E. Berglund⁴⁹, J. Beringer¹⁴, K. Bernardet⁸³, P. Bernat⁷⁷, R. Bernhard⁴⁸, C. Bernius²⁴, T. Berry⁷⁶, A. Bertin^{19a,19b}, F. Bertinelli²⁹, F. Bertolucci^{122a,122b}, M.I. Besana^{89a,89b}, N. Besson¹³⁶, S. Bethke⁹⁹, W. Bhimji⁴⁵, R.M. Bianchi²⁹, M. Bianco^{72a,72b}, O. Biebel⁹⁸, S.P. Bieniek⁷⁷, K. Bierwagen⁵⁴, J. Biesiada¹⁴, M. Biglietti^{134a,134b}, H. Bilokon⁴⁷, M. Bindi^{19a,19b}, S. Binet¹¹⁵, A. Bingul^{18c}, C. Bini^{132a,132b},

- C. Biscarat ¹⁷⁷, U. Bitenc ⁴⁸, K.M. Black ²¹, R.E. Blair ⁵, J.-B. Blanchard ¹¹⁵, G. Blanchot ²⁹, T. Blazek ^{144a},
 C. Blocker ²², J. Blocki ³⁸, A. Blondel ⁴⁹, W. Blum ⁸¹, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵,
 V.B. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁴, C.R. Boddy ¹¹⁸, M. Boehler ⁴¹, J. Boek ¹⁷⁴, N. Boelaert ³⁵,
 S. Böser ⁷⁷, J.A. Bogaerts ²⁹, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*}, C. Bohm ^{146a}, V. Boisvert ⁷⁶, T. Bold ³⁷,
 V. Boldea ^{25a}, N.M. Bolnet ¹³⁶, M. Bona ⁷⁵, V.G. Bondarenko ⁹⁶, M. Bondioli ¹⁶³, M. Boonekamp ¹³⁶,
 G. Boorman ⁷⁶, C.N. Booth ¹³⁹, S. Bordoni ⁷⁸, C. Borer ¹⁶, A. Borisov ¹²⁸, G. Borissov ⁷¹, I. Borjanovic ^{12a},
 S. Borroni ⁸⁷, K. Bos ¹⁰⁵, D. Boscherini ^{19a}, M. Bosman ¹¹, H. Boterenbrood ¹⁰⁵, D. Botterill ¹²⁹,
 J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhova-Thacker ⁷¹, C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³⁰,
 J. Boyd ²⁹, I.R. Boyko ⁶⁵, N.I. Bozhko ¹²⁸, I. Bozovic-Jelisavcic ^{12b}, J. Bracinik ¹⁷, A. Braem ²⁹,
 P. Branchini ^{134a}, G.W. Brandenburg ⁵⁷, A. Brandt ⁷, G. Brandt ¹⁵, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴,
 J.E. Brau ¹¹⁴, H.M. Braun ¹⁷⁴, B. Brelier ¹⁵⁸, J. Bremer ²⁹, R. Brenner ¹⁶⁶, S. Bressler ¹⁵², D. Breton ¹¹⁵,
 D. Britton ⁵³, F.M. Brochu ²⁷, I. Brock ²⁰, R. Brock ⁸⁸, T.J. Brodbeck ⁷¹, E. Brodet ¹⁵³, F. Broggi ^{89a},
 C. Bromberg ⁸⁸, G. Brooijmans ³⁴, W.K. Brooks ^{31b}, G. Brown ⁸², H. Brown ⁷,
 P.A. Bruckman de Renstrom ³⁸, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, S. Brunet ⁶¹, A. Bruni ^{19a}, G. Bruni ^{19a},
 M. Bruschi ^{19a}, T. Buanes ¹³, F. Bucci ⁴⁹, J. Buchanan ¹¹⁸, N.J. Buchanan ², P. Buchholz ¹⁴¹,
 R.M. Buckingham ¹¹⁸, A.G. Buckley ⁴⁵, S.I. Buda ^{25a}, I.A. Budagov ⁶⁵, B. Budick ¹⁰⁸, V. Büscher ⁸¹,
 L. Bugge ¹¹⁷, D. Buira-Clark ¹¹⁸, O. Bulekov ⁹⁶, M. Bunse ⁴², T. Buran ¹¹⁷, H. Burckhart ²⁹, S. Burdin ⁷³,
 T. Burgess ¹³, S. Burke ¹²⁹, E. Busato ³³, P. Bussey ⁵³, C.P. Buszello ¹⁶⁶, F. Butin ²⁹, B. Butler ¹⁴³,
 J.M. Butler ²¹, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷, W. Buttlinger ²⁷, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{19a,19b},
 O. Cakir ^{3a}, P. Calafiura ¹⁴, G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{23a}, R. Caloi ^{132a,132b},
 D. Calvet ³³, S. Calvet ³³, R. Camacho Toro ³³, P. Camarri ^{133a,133b}, M. Cambiaghi ^{119a,119b}, D. Cameron ¹¹⁷,
 S. Campana ²⁹, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ^{30,g}, A. Canepa ^{159a}, J. Cantero ⁸⁰,
 L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido ²⁹, I. Caprini ^{25a}, M. Caprini ^{25a}, D. Capriotti ⁹⁹,
 M. Capua ^{36a,36b}, R. Caputo ¹⁴⁸, R. Cardarelli ^{133a}, T. Carli ²⁹, G. Carlino ^{102a}, L. Carminati ^{89a,89b},
 B. Caron ^{159a}, S. Caron ⁴⁸, G.D. Carrillo Montoya ¹⁷², A.A. Carter ⁷⁵, J.R. Carter ²⁷, J. Carvalho ^{124a,h},
 D. Casadei ¹⁰⁸, M.P. Casado ¹¹, M. Cascella ^{122a,122b}, C. Caso ^{50a,50b,*}, A.M. Castaneda Hernandez ¹⁷²,
 E. Castaneda-Miranda ¹⁷², V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{124a}, G. Cataldi ^{72a}, F. Cataneo ²⁹,
 A. Catinaccio ²⁹, J.R. Catmore ⁷¹, A. Cattai ²⁹, G. Cattani ^{133a,133b}, S. Caughron ⁸⁸, D. Cauz ^{164a,164c},
 P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹¹, V. Cavasinni ^{122a,122b}, F. Ceradini ^{134a,134b},
 A.S. Cerqueira ^{23a}, A. Cerri ²⁹, L. Cerrito ⁷⁵, F. Cerutti ⁴⁷, S.A. Cetin ^{18b}, F. Cevenini ^{102a,102b}, A. Chafaq ^{135a},
 D. Chakraborty ¹⁰⁶, K. Chan ², B. Chapleau ⁸⁵, J.D. Chapman ²⁷, J.W. Chapman ⁸⁷, E. Chareyre ⁷⁸,
 D.G. Charlton ¹⁷, V. Chavda ⁸², C.A. Chavez Barajas ²⁹, S. Cheatham ⁸⁵, S. Chekanov ⁵, S.V. Chekulaev ^{159a},
 G.A. Chelkov ⁶⁵, M.A. Chelstowska ¹⁰⁴, C. Chen ⁶⁴, H. Chen ²⁴, S. Chen ^{32c}, T. Chen ^{32c}, X. Chen ¹⁷²,
 S. Cheng ^{32a}, A. Cheplakov ⁶⁵, V.F. Chepurnov ⁶⁵, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ²⁴, E. Cheu ⁶,
 S.L. Cheung ¹⁵⁸, L. Chevalier ¹³⁶, G. Chiefari ^{102a,102b}, L. Chikovani ^{51a}, J.T. Childers ^{58a}, A. Chilingarov ⁷¹,
 G. Chiodini ^{72a}, M.V. Chizhov ⁶⁵, G. Choudalakis ³⁰, S. Chouridou ¹³⁷, I.A. Christidi ⁷⁷, A. Christov ⁴⁸,
 D. Chromek-Burckhart ²⁹, M.L. Chu ¹⁵¹, J. Chudoba ¹²⁵, G. Ciapetti ^{132a,132b}, K. Ciba ³⁷, A.K. Ciftci ^{3a},
 R. Ciftci ^{3a}, D. Cinca ³³, V. Cindro ⁷⁴, M.D. Ciobotaru ¹⁶³, C. Ciocca ^{19a}, A. Ciocio ¹⁴, M. Cirilli ⁸⁷,
 M. Ciubancan ^{25a}, A. Clark ⁴⁹, P.J. Clark ⁴⁵, W. Cleland ¹²³, J.C. Clemens ⁸³, B. Clement ⁵⁵,
 C. Clement ^{146a,146b}, R.W. Clifft ¹²⁹, Y. Coadou ⁸³, M. Cobal ^{164a,164c}, A. Coccaro ^{50a,50b}, J. Cochran ⁶⁴,
 P. Coe ¹¹⁸, J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵, E. Cogneras ¹⁷⁷, C.D. Cojocaru ²⁸, J. Colas ⁴, A.P. Colijn ¹⁰⁵,
 C. Collard ¹¹⁵, N.J. Collins ¹⁷, C. Collins-Tooth ⁵³, J. Collot ⁵⁵, G. Colon ⁸⁴, P. Conde Muiño ^{124a},
 E. Coniavitis ¹¹⁸, M.C. Conidi ¹¹, M. Consonni ¹⁰⁴, V. Consorti ⁴⁸, S. Constantinescu ^{25a}, C. Conta ^{119a,119b},
 F. Conventi ^{102a,i}, J. Cook ²⁹, M. Cooke ¹⁴, B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, N.J. Cooper-Smith ⁷⁶,
 K. Copic ³⁴, T. Cornelissen ¹⁷⁴, M. Corradi ^{19a}, F. Corriveau ^{85,j}, A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹,
 G. Costa ^{89a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, T. Costin ³⁰, D. Côté ²⁹, L. Courneyea ¹⁶⁹, G. Cowan ⁷⁶,
 C. Cowden ²⁷, B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b}, M. Cristinziani ²⁰, G. Crosetti ^{36a,36b},
 R. Crupi ^{72a,72b}, S. Crépé-Renaudin ⁵⁵, C.-M. Cuciuc ^{25a}, C. Cuenca Almenar ¹⁷⁵,
 T. Cuhadar Donszelmann ¹³⁹, M. Curatolo ⁴⁷, C.J. Curtis ¹⁷, P. Cwetanski ⁶¹, H. Czirr ¹⁴¹, Z. Czyczula ¹⁷⁵,
 S. D'Auria ⁵³, M. D'Onofrio ⁷³, A. D'Orazio ^{132a,132b}, P.V.M. Da Silva ^{23a}, C. Da Via ⁸², W. Dabrowski ³⁷,
 T. Dai ⁸⁷, C. Dallapiccola ⁸⁴, M. Dam ³⁵, M. Dameri ^{50a,50b}, D.S. Damiani ¹³⁷, H.O. Danielsson ²⁹,
 D. Dannheim ⁹⁹, V. Dao ⁴⁹, G. Darbo ^{50a}, G.L. Darlea ^{25b}, C. Daum ¹⁰⁵, J.P. Dauvergne ²⁹, W. Davey ²⁰,

- T. Davidek ¹²⁶, N. Davidson ⁸⁶, R. Davidson ⁷¹, E. Davies ^{118,c}, M. Davies ⁹³, A.R. Davison ⁷⁷,
 Y. Davygora ^{58a}, E. Dawe ¹⁴², I. Dawson ¹³⁹, J.W. Dawson ^{5,*}, R.K. Daya ³⁹, K. De ⁷, R. de Asmundis ^{102a},
 S. De Castro ^{19a,19b}, P.E. De Castro Faria Salgado ²⁴, S. De Cecco ⁷⁸, J. de Graat ⁹⁸, N. De Groot ¹⁰⁴,
 P. de Jong ¹⁰⁵, C. De La Taille ¹¹⁵, H. De la Torre ⁸⁰, B. De Lotto ^{164a,164c}, L. De Mora ⁷¹, L. De Nooij ¹⁰⁵,
 D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ^{164a,164c}, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁵,
 S. Dean ⁷⁷, R. Debbe ²⁴, D.V. Dedovich ⁶⁵, J. Degenhardt ¹²⁰, M. Dehchar ¹¹⁸, C. Del Papa ^{164a,164c},
 J. Del Peso ⁸⁰, T. Del Prete ^{122a,122b}, M. Deliyergiyev ⁷⁴, A. Dell'Acqua ²⁹, L. Dell'Asta ^{89a,89b},
 M. Della Pietra ^{102a,i}, D. della Volpe ^{102a,102b}, M. Delmastro ²⁹, P. Delpierre ⁸³, N. Delruelle ²⁹,
 P.A. Delsart ⁵⁵, C. Deluca ¹⁴⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁵, B. Demirkoz ^{11,k}, J. Deng ¹⁶³, S.P. Denisov ¹²⁸,
 D. Derendarz ³⁸, J.E. Derkaoui ^{135d}, F. Derue ⁷⁸, P. Dervan ⁷³, K. Desch ²⁰, E. Devetak ¹⁴⁸, P.O. Deviveiros ¹⁵⁸,
 A. Dewhurst ¹²⁹, B. DeWilde ¹⁴⁸, S. Dhaliwal ¹⁵⁸, R. Dhullipudi ^{24,l}, A. Di Ciaccio ^{133a,133b}, L. Di Ciaccio ⁴,
 A. Di Girolamo ²⁹, B. Di Girolamo ²⁹, S. Di Luise ^{134a,134b}, A. Di Mattia ¹⁷², B. Di Micco ²⁹,
 R. Di Nardo ^{133a,133b}, A. Di Simone ^{133a,133b}, R. Di Sipio ^{19a,19b}, M.A. Diaz ^{31a}, F. Diblen ^{18c}, E.B. Diehl ⁸⁷,
 J. Dietrich ⁴¹, T.A. Dietzsch ^{58a}, S. Diglio ¹¹⁵, K. Dindar Yagci ³⁹, J. Dingfelder ²⁰, C. Dionisi ^{132a,132b},
 P. Dita ^{25a}, S. Dita ^{25a}, F. Dittus ²⁹, F. Djama ⁸³, T. Djobava ^{51b}, M.A.B. do Vale ^{23a}, A. Do Valle Wemans ^{124a},
 T.K.O. Doan ⁴, M. Dobbs ⁸⁵, R. Dobinson ^{29,*}, D. Dobos ²⁹, E. Dobson ²⁹, M. Dobson ¹⁶³, J. Dodd ³⁴,
 C. Doglioni ¹¹⁸, T. Doherty ⁵³, Y. Doi ^{66,*}, J. Dolejsi ¹²⁶, I. Dolenc ⁷⁴, Z. Dolezal ¹²⁶, B.A. Dolgoshein ^{96,*},
 T. Dohmae ¹⁵⁵, M. Donadelli ^{23d}, M. Donega ¹²⁰, J. Donini ⁵⁵, J. Dopke ²⁹, A. Doria ^{102a}, A. Dos Anjos ¹⁷²,
 M. Dosil ¹¹, A. Dotti ^{122a,122b}, M.T. Dova ⁷⁰, J.D. Dowell ¹⁷, A.D. Doxiadis ¹⁰⁵, A.T. Doyle ⁵³, Z. Drasal ¹²⁶,
 J. Drees ¹⁷⁴, N. Dressnandt ¹²⁰, H. Drevermann ²⁹, C. Driouichi ³⁵, M. Dris ⁹, J. Dubbert ⁹⁹, T. Dubbs ¹³⁷,
 S. Dube ¹⁴, E. Duchovni ¹⁷¹, G. Duckeck ⁹⁸, A. Dudarev ²⁹, F. Dudziak ⁶⁴, M. Dührssen ²⁹, I.P. Duerdorff ⁸²,
 L. Duflot ¹¹⁵, M.-A. Dufour ⁸⁵, M. Dunford ²⁹, H. Duran Yildiz ^{3b}, R. Duxfield ¹³⁹, M. Dwuznik ³⁷,
 F. Dydak ²⁹, M. Düren ⁵², W.L. Ebenstein ⁴⁴, J. Ebke ⁹⁸, S. Eckert ⁴⁸, S. Eckweiler ⁸¹, K. Edmonds ⁸¹,
 C.A. Edwards ⁷⁶, N.C. Edwards ⁵³, W. Ehrenfeld ⁴¹, T. Ehrich ⁹⁹, T. Eifert ²⁹, G. Eigen ¹³, K. Einsweiler ¹⁴,
 E. Eisenhandler ⁷⁵, T. Ekelof ¹⁶⁶, M. El Kacimi ^{135c}, M. Ellert ¹⁶⁶, S. Elles ⁴, F. Ellinghaus ⁸¹, K. Ellis ⁷⁵,
 N. Ellis ²⁹, J. Elmsheuser ⁹⁸, M. Elsing ²⁹, D. Emeliyanov ¹²⁹, R. Engelmann ¹⁴⁸, A. Engl ⁹⁸, B. Epp ⁶²,
 A. Eppig ⁸⁷, J. Erdmann ⁵⁴, A. Ereditato ¹⁶, D. Eriksson ^{146a}, J. Ernst ¹, M. Ernst ²⁴, J. Ernwein ¹³⁶,
 D. Errede ¹⁶⁵, S. Errede ¹⁶⁵, E. Ertel ⁸¹, M. Escalier ¹¹⁵, C. Escobar ¹²³, X. Espinal Curull ¹¹, B. Esposito ⁴⁷,
 F. Etienne ⁸³, A.I. Etienne ¹³⁶, E. Etzion ¹⁵³, D. Evangelakou ⁵⁴, H. Evans ⁶¹, L. Fabbri ^{19a,19b}, C. Fabre ²⁹,
 R.M. Fakhrutdinov ¹²⁸, S. Falciano ^{132a}, Y. Fang ¹⁷², M. Fanti ^{89a,89b}, A. Farbin ⁷, A. Farilla ^{134a}, J. Farley ¹⁴⁸,
 T. Farooque ¹⁵⁸, S.M. Farrington ¹¹⁸, P. Farthouat ²⁹, P. Fassnacht ²⁹, D. Fassouliotis ⁸, B. Fatholahzadeh ¹⁵⁸,
 A. Favareto ^{89a,89b}, L. Fayard ¹¹⁵, S. Fazio ^{36a,36b}, R. Febbraro ³³, P. Federic ^{144a}, O.L. Fedin ¹²¹,
 W. Fedorko ⁸⁸, M. Fehling-Kaschek ⁴⁸, L. Feligioni ⁸³, C.U. Felzmann ⁸⁶, C. Feng ^{32d}, E.J. Feng ³⁰,
 A.B. Fenyuk ¹²⁸, J. Ferencei ^{144b}, J. Ferland ⁹³, W. Fernando ¹⁰⁹, S. Ferrag ⁵³, J. Ferrando ⁵³, V. Ferrara ⁴¹,
 A. Ferrari ¹⁶⁶, P. Ferrari ¹⁰⁵, R. Ferrari ^{119a}, A. Ferrer ¹⁶⁷, M.L. Ferrer ⁴⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁷,
 A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³⁰, F. Fiedler ⁸¹, A. Filipčič ⁷⁴, A. Filippas ⁹, F. Filthaut ¹⁰⁴,
 M. Fincke-Keeler ¹⁶⁹, M.C.N. Fiolhais ^{124a,h}, L. Fiorini ¹⁶⁷, A. Firat ³⁹, G. Fischer ⁴¹, P. Fischer ²⁰,
 M.J. Fisher ¹⁰⁹, S.M. Fisher ¹²⁹, M. Flechl ⁴⁸, I. Fleck ¹⁴¹, J. Fleckner ⁸¹, P. Fleischmann ¹⁷³,
 S. Fleischmann ¹⁷⁴, T. Flick ¹⁷⁴, L.R. Flores Castillo ¹⁷², M.J. Flowerdew ⁹⁹, M. Fokitis ⁹, T. Fonseca Martin ¹⁶,
 D.A. Forbush ¹³⁸, A. Formica ¹³⁶, A. Forti ⁸², D. Fortin ^{159a}, J.M. Foster ⁸², D. Fournier ¹¹⁵, A. Foussat ²⁹,
 A.J. Fowler ⁴⁴, K. Fowler ¹³⁷, H. Fox ⁷¹, P. Francavilla ^{122a,122b}, S. Franchino ^{119a,119b}, D. Francis ²⁹,
 T. Frank ¹⁷¹, M. Franklin ⁵⁷, S. Franz ²⁹, M. Fraternali ^{119a,119b}, S. Fratina ¹²⁰, S.T. French ²⁷, F. Friedrich ⁴³,
 R. Froeschl ²⁹, D. Froidevaux ²⁹, J.A. Frost ²⁷, C. Fukunaga ¹⁵⁶, E. Fullana Torregrosa ²⁹, J. Fuster ¹⁶⁷,
 C. Gabaldon ²⁹, O. Gabizon ¹⁷¹, T. Gadfort ²⁴, S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶¹, C. Galea ⁹⁸,
 E.J. Gallas ¹¹⁸, V. Gallo ¹⁶, B.J. Gallop ¹²⁹, P. Gallus ¹²⁵, E. Galyaev ⁴⁰, K.K. Gan ¹⁰⁹, Y.S. Gao ^{143,f},
 V.A. Gapienko ¹²⁸, A. Gaponenko ¹⁴, F. Garberson ¹⁷⁵, M. Garcia-Sciveres ¹⁴, C. García ¹⁶⁷,
 J.E. García Navarro ⁴⁹, R.W. Gardner ³⁰, N. Garelli ²⁹, H. Garitaonandia ¹⁰⁵, V. Garonne ²⁹, J. Garvey ¹⁷,
 C. Gatti ⁴⁷, G. Gaudio ^{119a}, O. Gaumer ⁴⁹, B. Gaur ¹⁴¹, L. Gauthier ¹³⁶, I.L. Gavrilenco ⁹⁴, C. Gay ¹⁶⁸,
 G. Gaycken ²⁰, J.-C. Gayde ²⁹, E.N. Gazis ⁹, P. Ge ^{32d}, C.N.P. Gee ¹²⁹, D.A.A. Geerts ¹⁰⁵, Ch. Geich-Gimbel ²⁰,
 K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a}, A. Gemmell ⁵³, M.H. Genest ⁹⁸, S. Gentile ^{132a,132b}, M. George ⁵⁴,
 S. George ⁷⁶, P. Gerlach ¹⁷⁴, A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, P. Ghez ⁴, N. Ghodbane ³³,
 B. Giacobbe ^{19a}, S. Giagu ^{132a,132b}, V. Giakoumopoulou ⁸, V. Giangiobbe ^{122a,122b}, F. Gianotti ²⁹,

- B. Gibbard ²⁴, A. Gibson ¹⁵⁸, S.M. Gibson ²⁹, L.M. Gilbert ¹¹⁸, V. Gilewsky ⁹¹, D. Gillberg ²⁸,
 A.R. Gillman ¹²⁹, D.M. Gingrich ^{2,e}, J. Ginzburg ¹⁵³, N. Giokaris ⁸, M.P. Giordani ^{164c}, R. Giordano ^{102a,102b},
 F.M. Giorgi ¹⁵, P. Giovannini ⁹⁹, P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, P. Giusti ^{19a}, B.K. Gjelsten ¹¹⁷,
 L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ⁴⁸, A. Glazov ⁴¹, K.W. Glitza ¹⁷⁴, G.L. Glonti ⁶⁵, J. Godfrey ¹⁴²,
 J. Godlewski ²⁹, M. Goebel ⁴¹, T. Göpfert ⁴³, C. Goeringer ⁸¹, C. Gössling ⁴², T. Göttfert ⁹⁹, S. Goldfarb ⁸⁷,
 T. Golling ¹⁷⁵, S.N. Golovnia ¹²⁸, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴¹, R. Gonçalo ⁷⁶,
 J. Goncalves Pinto Firmino Da Costa ⁴¹, L. Gonella ²⁰, A. Gonidec ²⁹, S. Gonzalez ¹⁷²,
 S. González de la Hoz ¹⁶⁷, M.L. Gonzalez Silva ²⁶, S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ²⁹,
 P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁴, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁴, B. Gorini ²⁹, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴,
 E. Gornicki ³⁸, S.A. Gorokhov ¹²⁸, V.N. Goryachev ¹²⁸, B. Gosdzik ⁴¹, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁵,
 I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a}, D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁴,
 I. Grabowska-Bold ^{163,m}, P. Grafström ²⁹, C. Grah ¹⁷⁴, K.-J. Grahn ⁴¹, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁵,
 V. Grassi ¹⁴⁸, V. Gratchev ¹²¹, N. Grau ³⁴, H.M. Gray ²⁹, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹,
 D. Greenfield ¹²⁹, T. Greenshaw ⁷³, Z.D. Greenwood ^{24,l}, K. Gregersen ³⁵, I.M. Gregor ⁴¹, P. Grenier ¹⁴³,
 J. Griffiths ¹³⁸, N. Grigalashvili ⁶⁵, A.A. Grillo ¹³⁷, S. Grinstein ¹¹, Y.V. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵,
 M. Groh ⁹⁹, E. Gross ¹⁷¹, J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷¹, K. Grybel ¹⁴¹, V.J. Guarino ⁵, D. Guest ¹⁷⁵,
 C. Guicheney ³³, A. Guida ^{72a,72b}, S. Guindon ⁵⁴, H. Guler ^{85,n}, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁴,
 A. Gupta ³⁰, Y. Gusakov ⁶⁵, V.N. Gushchin ¹²⁸, A. Gutierrez ⁹³, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³,
 O. Gutzwiller ¹⁷², C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁴³, S. Haas ²⁹, C. Haber ¹⁴,
 R. Hackenburg ²⁴, H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ⁹⁹, F. Hahn ²⁹, S. Haider ²⁹, Z. Hajduk ³⁸,
 H. Hakobyan ¹⁷⁶, J. Haller ⁵⁴, K. Hamacher ¹⁷⁴, P. Hamal ¹¹³, A. Hamilton ⁴⁹, S. Hamilton ¹⁶¹, H. Han ^{32a},
 L. Han ^{32b}, K. Hanagaki ¹¹⁶, M. Hance ¹⁴, C. Handel ⁸¹, P. Hanke ^{58a}, J.R. Hansen ³⁵, J.B. Hansen ³⁵,
 J.D. Hansen ³⁵, P.H. Hansen ³⁵, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷, T. Harenberg ¹⁷⁴, S. Harkusha ⁹⁰,
 D. Harper ⁸⁷, R.D. Harrington ⁴⁵, O.M. Harris ¹³⁸, K. Harrison ¹⁷, J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁶,
 A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, M. Hatch ²⁹, D. Hauff ⁹⁹, S. Haug ¹⁶,
 M. Hauschild ²⁹, R. Hauser ⁸⁸, M. Havranek ²⁰, B.M. Hawes ¹¹⁸, C.M. Hawkes ¹⁷, R.J. Hawkings ²⁹,
 D. Hawkins ¹⁶³, T. Hayakawa ⁶⁷, T. Hayashi ¹⁶⁰, D. Hayden ⁷⁶, H.S. Hayward ⁷³, S.J. Haywood ¹²⁹,
 E. Hazen ²¹, M. He ^{32d}, S.J. Head ¹⁷, V. Hedberg ⁷⁹, L. Heelan ⁷, S. Heim ⁸⁸, B. Heinemann ¹⁴,
 S. Heisterkamp ³⁵, L. Helary ⁴, S. Hellman ^{146a,146b}, D. Hellmich ²⁰, C. Helsens ¹¹, R.C.W. Henderson ⁷¹,
 M. Henke ^{58a}, A. Henrichs ⁵⁴, A.M. Henriques Correia ²⁹, S. Henrot-Versille ¹¹⁵, F. Henry-Couannier ⁸³,
 C. Hensel ⁵⁴, T. Henß ¹⁷⁴, C.M. Hernandez ⁷, Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁵,
 A.D. Hershenhorn ¹⁵², G. Herten ⁴⁸, R. Hertenberger ⁹⁸, L. Hervas ²⁹, N.P. Hessey ¹⁰⁵, A. Hidvegi ^{146a},
 E. Higón-Rodríguez ¹⁶⁷, D. Hill ^{5,*}, J.C. Hill ²⁷, N. Hill ⁵, K.H. Hiller ⁴¹, S. Hillert ²⁰, S.J. Hillier ¹⁷,
 I. Hinchliffe ¹⁴, E. Hines ¹²⁰, M. Hirose ¹¹⁶, F. Hirsch ⁴², D. Hirschbuehl ¹⁷⁴, J. Hobbs ¹⁴⁸, N. Hod ¹⁵³,
 M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹, A. Hoecker ²⁹, M.R. Hoeferkamp ¹⁰³, J. Hoffman ³⁹, D. Hoffmann ⁸³,
 M. Hohlfeld ⁸¹, M. Holder ¹⁴¹, S.O. Holmgren ^{146a}, T. Holy ¹²⁷, J.L. Holzbauer ⁸⁸, Y. Homma ⁶⁷,
 T.M. Hong ¹²⁰, L. Hooft van Huysduyven ¹⁰⁸, T. Horazdovsky ¹²⁷, C. Horn ¹⁴³, S. Horner ⁴⁸, K. Horton ¹¹⁸,
 J.-Y. Hostachy ⁵⁵, S. Hou ¹⁵¹, M.A. Houlden ⁷³, A. Hoummada ^{135a}, J. Howarth ⁸², D.F. Howell ¹¹⁸,
 I. Hristova ¹⁵, J. Hrivnac ¹¹⁵, I. Hruska ¹²⁵, T. Hrypn'ova ⁴, P.J. Hsu ¹⁷⁵, S.-C. Hsu ¹⁴, G.S. Huang ¹¹¹,
 Z. Hubacek ¹²⁷, F. Hubaut ⁸³, F. Huegging ²⁰, T.B. Huffman ¹¹⁸, E.W. Hughes ³⁴, G. Hughes ⁷¹,
 R.E. Hughes-Jones ⁸², M. Huhtinen ²⁹, P. Hurst ⁵⁷, M. Hurwitz ¹⁴, U. Husemann ⁴¹, N. Huseynov ^{65,o},
 J. Huston ⁸⁸, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ⁹, M. Ibbotson ⁸², I. Ibragimov ¹⁴¹, R. Ichimiya ⁶⁷,
 L. Iconomidou-Fayard ¹¹⁵, J. Idarraga ¹¹⁵, P. Iengo ^{102a,102b}, O. Igonkina ¹⁰⁵, Y. Ikegami ⁶⁶, M. Ikeno ⁶⁶,
 Y. Ilchenko ³⁹, D. Iliadis ¹⁵⁴, D. Imbault ⁷⁸, M. Imori ¹⁵⁵, T. Ince ²⁰, J. Inigo-Golfin ²⁹, P. Ioannou ⁸,
 M. Iodice ^{134a}, A. Irles Quiles ¹⁶⁷, A. Ishikawa ⁶⁷, M. Ishino ⁶⁸, R. Ishmukhametov ³⁹, C. Issever ¹¹⁸,
 S. Istin ^{18a}, A.V. Ivashin ¹²⁸, W. Iwanski ³⁸, H. Iwasaki ⁶⁶, J.M. Izen ⁴⁰, V. Izzo ^{102a}, B. Jackson ¹²⁰,
 J.N. Jackson ⁷³, P. Jackson ¹⁴³, M.R. Jaekel ²⁹, V. Jain ⁶¹, K. Jakobs ⁴⁸, S. Jakobsen ³⁵, J. Jakubek ¹²⁷,
 D.K. Jana ¹¹¹, E. Jankowski ¹⁵⁸, E. Jansen ⁷⁷, A. Jantsch ⁹⁹, M. Janus ²⁰, G. Jarlskog ⁷⁹, L. Jeanty ⁵⁷,
 K. Jelen ³⁷, I. Jen-La Plante ³⁰, P. Jenni ²⁹, A. Jeremie ⁴, P. Jež ³⁵, S. Jézéquel ⁴, M.K. Jha ^{19a}, H. Ji ¹⁷², W. Ji ⁸¹,
 J. Jia ¹⁴⁸, Y. Jiang ^{32b}, M. Jimenez Belenguer ⁴¹, G. Jin ^{32b}, S. Jin ^{32a}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁵,
 D. Joffe ³⁹, L.G. Johansen ¹³, M. Johansen ^{146a,146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴¹,
 K.A. Johns ⁶, K. Jon-And ^{146a,146b}, G. Jones ⁸², R.W.L. Jones ⁷¹, T.W. Jones ⁷⁷, T.J. Jones ⁷³, O. Jonsson ²⁹,

- C. Joram 29, P.M. Jorge 124a,b, J. Joseph 14, T. Jovin 12b, X. Ju 130, C.A. Jung 42, V. Juraneck 125, P. Jussel 62, A. Juste Rozas 11, V.V. Kabachenko 128, S. Kabana 16, M. Kaci 167, A. Kaczmarska 38, P. Kadlecik 35, M. Kado 115, H. Kagan 109, M. Kagan 57, S. Kaiser 99, E. Kajomovitz 152, S. Kalinin 174, L.V. Kalinovskaya 65, S. Kama 39, N. Kanaya 155, M. Kaneda 29, T. Kanno 157, V.A. Kantserov 96, J. Kanzaki 66, B. Kaplan 175, A. Kapliy 30, J. Kaplon 29, D. Kar 43, M. Karagoz 118, M. Karnevskiy 41, K. Karr 5, V. Kartvelishvili 71, A.N. Karyukhin 128, L. Kashif 172, A. Kasmi 39, R.D. Kass 109, A. Kastanas 13, M. Kataoka 4, Y. Kataoka 155, E. Katsoufis 9, J. Katzy 41, V. Kaushik 6, K. Kawagoe 67, T. Kawamoto 155, G. Kawamura 81, M.S. Kayl 105, V.A. Kazanin 107, M.Y. Kazarinov 65, J.R. Keates 82, R. Keeler 169, R. Kehoe 39, M. Keil 54, G.D. Kekelidze 65, M. Kelly 82, J. Kennedy 98, C.J. Kenney 143, M. Kenyon 53, O. Kepka 125, N. Kerschen 29, B.P. Kerševan 74, S. Kersten 174, K. Kessoku 155, C. Ketterer 48, J. Keung 158, M. Khakzad 28, F. Khalil-zada 10, H. Khandanyan 165, A. Khanov 112, D. Kharchenko 65, A. Khodinov 96, A.G. Kholodenko 128, A. Khomich 58a, T.J. Khoo 27, G. Khoriauli 20, A. Khoroshilov 174, N. Khovanskiy 65, V. Khovanskiy 95, E. Khramov 65, J. Khubua 51b, H. Kim 7, M.S. Kim 2, P.C. Kim 143, S.H. Kim 160, N. Kimura 170, O. Kind 15, B.T. King 73, M. King 67, R.S.B. King 118, J. Kirk 129, L.E. Kirsch 22, A.E. Kiryunin 99, T. Kishimoto 67, D. Kisielewska 37, T. Kittelmann 123, A.M. Kiver 128, E. Kladiva 144b, J. Klaiber-Lodewigs 42, M. Klein 73, U. Klein 73, K. Kleinknecht 81, M. Klemetti 85, A. Klier 171, A. Klimentov 24, R. Klingenberg 42, E.B. Klinkby 35, T. Klioutchnikova 29, P.F. Klok 104, S. Klous 105, E.-E. Kluge 58a, T. Kluge 73, P. Kluit 105, S. Kluth 99, N.S. Knecht 158, E. Kneringer 62, J. Knobloch 29, E.B.F.G. Knoops 83, A. Knue 54, B.R. Ko 44, T. Kobayashi 155, M. Kobel 43, M. Kocian 143, A. Kocnar 113, P. Kodys 126, K. Köneke 29, A.C. König 104, S. Koenig 81, L. Köpke 81, F. Koetsveld 104, P. Koevesarki 20, T. Koffas 28, E. Koffeman 105, F. Kohn 54, Z. Kohout 127, T. Kohriki 66, T. Koi 143, T. Kokott 20, G.M. Kolachev 107, H. Kolanoski 15, V. Kolesnikov 65, I. Koletsou 89a, J. Koll 88, D. Kollar 29, M. Kollefrath 48, S.D. Kolya 82, A.A. Komar 94, Y. Komori 155, T. Kondo 66, T. Kono 41,p, A.I. Kononov 48, R. Konoplich 108,q, N. Konstantinidis 77, A. Kootz 174, S. Koperny 37, S.V. Kopikov 128, K. Korcyl 38, K. Kordas 154, V. Koreshev 128, A. Korn 118, A. Korol 107, I. Korolkov 11, E.V. Korolkova 139, V.A. Korotkov 128, O. Kortner 99, S. Kortner 99, V.V. Kostyukhin 20, M.J. Kotamäki 29, S. Kotov 99, V.M. Kotov 65, A. Kotwal 44, C. Kourkoumelis 8, V. Kouskoura 154, A. Koutsman 105, R. Kowalewski 169, T.Z. Kowalski 37, W. Kozanecki 136, A.S. Kozhin 128, V. Kral 127, V.A. Kramarenko 97, G. Kramberger 74, M.W. Krasny 78, A. Krasznahorkay 108, J. Kraus 88, J.K. Kraus 20, A. Kreisel 153, F. Krejci 127, J. Kretzschmar 73, N. Krieger 54, P. Krieger 158, K. Kroeninger 54, H. Kroha 99, J. Kroll 120, J. Kroseberg 20, J. Krstic 12a, U. Kruchonak 65, H. Krüger 20, T. Kruker 16, Z.V. Krumshteyn 65, A. Kruth 20, T. Kubota 86, S. Kuehn 48, A. Kugel 58c, T. Kuhl 41, D. Kuhn 62, V. Kukhtin 65, Y. Kulchitsky 90, S. Kuleshov 31b, C. Kummer 98, M. Kuna 78, N. Kundu 118, J. Kunkle 120, A. Kupco 125, H. Kurashige 67, M. Kurata 160, Y.A. Kurochkin 90, V. Kus 125, M. Kuze 157, P. Kuzhir 91, J. Kvita 29, R. Kwee 15, A. La Rosa 172, L. La Rotonda 36a,36b, L. Labarga 80, J. Labbe 4, S. Lablak 135a, C. Lacasta 167, F. Lacava 132a,132b, H. Lacker 15, D. Lacour 78, V.R. Lacuesta 167, E. Ladygin 65, R. Lafaye 4, B. Laforge 78, T. Lagouri 80, S. Lai 48, E. Laisne 55, M. Lamanna 29, C.L. Lampen 6, W. Lampl 6, E. Lancon 136, U. Landgraf 48, M.P.J. Landon 75, H. Landsman 152, J.L. Lane 82, C. Lange 41, A.J. Lankford 163, F. Lanni 24, K. Lantzsch 174, S. Laplace 78, C. Lapoire 20, J.F. Laporte 136, T. Lari 89a, A.V. Larionov 128, A. Larner 118, C. Lasseur 29, M. Lassnig 29, P. Laurelli 47, W. Lavrijsen 14, P. Laycock 73, A.B. Lazarev 65, O. Le Dortz 78, E. Le Guirriec 83, C. Le Maner 158, E. Le Menedeu 136, C. Lebel 93, T. LeCompte 5, F. Ledroit-Guillon 55, H. Lee 105, J.S.H. Lee 116, S.C. Lee 151, L. Lee 175, M. Lefebvre 169, M. Legendre 136, A. Leger 49, B.C. LeGeyt 120, F. Legger 98, C. Leggett 14, M. Lehacher 20, G. Lehmann Miotto 29, X. Lei 6, M.A.L. Leite 23d, R. Leitner 126, D. Lellouch 171, M. Leltchouk 34, B. Lemmer 54, V. Lendermann 58a, K.J.C. Leney 145b, T. Lenz 105, G. Lenzen 174, B. Lenzi 29, K. Leonhardt 43, S. Leontsinis 9, C. Leroy 93, J.-R. Lessard 169, J. Lesser 146a, C.G. Lester 27, A. Leung Fook Cheong 172, J. Levêque 4, D. Levin 87, L.J. Levinson 171, M.S. Levitski 128, M. Lewandowska 21, A. Lewis 118, G.H. Lewis 108, A.M. Leyko 20, M. Leyton 15, B. Li 83, H. Li 172, S. Li 32b,d, X. Li 87, Z. Liang 39, Z. Liang 118,r, H. Liao 33, B. Liberti 133a, P. Lichard 29, M. Lichtnecker 98, K. Lie 165, W. Liebig 13, R. Lifshitz 152, J.N. Lilley 17, C. Limbach 20, A. Limosani 86, M. Limper 63, S.C. Lin 151,s, F. Linde 105, J.T. Linnemann 88, E. Lipeles 120, L. Lipinsky 125, A. Lipniacka 13, T.M. Liss 165, D. Lissauer 24, A. Lister 49, A.M. Litke 137, C. Liu 28, D. Liu 151,t, H. Liu 87, J.B. Liu 87, M. Liu 32b, S. Liu 2, Y. Liu 32b, M. Livan 119a,119b, S.S.A. Livermore 118, A. Lleres 55, J. Llorente Merino 80, S.L. Lloyd 75, E. Lobodzinska 41, P. Loch 6, W.S. Lockman 137, T. Loddenkoetter 20, F.K. Loebinger 82, A. Loginov 175, C.W. Loh 168, T. Lohse 15,

- K. Lohwasser 48, M. Lokajicek 125, J. Loken 118, V.P. Lombardo 4, R.E. Long 71, L. Lopes 124a,b,
 D. Lopez Mateos 57, M. Losada 162, P. Loscutoff 14, F. Lo Sterzo 132a,132b, M.J. Losty 159a, X. Lou 40,
 A. Lounis 115, K.F. Loureiro 162, J. Love 21, P.A. Love 71, A.J. Lowe 143,f, F. Lu 32a, H.J. Lubatti 138,
 C. Luci 132a,132b, A. Lucotte 55, A. Ludwig 43, D. Ludwig 41, I. Ludwig 48, J. Ludwig 48, F. Luehring 61,
 G. Luijckx 105, D. Lumb 48, L. Luminari 132a, E. Lund 117, B. Lund-Jensen 147, B. Lundberg 79,
 J. Lundberg 146a,146b, J. Lundquist 35, M. Lungwitz 81, A. Lupi 122a,122b, G. Lutz 99, D. Lynn 24, J. Lys 14,
 E. Lytken 79, H. Ma 24, L.L. Ma 172, J.A. Macana Goia 93, G. Maccarrone 47, A. Macchiolo 99, B. Maček 74,
 J. Machado Miguens 124a, R. Mackeprang 35, R.J. Madaras 14, W.F. Mader 43, R. Maenner 58c, T. Maeno 24,
 P. Mättig 174, S. Mättig 41, L. Magnoni 29, E. Magradze 54, Y. Mahalalel 153, K. Mahboubi 48, G. Mahout 17,
 C. Maiani 132a,132b, C. Maidantchik 23a, A. Maio 124a,b, S. Majewski 24, Y. Makida 66, N. Makovec 115,
 P. Mal 136, Pa. Malecki 38, P. Malecki 38, V.P. Maleev 121, F. Malek 55, U. Mallik 63, D. Malon 5, C. Malone 143,
 S. Maltezos 9, V. Malyshev 107, S. Malyukov 29, R. Mameghani 98, J. Mamuzic 12b, A. Manabe 66,
 L. Mandelli 89a, I. Mandić 74, R. Mandrysch 15, J. Maneira 124a, P.S. Mangeard 88, I.D. Manjavidze 65,
 A. Mann 54, P.M. Manning 137, A. Manousakis-Katsikakis 8, B. Mansoulie 136, A. Manz 99, A. Mapelli 29,
 L. Mapelli 29, L. March 80, J.F. Marchand 29, F. Marchese 133a,133b, G. Marchiori 78, M. Marcisovsky 125,
 A. Marin 21,* , C.P. Marino 169, F. Marroquim 23a, R. Marshall 82, Z. Marshall 29, F.K. Martens 158,
 S. Marti-Garcia 167, A.J. Martin 175, B. Martin 29, B. Martin 88, F.F. Martin 120, J.P. Martin 93, Ph. Martin 55,
 T.A. Martin 17, V.J. Martin 45, B. Martin dit Latour 49, S. Martin-Haugh 149, M. Martinez 11,
 V. Martinez Outschoorn 57, A.C. Martyniuk 82, M. Marx 82, F. Marzano 132a, A. Marzin 111, L. Masetti 81,
 T. Mashimo 155, R. Mashinistov 94, J. Masik 82, A.L. Maslennikov 107, I. Massa 19a,19b, G. Massaro 105,
 N. Massol 4, P. Mastrandrea 132a,132b, A. Mastroberardino 36a,36b, T. Masubuchi 155, M. Mathes 20,
 P. Matricon 115, H. Matsumoto 155, H. Matsunaga 155, T. Matsushita 67, C. Mattravers 118,c, J.M. Maugain 29,
 S.J. Maxfield 73, D.A. Maximov 107, E.N. May 5, A. Mayne 139, R. Mazini 151, M. Mazur 20, M. Mazzanti 89a,
 E. Mazzoni 122a,122b, S.P. Mc Kee 87, A. McCarn 165, R.L. McCarthy 148, T.G. McCarthy 28, N.A. McCubbin 129,
 K.W. McFarlane 56, J.A. McFayden 139, H. McGlone 53, G. Mchedlidze 51b, R.A. McLaren 29, T. McLaughlan 17,
 S.J. McMahon 129, R.A. McPherson 169,j, A. Meade 84, J. Mechnick 105, M. Mechtel 174, M. Medinnis 41,
 R. Meera-Lebbai 111, T. Meguro 116, R. Mehdiyev 93, S. Mehlhase 35, A. Mehta 73, K. Meier 58a,
 J. Meinhardt 48, B. Meirose 79, C. Melachrinos 30, B.R. Mellado Garcia 172, F. Meloni 89a,89b,
 L. Mendoza Navas 162, Z. Meng 151,t, A. Mengarelli 19a,19b, S. Menke 99, C. Menot 29, E. Meoni 11,
 K.M. Mercurio 57, P. Mermod 118, L. Merola 102a,102b, C. Meroni 89a, F.S. Merritt 30, A. Messina 29,
 J. Metcalfe 103, A.S. Mete 64, C. Meyer 81, J.-P. Meyer 136, J. Meyer 173, J. Meyer 54, T.C. Meyer 29,
 W.T. Meyer 64, J. Miao 32d, S. Michal 29, L. Micu 25a, R.P. Middleton 129, P. Miele 29, S. Migas 73, L. Mijović 41,
 G. Mikenberg 171, M. Mikestikova 125, M. Mikuž 74, D.W. Miller 30, R.J. Miller 88, W.J. Mills 168, C. Mills 57,
 A. Milov 171, D.A. Milstead 146a,146b, D. Milstein 171, A.A. Minaenko 128, M. Miñano 167, I.A. Minashvili 65,
 A.I. Mincer 108, B. Mindur 37, M. Mineev 65, Y. Ming 130, L.M. Mir 11, G. Mirabelli 132a, L. Miralles Verge 11,
 A. Misiejuk 76, J. Mitrevski 137, G.Y. Mitrofanov 128, V.A. Mitsou 167, S. Mitsui 66, P.S. Miyagawa 139,
 K. Miyazaki 67, J.U. Mjörnmark 79, T. Moa 146a,146b, P. Mockett 138, S. Moed 57, V. Moeller 27, K. Mönig 41,
 N. Möser 20, S. Mohapatra 148, W. Mohr 48, S. Mohrdieck-Möck 99, A.M. Moisseev 128,* , R. Moles-Valls 167,
 J. Molina-Perez 29, J. Monk 77, E. Monnier 83, S. Montesano 89a,89b, F. Monticelli 70, S. Monzani 19a,19b,
 R.W. Moore 2, G.F. Moorhead 86, C. Mora Herrera 49, A. Moraes 53, N. Morange 136, J. Morel 54,
 G. Morello 36a,36b, D. Moreno 81, M. Moreno Llácer 167, P. Morettini 50a, M. Morii 57, J. Morin 75,
 A.K. Morley 29, G. Mornacchi 29, S.V. Morozov 96, J.D. Morris 75, L. Morvaj 101, H.G. Moser 99,
 M. Mosidze 51b, J. Moss 109, R. Mount 143, E. Mountricha 136, S.V. Mouraviev 94, E.J.W. Moyse 84,
 M. Mudrinic 12b, F. Mueller 58a, J. Mueller 123, K. Mueller 20, T.A. Müller 98, D. Muenstermann 29,
 A. Muir 168, Y. Munwes 153, W.J. Murray 129, I. Mussche 105, E. Musto 102a,102b, A.G. Myagkov 128,
 M. Myska 125, J. Nadal 11, K. Nagai 160, K. Nagano 66, Y. Nagasaka 60, A.M. Nairz 29, Y. Nakahama 29,
 K. Nakamura 155, T. Nakamura 155, I. Nakano 110, G. Nanava 20, A. Napier 161, M. Nash 77,c, N.R. Nation 21,
 T. Nattermann 20, T. Naumann 41, G. Navarro 162, H.A. Neal 87, E. Nebot 80, P.Yu. Nechaeva 94,
 A. Negri 119a,119b, G. Negri 29, S. Nektarijevic 49, A. Nelson 163, S. Nelson 143, T.K. Nelson 143,
 S. Nemecek 125, P. Nemethy 108, A.A. Nepomuceno 23a, M. Nessi 29,u, S.Y. Nesterov 121, M.S. Neubauer 165,
 A. Neusiedl 81, R.M. Neves 108, P. Nevski 24, P.R. Newman 17, V. Nguyen Thi Hong 136, R.B. Nickerson 118,
 R. Nicolaïdou 136, L. Nicolas 139, B. Nicquevert 29, F. Niedercorn 115, J. Nielsen 137, T. Niinikoski 29,

- N. Nikiforou ³⁴, A. Nikiforov ¹⁵, V. Nikolaenko ¹²⁸, K. Nikolaev ⁶⁵, I. Nikolic-Audit ⁷⁸, K. Nikolics ⁴⁹,
 K. Nikolopoulos ²⁴, H. Nilsen ⁴⁸, P. Nilsson ⁷, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, T. Nishiyama ⁶⁷, R. Nisius ⁹⁹,
 L. Nodulman ⁵, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴, M. Nordberg ²⁹, B. Nordkvist ^{146a,146b}, P.R. Norton ¹²⁹,
 J. Novakova ¹²⁶, M. Nozaki ⁶⁶, L. Nozka ¹¹³, I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²⁰,
 G. Nunes Hanninger ⁸⁶, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷, T. Nyman ²⁹, B.J. O'Brien ⁴⁵, S.W. O'Neale ^{17,*},
 D.C. O'Neil ¹⁴², V. O'Shea ⁵³, F.G. Oakham ^{28,e}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸, A. Ochi ⁶⁷, S. Oda ¹⁵⁵,
 S. Odaka ⁶⁶, J. Odier ⁸³, H. Ogren ⁶¹, A. Oh ⁸², S.H. Oh ⁴⁴, C.C. Ohm ^{146a,146b}, T. Ohshima ¹⁰¹, H. Ohshita ¹⁴⁰,
 T. Ohsugi ⁵⁹, S. Okada ⁶⁷, H. Okawa ¹⁶³, Y. Okumura ¹⁰¹, T. Okuyama ¹⁵⁵, M. Olcese ^{50a}, A.G. Olchevski ⁶⁵,
 M. Oliveira ^{124a,h}, D. Oliveira Damazio ²⁴, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰, A. Olszewski ³⁸,
 J. Olszowska ³⁸, C. Omachi ⁶⁷, A. Onofre ^{124a,v}, P.U.E. Onyisi ³⁰, C.J. Oram ^{159a}, M.J. Oreglia ³⁰, Y. Oren ¹⁵³,
 D. Orestano ^{134a,134b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, B. Osculati ^{50a,50b}, R. Ospanov ¹²⁰,
 C. Osuna ¹¹, G. Otero y Garzon ²⁶, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶,
 Q. Ouyang ^{32a}, M. Owen ⁸², S. Owen ¹³⁹, V.E. Ozcan ^{18a}, N. Ozturk ⁷, A. Pacheco Pages ¹¹,
 C. Padilla Aranda ¹¹, S. Pagan Griso ¹⁴, E. Paganis ¹³⁹, F. Paige ²⁴, K. Pajchel ¹¹⁷, G. Palacino ^{159b},
 C.P. Paleari ⁶, S. Palestini ²⁹, D. Pallin ³³, A. Palma ^{124a,b}, J.D. Palmer ¹⁷, Y.B. Pan ¹⁷², E. Panagiotopoulou ⁹,
 B. Panes ^{31a}, N. Panikashvili ⁸⁷, S. Panitkin ²⁴, D. Pantea ^{25a}, M. Panuskova ¹²⁵, V. Paolone ¹²³,
 A. Papadelis ^{146a}, Th.D. Papadopoulou ⁹, A. Paramonov ⁵, W. Park ^{24,w}, M.A. Parker ²⁷, F. Parodi ^{50a,50b},
 J.A. Parsons ³⁴, U. Parzefall ⁴⁸, E. Pasqualucci ^{132a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b}, Fr. Pastore ⁷⁶,
 G. Pásztor ^{49,x}, S. Pataraia ¹⁷⁴, N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ²⁹, M. Pecsy ^{144a},
 M.I. Pedraza Morales ¹⁷², S.V. Peleganchuk ¹⁰⁷, H. Peng ^{32b}, R. Pengo ²⁹, A. Penson ³⁴, J. Penwell ⁶¹,
 M. Perantoni ^{23a}, K. Perez ^{34,y}, T. Perez Cavalcanti ⁴¹, E. Perez Codina ¹¹, M.T. Pérez García-Estañ ¹⁶⁷,
 V. Perez Reale ³⁴, L. Perini ^{89a,89b}, H. Pernegger ²⁹, R. Perrino ^{72a}, P. Perrodo ⁴, S. Perseme ^{3a},
 V.D. Peshekhonov ⁶⁵, B.A. Petersen ²⁹, J. Petersen ²⁹, T.C. Petersen ³⁵, E. Petit ⁸³, A. Petridis ¹⁵⁴,
 C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petracci ^{134a,134b}, D. Petschull ⁴¹, M. Petteni ¹⁴², R. Pezoa ^{31b}, A. Phan ⁸⁶,
 A.W. Phillips ²⁷, P.W. Phillips ¹²⁹, G. Piacquadio ²⁹, E. Piccaro ⁷⁵, M. Piccinini ^{19a,19b}, A. Pickford ⁵³,
 S.M. Piec ⁴¹, R. Piegaia ²⁶, J.E. Pilcher ³⁰, A.D. Pilkington ⁸², J. Pina ^{124a,b}, M. Pinamonti ^{164a,164c},
 A. Pinder ¹¹⁸, J.L. Pinfold ², J. Ping ^{32c}, B. Pinto ^{124a,b}, O. Pirotte ²⁹, C. Pizio ^{89a,89b}, R. Placakyte ⁴¹,
 M. Plamondon ¹⁶⁹, M.-A. Pleier ²⁴, A.V. Pleskach ¹²⁸, A. Poblaguev ²⁴, S. Poddar ^{58a}, F. Podlyski ³³,
 L. Poggioli ¹¹⁵, T. Poghosyan ²⁰, M. Pohl ⁴⁹, F. Polci ⁵⁵, G. Polesello ^{119a}, A. Policicchio ¹³⁸, A. Polini ^{19a},
 J. Poll ⁷⁵, V. Polychronakos ²⁴, D.M. Pomarede ¹³⁶, D. Pomeroy ²², K. Pommès ²⁹, L. Pontecorvo ^{132a},
 B.G. Pope ⁸⁸, G.A. Popeneciu ^{25a}, D.S. Popovic ^{12a}, A. Poppleton ²⁹, X. Portell Bueso ²⁹, C. Posch ²¹,
 G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷, I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁴, G. Poulard ²⁹, J. Poveda ¹⁷²,
 R. Prabhu ⁷⁷, P. Pralavorio ⁸³, S. Prasad ⁵⁷, R. Pravahan ⁷, S. Prell ⁶⁴, K. Pretzl ¹⁶, L. Pribyl ²⁹, D. Price ⁶¹,
 L.E. Price ⁵, M.J. Price ²⁹, P.M. Prichard ⁷³, D. Prieur ¹²³, M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{31b},
 S. Protopopescu ²⁴, J. Proudfoot ⁵, X. Prudent ⁴³, H. Przysiezniak ⁴, S. Psoroulas ²⁰, E. Ptacek ¹¹⁴,
 E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{24,w}, P. Puzo ¹¹⁵, Y. Pylypchenko ¹¹⁷, J. Qian ⁸⁷, Z. Qian ⁸³,
 Z. Qin ⁴¹, A. Quadt ⁵⁴, D.R. Quarrie ¹⁴, W.B. Quayle ¹⁷², F. Quinonez ^{31a}, M. Raas ¹⁰⁴, V. Radescu ^{58b},
 B. Radics ²⁰, T. Rador ^{18a}, F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁷, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁴, S. Rajagopalan ²⁴,
 M. Rammensee ⁴⁸, M. Rammes ¹⁴¹, M. Ramstedt ^{146a,146b}, A.S. Randle-Conde ³⁹, K. Randrianarivony ²⁸,
 P.N. Ratoff ⁷¹, F. Rauscher ⁹⁸, E. Rauter ⁹⁹, M. Raymond ²⁹, A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b},
 A. Redelbach ¹⁷³, G. Redlinger ²⁴, R. Reece ¹²⁰, K. Reeves ⁴⁰, A. Reichold ¹⁰⁵, E. Reinherz-Aronis ¹⁵³,
 A. Reinsch ¹¹⁴, I. Reisinger ⁴², D. Reljic ^{12a}, C. Rembser ²⁹, Z.L. Ren ¹⁵¹, A. Renaud ¹¹⁵, P. Renkel ³⁹,
 M. Rescigno ^{132a}, S. Resconi ^{89a}, B. Resende ¹³⁶, P. Reznicek ⁹⁸, R. Rezvani ¹⁵⁸, A. Richards ⁷⁷, R. Richter ⁹⁹,
 E. Richter-Was ^{4,z}, M. Ridel ⁷⁸, S. Rieke ⁸¹, M. Rijpstra ¹⁰⁵, M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b},
 L. Rinaldi ^{19a}, R.R. Rios ³⁹, I. Riu ¹¹, G. Rivoltella ^{89a,89b}, F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,j},
 A. Robichaud-Veronneau ¹¹⁸, D. Robinson ²⁷, J.E.M. Robinson ⁷⁷, M. Robinson ¹¹⁴, A. Robson ⁵³,
 J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a,122b}, D. Roda Dos Santos ²⁹, S. Rodier ⁸⁰, D. Rodriguez ¹⁶², A. Roe ⁵⁴,
 S. Roe ²⁹, O. Røhne ¹¹⁷, V. Rojo ¹, S. Rolli ¹⁶¹, A. Romaniouk ⁹⁶, M. Romano ^{19a,19b}, V.M. Romanov ⁶⁵,
 G. Romeo ²⁶, L. Roos ⁷⁸, E. Ros ¹⁶⁷, S. Rosati ^{132a,132b}, K. Rosbach ⁴⁹, A. Rose ¹⁴⁹, M. Rose ⁷⁶,
 G.A. Rosenbaum ¹⁵⁸, E.I. Rosenberg ⁶⁴, P.L. Rosendahl ¹³, O. Rosenthal ¹⁴¹, L. Rosselet ⁴⁹, V. Rossetti ¹¹,
 E. Rossi ^{132a,132b}, L.P. Rossi ^{50a}, L. Rossi ^{89a,89b}, M. Rotaru ^{25a}, I. Roth ¹⁷¹, J. Rothberg ¹³⁸, D. Rousseau ¹¹⁵,
 C.R. Royon ¹³⁶, A. Rozanov ⁸³, Y. Rozen ¹⁵², X. Ruan ¹¹⁵, I. Rubinskiy ⁴¹, B. Ruckert ⁹⁸, N. Ruckstuhl ¹⁰⁵,

- V.I. Rud ⁹⁷, C. Rudolph ⁴³, G. Rudolph ⁶², F. Rühr ⁶, F. Ruggieri ^{134a,134b}, A. Ruiz-Martinez ⁶⁴,
 E. Rulikowska-Zarebska ³⁷, V. Rumiantsev ^{91,*}, L. Rumyantsev ⁶⁵, K. Runge ⁴⁸, O. Runolfsson ²⁰,
 Z. Rurikova ⁴⁸, N.A. Rusakovich ⁶⁵, D.R. Rust ⁶¹, J.P. Rutherford ⁶, C. Ruwiedel ¹⁴, P. Ruzicka ¹²⁵,
 Y.F. Ryabov ¹²¹, V. Ryadovikov ¹²⁸, P. Ryan ⁸⁸, M. Rybar ¹²⁶, G. Rybkin ¹¹⁵, N.C. Ryder ¹¹⁸, S. Rzaeva ¹⁰,
 A.F. Saavedra ¹⁵⁰, I. Sadeh ¹⁵³, H.F.-W. Sadrozinski ¹³⁷, R. Sadykov ⁶⁵, F. Safai Tehrani ^{132a,132b},
 H. Sakamoto ¹⁵⁵, G. Salamanna ⁷⁵, A. Salamon ^{133a}, M. Saleem ¹¹¹, D. Salihagic ⁹⁹, A. Salnikov ¹⁴³,
 J. Salt ¹⁶⁷, B.M. Salvachua Ferrando ⁵, D. Salvatore ^{36a,36b}, F. Salvatore ¹⁴⁹, A. Salvucci ¹⁰⁴, A. Salzburger ²⁹,
 D. Sampsonidis ¹⁵⁴, B.H. Samset ¹¹⁷, A. Sanchez ^{102a,102b}, H. Sandaker ¹³, H.G. Sander ⁸¹, M.P. Sanders ⁹⁸,
 M. Sandhoff ¹⁷⁴, T. Sandoval ²⁷, C. Sandoval ¹⁶², R. Sandstroem ⁹⁹, S. Sandvoss ¹⁷⁴, D.P.C. Sankey ¹²⁹,
 A. Sansoni ⁴⁷, C. Santamarina Rios ⁸⁵, C. Santoni ³³, R. Santonico ^{133a,133b}, H. Santos ^{124a}, J.G. Saraiva ^{124a,b},
 T. Sarangi ¹⁷², E. Sarkisyan-Grinbaum ⁷, F. Sarri ^{122a,122b}, G. Sartisohn ¹⁷⁴, O. Sasaki ⁶⁶, T. Sasaki ⁶⁶,
 N. Sasao ⁶⁸, I. Satsounkevitch ⁹⁰, G. Sauvage ⁴, E. Sauvan ⁴, J.B. Sauvan ¹¹⁵, P. Savard ^{158,e}, V. Savinov ¹²³,
 D.O. Savu ²⁹, P. Savva ⁹, L. Sawyer ^{24,l}, D.H. Saxon ⁵³, L.P. Says ³³, C. Sbarra ^{19a}, A. Sbrizzi ^{19a,19b},
 O. Scallon ⁹³, D.A. Scannicchio ¹⁶³, J. Schaarschmidt ¹¹⁵, P. Schacht ⁹⁹, U. Schäfer ⁸¹, S. Schaepe ²⁰,
 S. Schaetzl ^{58b}, A.C. Schaffer ¹¹⁵, D. Schaile ⁹⁸, R.D. Schamberger ¹⁴⁸, A.G. Schamov ¹⁰⁷, V. Scharf ^{58a},
 V.A. Schegelsky ¹²¹, D. Scheirich ⁸⁷, M. Schernau ¹⁶³, M.I. Scherzer ¹⁴, C. Schiavi ^{50a,50b}, J. Schieck ⁹⁸,
 M. Schioppa ^{36a,36b}, S. Schlenker ²⁹, J.L. Schlereth ⁵, E. Schmidt ⁴⁸, K. Schmieden ²⁰, C. Schmitt ⁸¹,
 S. Schmitt ^{58b}, M. Schmitz ²⁰, A. Schöning ^{58b}, M. Schott ²⁹, D. Schouten ^{159a}, J. Schovancova ¹²⁵,
 M. Schram ⁸⁵, C. Schroeder ⁸¹, N. Schroer ^{58c}, S. Schuh ²⁹, G. Schuler ²⁹, J. Schultes ¹⁷⁴,
 H.-C. Schultz-Coulon ^{58a}, H. Schulz ¹⁵, J.W. Schumacher ²⁰, M. Schumacher ⁴⁸, B.A. Schumm ¹³⁷,
 Ph. Schune ¹³⁶, C. Schwanenberger ⁸², A. Schwartzman ¹⁴³, Ph. Schwemling ⁷⁸, R. Schwienhorst ⁸⁸,
 R. Schwierz ⁴³, J. Schwindling ¹³⁶, T. Schwindt ²⁰, W.G. Scott ¹²⁹, J. Searcy ¹¹⁴, G. Sedov ⁴¹, E. Sedykh ¹²¹,
 E. Segura ¹¹, S.C. Seidel ¹⁰³, A. Seiden ¹³⁷, F. Seifert ⁴³, J.M. Seixas ^{23a}, G. Sekhniaidze ^{102a},
 D.M. Seliverstov ¹²¹, B. Sellden ^{146a}, G. Sellers ⁷³, M. Seman ^{144b}, N. Semprini-Cesari ^{19a,19b}, C. Serfon ⁹⁸,
 L. Serin ¹¹⁵, R. Seuster ⁹⁹, H. Severini ¹¹¹, M.E. Sevier ⁸⁶, A. Sfyrla ²⁹, E. Shabalina ⁵⁴, M. Shamim ¹¹⁴,
 L.Y. Shan ^{32a}, J.T. Shank ²¹, Q.T. Shao ⁸⁶, M. Shapiro ¹⁴, P.B. Shatalov ⁹⁵, L. Shaver ⁶, K. Shaw ^{164a,164c},
 D. Sherman ¹⁷⁵, P. Sherwood ⁷⁷, A. Shibata ¹⁰⁸, H. Shichi ¹⁰¹, S. Shimizu ²⁹, M. Shimojima ¹⁰⁰, T. Shin ⁵⁶,
 A. Shmeleva ⁹⁴, M.J. Shochet ³⁰, D. Short ¹¹⁸, M.A. Shupe ⁶, P. Sicho ¹²⁵, A. Sidoti ^{132a,132b}, A. Siebel ¹⁷⁴,
 F. Siegert ⁴⁸, Dj. Sijacki ^{12a}, O. Silbert ¹⁷¹, J. Silva ^{124a,b}, Y. Silver ¹⁵³, D. Silverstein ¹⁴³, S.B. Silverstein ^{146a},
 V. Simak ¹²⁷, O. Simard ¹³⁶, Lj. Simic ^{12a}, S. Simion ¹¹⁵, B. Simmons ⁷⁷, M. Simonyan ³⁵, P. Sinervo ¹⁵⁸,
 N.B. Sinev ¹¹⁴, V. Sipica ¹⁴¹, G. Siragusa ¹⁷³, A. Sircar ²⁴, A.N. Sisakyan ⁶⁵, S.Yu. Sivoklokov ⁹⁷,
 J. Sjölin ^{146a,146b}, T.B. Sjursen ¹³, L.A. Skinnari ¹⁴, H.P. Skottowe ⁵⁷, K. Skovpen ¹⁰⁷, P. Skubic ¹¹¹,
 N. Skvorodnev ²², M. Slater ¹⁷, T. Slavicek ¹²⁷, K. Sliwa ¹⁶¹, J. Sloper ²⁹, V. Smakhtin ¹⁷¹, S.Yu. Smirnov ⁹⁶,
 L.N. Smirnova ⁹⁷, O. Smirnova ⁷⁹, B.C. Smith ⁵⁷, D. Smith ¹⁴³, K.M. Smith ⁵³, M. Smizanska ⁷¹,
 K. Smolek ¹²⁷, A.A. Snesarev ⁹⁴, S.W. Snow ⁸², J. Snow ¹¹¹, J. Snuverink ¹⁰⁵, S. Snyder ²⁴, M. Soares ^{124a},
 R. Sobie ^{169,j}, J. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷, J. Solc ¹²⁷, E. Soldatov ⁹⁶,
 U. Soldevila ¹⁶⁷, E. Solfaroli Camillocci ^{132a,132b}, A.A. Solodkov ¹²⁸, O.V. Solovyev ¹²⁸, J. Sondericker ²⁴,
 N. Soni ², V. Sopko ¹²⁷, B. Sopko ¹²⁷, M. Sorbi ^{89a,89b}, M. Sosebee ⁷, R. Soualah ^{164a,164c}, A. Soukharev ¹⁰⁷,
 S. Spagnolo ^{72a,72b}, F. Spanò ⁷⁶, R. Spighi ^{19a}, G. Spigo ²⁹, F. Spila ^{132a,132b}, E. Spiriti ^{134a}, R. Spiwoks ²⁹,
 M. Spousta ¹²⁶, T. Spreitzer ¹⁵⁸, B. Spurlock ⁷, R.D. St. Denis ⁵³, T. Stahl ¹⁴¹, J. Stahlman ¹²⁰, R. Stamen ^{58a},
 E. Stanecka ²⁹, R.W. Stanek ⁵, C. Stanescu ^{134a}, S. Stapnes ¹¹⁷, E.A. Starchenko ¹²⁸, J. Stark ⁵⁵, P. Staroba ¹²⁵,
 P. Starovoitov ⁹¹, A. Staude ⁹⁸, P. Stavina ^{144a}, G. Stavropoulos ¹⁴, G. Steele ⁵³, P. Steinbach ⁴³,
 P. Steinberg ²⁴, I. Stekl ¹²⁷, B. Stelzer ¹⁴², H.J. Stelzer ⁸⁸, O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵²,
 K. Stevenson ⁷⁵, G.A. Stewart ²⁹, J.A. Stillings ²⁰, T. Stockmanns ²⁰, M.C. Stockton ²⁹, K. Stoerig ⁴⁸,
 G. Stoica ^{25a}, S. Stonjek ⁹⁹, P. Strachota ¹²⁶, A.R. Stradling ⁷, A. Straessner ⁴³, J. Strandberg ¹⁴⁷,
 S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁷, M. Strang ¹⁰⁹, E. Strauss ¹⁴³, M. Strauss ¹¹¹, P. Strizenec ^{144b},
 R. Ströhmer ¹⁷³, D.M. Strom ¹¹⁴, J.A. Strong ^{76,*}, R. Stroynowski ³⁹, J. Strube ¹²⁹, B. Stugu ¹³, I. Stumer ^{24,*},
 J. Stupak ¹⁴⁸, P. Sturm ¹⁷⁴, D.A. Soh ^{151,r}, D. Su ¹⁴³, HS. Subramania ², A. Succurro ¹¹, Y. Sugaya ¹¹⁶,
 T. Sugimoto ¹⁰¹, C. Suhr ¹⁰⁶, K. Suita ⁶⁷, M. Suk ¹²⁶, V.V. Sulin ⁹⁴, S. Sultansoy ^{3d}, T. Sumida ²⁹, X. Sun ⁵⁵,
 J.E. Sundermann ⁴⁸, K. Suruliz ¹³⁹, S. Sushkov ¹¹, G. Susinno ^{36a,36b}, M.R. Sutton ¹⁴⁹, Y. Suzuki ⁶⁶,
 Y. Suzuki ⁶⁷, M. Svatos ¹²⁵, Yu.M. Sviridov ¹²⁸, S. Swedish ¹⁶⁸, I. Sykora ^{144a}, T. Sykora ¹²⁶, B. Szeless ²⁹,
 J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵, K. Tackmann ⁴¹, A. Taffard ¹⁶³, R. Tafirout ^{159a}, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹,

- H. Takai²⁴, R. Takashima⁶⁹, H. Takeda⁶⁷, T. Takeshita¹⁴⁰, M. Talby⁸³, A. Talyshov¹⁰⁷, M.C. Tamsett²⁴, J. Tanaka¹⁵⁵, R. Tanaka¹¹⁵, S. Tanaka¹³¹, S. Tanaka⁶⁶, Y. Tanaka¹⁰⁰, K. Tani⁶⁷, N. Tannoury⁸³, G.P. Tappern²⁹, S. Tapprogge⁸¹, D. Tardif¹⁵⁸, S. Tarem¹⁵², F. Tarrade²⁸, G.F. Tartarelli^{89a}, P. Tas¹²⁶, M. Tasevsky¹²⁵, E. Tassi^{36a,36b}, M. Tatarkhanov¹⁴, Y. Tayalati^{135d}, C. Taylor⁷⁷, F.E. Taylor⁹², G.N. Taylor⁸⁶, W. Taylor^{159b}, M. Teinturier¹¹⁵, M. Teixeira Dias Castanheira⁷⁵, P. Teixeira-Dias⁷⁶, K.K. Temming⁴⁸, H. Ten Kate²⁹, P.K. Teng¹⁵¹, S. Terada⁶⁶, K. Terashi¹⁵⁵, J. Terron⁸⁰, M. Terwort^{41,p}, M. Testa⁴⁷, R.J. Teuscher^{158,j}, J. Thadome¹⁷⁴, J. Therhaag²⁰, T. Theveneaux-Pelzer⁷⁸, M. Thioye¹⁷⁵, S. Thoma⁴⁸, J.P. Thomas¹⁷, E.N. Thompson³⁴, P.D. Thompson¹⁷, P.D. Thompson¹⁵⁸, A.S. Thompson⁵³, E. Thomson¹²⁰, M. Thomson²⁷, R.P. Thun⁸⁷, F. Tian³⁴, T. Tic¹²⁵, V.O. Tikhomirov⁹⁴, Y.A. Tikhonov¹⁰⁷, C.J.W.P. Timmermans¹⁰⁴, P. Tipton¹⁷⁵, F.J. Tique Aires Viegas²⁹, S. Tisserant⁸³, J. Tobias⁴⁸, B. Toczek³⁷, T. Todorov⁴, S. Todorova-Nova¹⁶¹, B. Toggersen¹⁶³, J. Tojo⁶⁶, S. Tokár^{144a}, K. Tokunaga⁶⁷, K. Tokushuku⁶⁶, K. Tollefson⁸⁸, M. Tomoto¹⁰¹, L. Tompkins¹⁴, K. Toms¹⁰³, G. Tong^{32a}, A. Tonoyan¹³, C. Topfel¹⁶, N.D. Topilin⁶⁵, I. Torchiani²⁹, E. Torrence¹¹⁴, H. Torres⁷⁸, E. Torró Pastor¹⁶⁷, J. Toth^{83,x}, F. Touchard⁸³, D.R. Tovey¹³⁹, D. Traynor⁷⁵, T. Trefzger¹⁷³, L. Tremblet²⁹, A. Tricoli²⁹, I.M. Trigger^{159a}, S. Trincaz-Duvold⁷⁸, T.N. Trinh⁷⁸, M.F. Tripiana⁷⁰, W. Trischuk¹⁵⁸, A. Trivedi^{24,w}, B. Trocmé⁵⁵, C. Troncon^{89a}, M. Trottier-McDonald¹⁴², A. Trzupek³⁸, C. Tsarouchas²⁹, J.C.-L. Tseng¹¹⁸, M. Tsiakiris¹⁰⁵, P.V. Tsiareshka⁹⁰, D. Tsionou⁴, G. Tsipolitis⁹, V. Tsiskaridze⁴⁸, E.G. Tskhadadze^{51a}, I.I. Tsukerman⁹⁵, V. Tsulaia¹⁴, J.-W. Tsung²⁰, S. Tsuno⁶⁶, D. Tsybychev¹⁴⁸, A. Tua¹³⁹, A. Tudorache^{25a}, V. Tudorache^{25a}, J.M. Tuggle³⁰, M. Turala³⁸, D. Turecek¹²⁷, I. Turk Cakir^{3e}, E. Turlay¹⁰⁵, R. Turra^{89a,89b}, P.M. Tuts³⁴, A. Tykhonov⁷⁴, M. Tylmad^{146a,146b}, M. Tyndel¹²⁹, H. Tyrvainen²⁹, G. Tzanakos⁸, K. Uchida²⁰, I. Ueda¹⁵⁵, R. Ueno²⁸, M. Ugland¹³, M. Uhlenbrock²⁰, M. Uhrmacher⁵⁴, F. Ukegawa¹⁶⁰, G. Unal²⁹, D.G. Underwood⁵, A. Undrus²⁴, G. Unel¹⁶³, Y. Unno⁶⁶, D. Urbaniec³⁴, E. Urkovsky¹⁵³, P. Urrejola^{31a}, G. Usai⁷, M. Uslenghi^{119a,119b}, L. Vacavant⁸³, V. Vacek¹²⁷, B. Vachon⁸⁵, S. Vahsen¹⁴, J. Valenta¹²⁵, P. Valente^{132a}, S. Valentinetto^{19a,19b}, S. Valkar¹²⁶, E. Valladolid Gallego¹⁶⁷, S. Vallecorsa¹⁵², J.A. Valls Ferrer¹⁶⁷, H. van der Graaf¹⁰⁵, E. van der Kraaij¹⁰⁵, R. Van Der Leeuw¹⁰⁵, E. van der Poel¹⁰⁵, D. van der Ster²⁹, N. van Eldik⁸⁴, P. van Gemmeren⁵, Z. van Kesteren¹⁰⁵, I. van Vulpen¹⁰⁵, M. Vanadia⁹⁹, W. Vandelli²⁹, G. Vandoni²⁹, A. Vaniachine⁵, P. Vankov⁴¹, F. Vannucci⁷⁸, F. Varela Rodriguez²⁹, R. Vari^{132a}, D. Varouchas¹⁴, A. Vartapetian⁷, K.E. Varvell¹⁵⁰, V.I. Vassilakopoulos⁵⁶, F. Vazeille³³, G. Vegni^{89a,89b}, J.J. Veillet¹¹⁵, C. Vellidis⁸, F. Veloso^{124a}, R. Veness²⁹, S. Veneziano^{132a}, A. Ventura^{72a,72b}, D. Ventura¹³⁸, M. Venturi⁴⁸, N. Venturi¹⁶, V. Vercesi^{119a}, M. Verducci¹³⁸, W. Verkerke¹⁰⁵, J.C. Vermeulen¹⁰⁵, A. Vest⁴³, M.C. Vetterli^{142,e}, I. Vichou¹⁶⁵, T. Vickey^{145b,aa}, O.E. Vickey Boeriu^{145b}, G.H.A. Viehhauser¹¹⁸, S. Viel¹⁶⁸, M. Villa^{19a,19b}, M. Villaplana Perez¹⁶⁷, E. Vilucchi⁴⁷, M.G. Vincter²⁸, E. Vinek²⁹, V.B. Vinogradov⁶⁵, M. Virchaux^{136,*}, J. Virzi¹⁴, O. Vitells¹⁷¹, M. Viti⁴¹, I. Vivarelli⁴⁸, F. Vives Vaque², S. Vlachos⁹, D. Vladoiu⁹⁸, M. Vlasak¹²⁷, N. Vlasov²⁰, A. Vogel²⁰, P. Vokac¹²⁷, G. Volpi⁴⁷, M. Volpi⁸⁶, G. Volpini^{89a}, H. von der Schmitt⁹⁹, J. von Loeben⁹⁹, H. von Radziewski⁴⁸, E. von Toerne²⁰, V. Vorobel¹²⁶, A.P. Vorobiev¹²⁸, V. Vorwerk¹¹, M. Vos¹⁶⁷, R. Voss²⁹, T.T. Voss¹⁷⁴, J.H. Vossebeld⁷³, N. Vranjes^{12a}, M. Vranjes Milosavljevic¹⁰⁵, V. Vrba¹²⁵, M. Vreeswijk¹⁰⁵, T. Vu Anh⁸¹, R. Vuillermet²⁹, I. Vukotic¹¹⁵, W. Wagner¹⁷⁴, P. Wagner¹²⁰, H. Wahlen¹⁷⁴, J. Wakabayashi¹⁰¹, J. Walbersloh⁴², S. Walch⁸⁷, J. Walder⁷¹, R. Walker⁹⁸, W. Walkowiak¹⁴¹, R. Wall¹⁷⁵, P. Waller⁷³, C. Wang⁴⁴, H. Wang¹⁷², H. Wang^{32b,ab}, J. Wang¹⁵¹, J. Wang^{32d}, J.C. Wang¹³⁸, R. Wang¹⁰³, S.M. Wang¹⁵¹, A. Warburton⁸⁵, C.P. Ward²⁷, M. Warsinsky⁴⁸, P.M. Watkins¹⁷, A.T. Watson¹⁷, M.F. Watson¹⁷, G. Watts¹³⁸, S. Watts⁸², A.T. Waugh¹⁵⁰, B.M. Waugh⁷⁷, J. Weber⁴², M. Weber¹²⁹, M.S. Weber¹⁶, P. Weber⁵⁴, A.R. Weidberg¹¹⁸, P. Weigell⁹⁹, J. Weingarten⁵⁴, C. Weiser⁴⁸, H. Wellenstein²², P.S. Wells²⁹, M. Wen⁴⁷, T. Wenaus²⁴, S. Wendler¹²³, Z. Weng^{151,r}, T. Wengler²⁹, S. Wenig²⁹, N. Wermes²⁰, M. Werner⁴⁸, P. Werner²⁹, M. Werth¹⁶³, M. Wessels^{58a}, C. Weydert⁵⁵, K. Whalen²⁸, S.J. Wheeler-Ellis¹⁶³, S.P. Whitaker²¹, A. White⁷, M.J. White⁸⁶, S.R. Whitehead¹¹⁸, D. Whiteson¹⁶³, D. Whittington⁶¹, F. Wicek¹¹⁵, D. Wicke¹⁷⁴, F.J. Wickens¹²⁹, W. Wiedenmann¹⁷², M. Wielers¹²⁹, P. Wienemann²⁰, C. Wiglesworth⁷⁵, L.A.M. Wiik⁴⁸, P.A. Wijeratne⁷⁷, A. Wildauer¹⁶⁷, M.A. Wildt^{41,p}, I. Wilhelm¹²⁶, H.G. Wilkens²⁹, J.Z. Will⁹⁸, E. Williams³⁴, H.H. Williams¹²⁰, W. Willis³⁴, S. Willocq⁸⁴, J.A. Wilson¹⁷, M.G. Wilson¹⁴³, A. Wilson⁸⁷, I. Wingerter-Seez⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴³, M.W. Wolter³⁸, H. Wolters^{124a,h}, W.C. Wong⁴⁰, G. Wooden⁸⁷, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸⁴, K. Wraith⁵³, C. Wright⁵³,

M. Wright ⁵³, B. Wrona ⁷³, S.L. Wu ¹⁷², X. Wu ⁴⁹, Y. Wu ^{32b,ac}, E. Wulf ³⁴, R. Wunstorf ⁴², B.M. Wynne ⁴⁵, L. Xaplanteris ⁹, S. Xella ³⁵, S. Xie ⁴⁸, Y. Xie ^{32a}, C. Xu ^{32b,ad}, D. Xu ¹³⁹, G. Xu ^{32a}, B. Yabsley ¹⁵⁰, S. Yacoob ^{145b}, M. Yamada ⁶⁶, H. Yamaguchi ¹⁵⁵, A. Yamamoto ⁶⁶, K. Yamamoto ⁶⁴, S. Yamamoto ¹⁵⁵, T. Yamamura ¹⁵⁵, T. Yamanaka ¹⁵⁵, J. Yamaoka ⁴⁴, T. Yamazaki ¹⁵⁵, Y. Yamazaki ⁶⁷, Z. Yan ²¹, H. Yang ⁸⁷, U.K. Yang ⁸², Y. Yang ⁶¹, Y. Yang ^{32a}, Z. Yang ^{146a,146b}, S. Yanush ⁹¹, Y. Yao ¹⁴, Y. Yasu ⁶⁶, G.V. Ybeles Smit ¹³⁰, J. Ye ³⁹, S. Ye ²⁴, M. Yilmaz ^{3c}, R. Yoosoofmiya ¹²³, K. Yorita ¹⁷⁰, R. Yoshida ⁵, C. Young ¹⁴³, S. Youssef ²¹, D. Yu ²⁴, J. Yu ⁷, J. Yu ¹¹², L. Yuan ^{32a,ae}, A. Yurkewicz ¹⁴⁸, V.G. Zaets ¹²⁸, R. Zaidan ⁶³, A.M. Zaitsev ¹²⁸, Z. Zajacova ²⁹, Yo.K. Zalite ¹²¹, L. Zanello ^{132a,132b}, P. Zarzhitsky ³⁹, A. Zaytsev ¹⁰⁷, C. Zeitnitz ¹⁷⁴, M. Zeller ¹⁷⁵, M. Zeman ¹²⁵, A. Zemla ³⁸, C. Zendler ²⁰, O. Zenin ¹²⁸, T. Ženiš ^{144a}, Z. Zenonos ^{122a,122b}, S. Zenz ¹⁴, D. Zerwas ¹¹⁵, G. Zevi della Porta ⁵⁷, Z. Zhan ^{32d}, D. Zhang ^{32b,ab}, H. Zhang ⁸⁸, J. Zhang ⁵, X. Zhang ^{32d}, Z. Zhang ¹¹⁵, L. Zhao ¹⁰⁸, T. Zhao ¹³⁸, Z. Zhao ^{32b}, A. Zhemchugov ⁶⁵, S. Zheng ^{32a}, J. Zhong ^{151,af}, B. Zhou ⁸⁷, N. Zhou ¹⁶³, Y. Zhou ¹⁵¹, C.G. Zhu ^{32d}, H. Zhu ⁴¹, J. Zhu ⁸⁷, Y. Zhu ^{32b}, X. Zhuang ⁹⁸, V. Zhuravlov ⁹⁹, D. Ziemska ⁶¹, R. Zimmermann ²⁰, S. Zimmermann ²⁰, S. Zimmermann ⁴⁸, M. Ziolkowski ¹⁴¹, R. Zitoun ⁴, L. Živković ³⁴, V.V. Zmouchko ^{128,*}, G. Zobernig ¹⁷², A. Zoccoli ^{19a,19b}, Y. Zolnierowski ⁴, A. Zsenei ²⁹, M. zur Nedden ¹⁵, V. Zutshi ¹⁰⁶, L. Zwalski ²⁹

¹ University at Albany, Albany NY, United States² Department of Physics, University of Alberta, Edmonton AB, Canada³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupınar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁵ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States⁶ Department of Physics, University of Arizona, Tucson AZ, United States⁷ Department of Physics, The University of Texas at Arlington, Arlington TX, United States⁸ Physics Department, University of Athens, Athens, Greece⁹ Physics Department, National Technical University of Athens, Zografou, Greece¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain¹² ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, Belgrade, Serbia¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States¹⁵ Department of Physics, Humboldt University, Berlin, Germany¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁸ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep;^(d) Department of Physics, Istanbul Technical University, Istanbul, Turkey¹⁹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany²¹ Department of Physics, Boston University, Boston MA, United States²² Department of Physics, Brandeis University, Waltham MA, United States²³ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁴ Physics Department, Brookhaven National Laboratory, Upton NY, United States²⁵ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) University Politehnica Bucharest, Bucharest; ^(c) West University in Timisoara, Timisoara, Romania²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom²⁸ Department of Physics, Carleton University, Ottawa ON, Canada²⁹ CERN, Geneva, Switzerland³⁰ Enrico Fermi Institute, University of Chicago, Chicago IL, United States³¹ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³² ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) High Energy Physics Group, Shandong University, Shandong, China³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubière Cedex, France³⁴ Nevis Laboratory, Columbia University, Irvington NY, United States³⁵ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁶ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy³⁷ Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Krakow, Poland³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland³⁹ Physics Department, Southern Methodist University, Dallas TX, United States⁴⁰ Physics Department, University of Texas at Dallas, Richardson TX, United States⁴¹ DESY, Hamburg and Zeuthen, Germany⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany⁴⁴ Department of Physics, Duke University, Durham NC, United States⁴⁵ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁶ Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3, 2700 Wiener Neustadt, Austria⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy⁵¹ ^(a) E.Andronikashvili Institute of Physics, Georgian Academy of Sciences, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

- ⁵³ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
⁵⁶ Department of Physics, Hampton University, Hampton VA, United States
⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁵⁸ ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁵⁹ Faculty of Science, Hiroshima University, Hiroshima, Japan
⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶¹ Department of Physics, Indiana University, Bloomington IN, United States
⁶² Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶³ University of Iowa, Iowa City IA, United States
⁶⁴ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
⁶⁵ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁶ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁷ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁸ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁹ Kyoto University of Education, Kyoto, Japan
⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷² ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Fisica, Università del Salento, Lecce, Italy
⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ Department of Physics, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁷⁹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁰ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸³ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁴ Department of Physics, University of Massachusetts, Amherst MA, United States
⁸⁵ Department of Physics, McGill University, Montreal QC, Canada
⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
⁸⁷ Department of Physics, The University of Michigan, Ann Arbor MI, United States
⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
⁸⁹ ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States
⁹³ Group of Particle Physics, University of Montreal, Montreal QC, Canada
⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁷ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰¹ Graduate School of Science, Nagoya University, Nagoya, Japan
¹⁰² ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics (BINP), Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York NY, United States
¹⁰⁹ Ohio State University, Columbus OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater OK, United States
¹¹³ Palacky University, RCPTM, Olomouc, Czech Republic
¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene OR, United States
¹¹⁵ LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁹ ^(a)INFN Sezione di Pavia; ^(b)Dipartimento di Fisica Nucleare e Teorica, Università di Pavia, Pavia, Italy
¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia PA, United States
¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²² ^(a)INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
¹²⁴ ^(a)Laboratorio de Instrumentacao e Física Experimental de Partículas – LIP, Lisboa, Portugal; ^(b)Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

- 130 Physics Department, University of Regina, Regina SK, Canada
 131 Ritsumeikan University, Kusatsu, Shiga, Japan
 132 ^(a)INFN Sezione di Roma I; ^(b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
 133 ^(a)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 134 ^(a)INFN Sezione di Roma Tre; ^(b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy
 135 ^(a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b)Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c)Université Cadi Ayyad, Faculté des sciences Semlalia Département de Physique, B.P. 2390 Marrakech 40000; ^(d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e)Faculté des Sciences, Université Mohammed V, Rabat, Morocco
 136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
 137 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
 138 Department of Physics, University of Washington, Seattle WA, United States
 139 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 140 Department of Physics, Shinshu University, Nagano, Japan
 141 Fachbereich Physik, Universität Siegen, Siegen, Germany
 142 Department of Physics, Simon Fraser University, Burnaby BC, Canada
 143 SLAC National Accelerator Laboratory, Stanford CA, United States
 144 ^(a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 145 ^(a)Department of Physics, University of Johannesburg, Johannesburg; ^(b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 146 ^(a)Department of Physics, Stockholm University; ^(b)The Oskar Klein Centre, Stockholm, Sweden
 147 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 148 Department of Physics and Astronomy, Stony Brook University, Stony Brook NY, United States
 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 150 School of Physics, University of Sydney, Sydney, Australia
 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
 152 Department of Physics, Technion: Israel Inst. of Technology, Haifa, Israel
 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 158 Department of Physics, University of Toronto, Toronto ON, Canada
 159 ^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON, Canada
 160 Institute of Pure and Applied Sciences, University of Tsukuba, Ibaraki, Japan
 161 Science and Technology Center, Tufts University, Medford MA, United States
 162 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
 163 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
 164 ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 165 Department of Physics, University of Illinois, Urbana IL, United States
 166 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 167 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 168 Department of Physics, University of British Columbia, Vancouver BC, Canada
 169 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
 170 Waseda University, Tokyo, Japan
 171 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 172 Department of Physics, University of Wisconsin, Madison WI, United States
 173 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 174 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 175 Department of Physics, Yale University, New Haven CT, United States
 176 Yerevan Physics Institute, Yerevan, Armenia
 177 Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.^b Also at Faculdade de Ciencias and CFNUJL, Universidade de Lisboa, Lisboa, Portugal.^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.^d Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.^e Also at TRIUMF, Vancouver BC, Canada.^f Also at Department of Physics, California State University, Fresno CA, United States.^g Also at Fermilab, Batavia IL, United States.^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal.ⁱ Also at Università di Napoli Parthenope, Napoli, Italy.^j Also at Institute of Particle Physics (IPP), Canada.^k Also at Department of Physics, Middle East Technical University, Ankara, Turkey.^l Also at Louisiana Tech University, Ruston LA, United States.^m Also at Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Krakow, Poland.ⁿ Also at Group of Particle Physics, University of Montreal, Montreal QC, Canada.^o Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^p Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.^q Also at Manhattan College, New York NY, United States.^r Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.^s Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.^t Also at High Energy Physics Group, Shandong University, Shandong, China.^u Also at Section de Physique, Université de Genève, Geneva, Switzerland.^v Also at Departamento de Física, Universidade de Minho, Braga, Portugal.^w Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States.^x Also at KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary.

^y Also at California Institute of Technology, Pasadena CA, United States.

^z Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^{aa} Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{ab} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

^{ac} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States.

^{ad} Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.

^{ae} Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

^{af} Also at Department of Physics, Nanjing University, Jiangsu, China.

* Deceased.