



# Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 7$ TeV <sup>☆</sup>

ATLAS Collaboration <sup>\*</sup>

## ARTICLE INFO

### Article history:

Received 20 April 2012

Received in revised form 25 July 2012

Accepted 6 August 2012

Available online 9 August 2012

Editor: H. Weerts

## ABSTRACT

The production of events with multiple high transverse momentum particles including charged leptons and jets is measured, using  $1.04 \text{ fb}^{-1}$  of proton–proton collision data recorded by the ATLAS detector during the first half of 2011 at  $\sqrt{s} = 7$  TeV. No excess beyond Standard Model expectations is observed, and upper limits on the fiducial cross sections for non-Standard Model production of these final states are set. Using models for string ball and black hole production and decay, exclusion contours are determined as a function of mass threshold and the fundamental gravity scale.

© 2012 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

## 1. Introduction

Models proposing extra spatial dimensions address the mass hierarchy problem, the origin of the sixteen orders of magnitude separation between the electroweak and Planck scales. These allow the gravitational field to propagate into the  $(n+4)$  dimensions, where  $n$  is the number of extra spatial dimensions, while Standard Model (SM) fields are constrained to lie in our four-dimensional brane. Consequently, the resulting Planck scale in  $(n+4)$  dimensions,  $M_D$ , is greatly diminished compared to the four-dimensional analogue,  $M_{\text{Pl}}$ , and should be near the other fundamental scale, the electroweak scale, if the hierarchy problem is to be addressed. Such low-scale gravity models allow the existence of gravitational states such as black holes and, within the context of weakly-coupled string theory, string balls, that could be produced with appreciable cross sections at the Large Hadron Collider (LHC).

Two such extra-dimensional scenarios are the Randall–Sundrum models [1] and the large, flat extra-dimensional ADD models [2,3]. In the large extra dimension scenario, there are a number  $n > 1$  of additional flat extra dimensions, and  $M_D$  is determined by the volume and shape of the extra dimensions. Within the context of this model, experimental lower limits on the value of  $M_D$  have been obtained from experiments at LEP [4] and the Tevatron [5,6], as well as at ATLAS [7,8] and CMS [9], by searching for production of the heavy Kaluza–Klein gravitons associated with the extra dimensions. The most stringent limits [7] come from the LHC analyses that search for non-interacting gravitons recoiling against a single jet (monojet and large missing transverse energy), and range from  $M_D > 2.0$  TeV, for  $n = 6$ , to  $M_D > 3.2$  TeV, for  $n = 2$ . Due to the

greatly enhanced strength of gravitational interactions at short distances, or high energies, the formation of gravitational states such as black holes or string balls at the LHC is another signature of extra-dimensional models.

Large extra dimensions can be embedded into weakly-coupled string theory [10,11]. In these models, black holes end their Hawking evaporation phase when their mass reaches a critical value  $M_S/g_S^2$ , also known as the correspondence point, where  $M_S$  and  $g_S$  are the string scale and coupling constant, respectively. At this point they transform into high-entropy string states – string balls – which, in turn, continue to decay thermally.

The semi-classical approximations used in the modelling of black hole production are valid only for partonic centre-of-mass energies well above  $M_D$ , motivating the use of a minimal threshold  $M_{\text{TH}}$  to remove contributions where the modelling is not reliable. The resulting black hole mass distribution ranges from this threshold up to  $\sqrt{s}$ . The precise mass value above which the production of such high multiplicity states is feasible is uncertain. A conservative interpretation [12,13] is that  $M_{\text{TH}} > 3M_S$  for string balls and  $M_{\text{TH}} > 5M_D$  for black holes.

Thermal radiation is thought to be emitted by black holes due to quantum effects [14]. A black hole, in  $(n+4)$  dimensions, of given mass and angular momentum is characterised by a Hawking temperature, which is higher for a lighter, or more strongly rotating, black hole. Grey-body factors modify the spectrum of emitted particles from that of a perfect thermal black body [15], by quantifying the transmission probability through the curved space–time outside the horizon; these emissivities depend upon particle spin,  $n$  and the properties of the black hole. All Standard Model particles are emitted.

As the black hole mass approaches the Planck scale and few further emissions are expected, quantum effects become important and classical evaporation is no longer a suitable description. The

<sup>☆</sup> © CERN for the benefit of the ATLAS Collaboration.

<sup>\*</sup> E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).

remaining black hole remnant is decayed to a small number of SM particles.<sup>1</sup>

Were black hole states<sup>2</sup> to be produced at the LHC, they would decay to final states with a relatively high multiplicity of high- $p_T$  particles, most commonly jets. While the multiplicity is generally high, the exact spectrum is rather model dependent: for example, the inclusion of black hole rotation leads to a somewhat lower multiplicity of higher energy emissions [16]. One of the few more robust predictions of these models is the expectation that particles are produced approximately according to their degrees of freedom, (with some modification by the relative emissivities). This is the “democratic” or “universal” coupling of gravity. Thus, the probability for the production of a leptonic final state varies primarily with the emission multiplicity, which depends upon model parameters and the remnant state treatment. Nonetheless, this multiplicity dependence is much reduced compared to using the multiplicity directly, for even low multiplicity decays will frequently contain a lepton. Hence, these models predict the existence of at least one high- $p_T$  lepton<sup>3</sup> in a significant fraction ( $\sim 15\text{--}50\%$ ) of final states for black holes or string balls with  $M_D$  and  $M_{TH}$  values in the range accessible to LHC experiments and not already excluded. The largest theoretical uncertainties in the modelling of these states are the limited knowledge of gravitational radiation and the resultant cross section during the formation phase, and the uncertainties of the decay process as the black hole mass approaches  $M_D$ , especially the treatment of the remnant state.

Searches for these gravitational states have previously been performed by investigating final states with multiple high- $p_T$  objects [17], high- $p_T$  jets only, and in dimuon events [8]. This analysis searches for an excess of multi-object events produced at high  $\sum p_T$ , defined as the scalar sum of  $p_T$  of the reconstructed objects selected (hadronic jets, electrons and muons). Only events containing at least one isolated electron or muon are selected. While jets should dominate the decays of black holes, the rate for lepton production is anticipated to be sizable, as noted above. Additionally, the requirement of a high- $p_T$  lepton significantly reduces the dominant multi-jet background, whilst maintaining a high efficiency for black hole events.

This search considers final states with three or more selected objects (leptons or jets), and consequently is not sensitive to two-body final states, as predicted in so-called quantum black hole states [18]. Results for two-body final states can be found in Ref. [19].

## 2. The ATLAS detector

The ATLAS detector [20] is a multipurpose particle physics apparatus with a forward-backward symmetric cylindrical geometry and nearly  $4\pi$  coverage in solid angle.<sup>4</sup> The layout of the detector is dominated by four superconducting magnet systems, which comprise a thin solenoid surrounding inner tracking detectors and three large toroids, each consisting of eight coils. The inner detector consists of a silicon pixel detector, a silicon microstrip detector (SCT) and a transition radiation tracker (TRT). In the pseudorapidity

<sup>1</sup> This Letter considers both high multiplicity, generated by the BLACKMAX burst model or the CHARYBDIS variable multiplicity decay with a four-body average, and low multiplicity decays to two bodies.

<sup>2</sup> In this Letter, all references to black holes also apply to string balls, unless otherwise stated.

<sup>3</sup> Throughout this Letter “lepton” denotes electrons and muons only.

<sup>4</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point in the centre of the detector and the  $z$ -axis along the beam pipe. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the beam pipe. The pseudorapidity  $\eta$  is defined in terms of the polar angle  $\theta$  by  $\eta = -\ln \tan(\theta/2)$ .

region  $|\eta| < 3.2$ , high-granularity liquid-argon (LAr) electromagnetic (EM) sampling calorimeters are used. An iron-scintillator tile calorimeter provides coverage for hadronic showers over  $|\eta| < 1.7$ . The end-cap and forward regions, spanning  $1.5 < |\eta| < 4.9$ , are instrumented with LAr calorimetry for both EM and hadronic measurements. The muon spectrometer surrounds these, and comprises a system of precision tracking chambers, and detectors for triggering.

## 3. Trigger and data selection

The data used in this analysis were recorded between March and July in 2011, with the LHC operating at a centre-of-mass energy of 7 TeV. The integrated luminosity is  $1.04 \text{ fb}^{-1}$ , with an uncertainty of 3.7% [21,22].

Events are required to pass either a single electron or a single muon trigger, for the electron and muon channels, respectively. The electron (muon) trigger threshold lies at transverse energy,  $E_T = 20 \text{ GeV}$  ( $p_T = 18 \text{ GeV}$ ). The trigger efficiencies reach the plateau region for lepton transverse momenta values substantially below the minimum analysis threshold of 40 GeV, with typical trigger efficiencies for leptons selected for offline analysis of: 96% for electrons [23], 75% for muons with  $|\eta| < 1.05$  and 88% for muons with  $1.05 < |\eta| < 2.0$  [24].

## 4. Monte Carlo simulation

Monte Carlo (MC) simulated event samples are used to develop and validate the analysis procedure, to help estimate the SM backgrounds in the signal region and to investigate specific signal models. Jets produced via QCD processes are generated with PYTHIA [25], using the MRST2007LO\* modified leading-order parton distribution functions (PDF) [26], which are used with all leading-order (LO) Monte Carlo generators. The production of top quark pairs and of single top quarks is simulated with MC@NLO [27] (with a top quark mass of 172.5 GeV) and the next-to-leading order (NLO) PDF set CTEQ6.6 [28], which is used with all NLO MC generators. Samples of  $W$  and  $Z/\gamma^*$  Monte Carlo events with accompanying jets are produced with ALPGEN [29], using the CTEQ6L1 PDFs [30], and events generated with SHERPA [31] are used to assess the systematic uncertainty associated with the choice of MC generator. Diboson ( $WW$ ,  $WZ$ ,  $ZZ$ ) production is simulated with HERWIG [32]. Fragmentation and hadronisation for the ALPGEN and MC@NLO samples are performed with HERWIG, using JIMMY [33] for the underlying event. All MC samples are produced using a specific ATLAS parameter tune [34] and the ATLAS full GEANT4 [35] detector simulation [36]. The MC samples are produced with a simulation of multiple interactions per LHC bunch crossing (pile-up). Different pile-up conditions as a function of the LHC instantaneous luminosity are taken into account by reweighting MC events according to the number of interactions observed in the data, which has a mean of about six.

Signal samples are generated with the CHARYBDIS [16] and BLACKMAX [37,38] generators. The shower evolution and hadronisation uses PYTHIA, with the CTEQ6.6 PDF sets using the black hole mass as the QCD scale. No radiation losses in the formation phase are modelled. The CHARYBDIS samples are generated with both low and high multiplicity remnants, whilst the BLACKMAX samples use the final burst remnant model, which gives high multiplicity remnant states [37]. The high multiplicity options of both generators produce concordant distributions. Samples are generated for both rotating and non-rotating black holes for six extra dimensions. Focus is placed on models with six extra dimensions due to the less stringent limits on  $M_D$ . String ball samples are produced with CHARYBDIS for both rotating and non-rotating cases, for six extra

dimensions, and a string coupling,  $g_S$ , of 0.4. For each benchmark model, samples are generated with  $M_D$  ( $M_S$  for string ball models) varying from 0.5–2.5 TeV and  $M_{TH}$  from 3–5 TeV.

## 5. Object reconstruction

Electrons are reconstructed from clusters in the electromagnetic calorimeter matched to a track in the inner detector [23]. A set of electron identification criteria based on the calorimeter shower shape, track quality and track matching with the calorimeter cluster are described in Ref. [39] and are referred to as “loose”, “medium” and “tight”. Electrons are required to have  $p_T > 40$  GeV,  $|\eta| < 2.47$  and to pass the “medium” electron definition. Electron candidates are required to be isolated: the sum of the transverse energy deposited within a cone of size  $\Delta R < 0.2$  around the electron candidate (corrected for transverse shower leakage and pile-up from additional  $pp$  collisions) is required to be less than 10% of the electron  $p_T$ . Electrons with a distance to the closest jet of  $0.2 < \Delta R < 0.4$  are discarded, where  $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ .

Muon candidates are selected from a combined track in the muon spectrometer and in the inner detector. Muons are required to have  $p_T > 40$  GeV. Muon candidates are required to have an associated inner detector track with sufficient hits in the pixel, SCT and TRT detectors to ensure a good measurement. Additional requirements are made on the muon system hits in order to guarantee the best possible resolution at high  $p_T$ : muon candidates must have hits in at least three precision layers and no hits in detector regions with more limited alignment precision. These requirements effectively restrict the muon acceptance to the barrel region ( $|\eta| < 1.0$ ) and a portion of the end-cap region ( $1.3 < |\eta| < 2.0$ ) [40]. Muons with a distance to the closest jet of  $\Delta R < 0.4$  are discarded. In order to reject muons resulting from cosmic rays, requirements are placed on the distance of each muon track from a reconstructed primary vertex (PV):  $|z_0| < 1$  mm and  $|d_0| < 0.2$  mm, where  $z_0$  and  $d_0$  are the impact parameters of each muon in the longitudinal and transverse planes, respectively. Muons must be isolated: the  $p_T$  sum of tracks within a cone of  $\Delta R < 0.3$  around the muon candidate is required to be less than 5% of the muon  $p_T$ .

Jets are reconstructed using the anti- $k_t$  jet clustering algorithm [41] with a distance parameter  $R$  of 0.4. The inputs to the jet algorithm are clusters seeded from calorimeter cells with energy deposits significantly above the measured noise [42]. Jets are corrected for effects from calorimeter non-compensation and inhomogeneities through the use of  $p_T$ - and  $\eta$ -dependent calibration factors based on Monte Carlo corrections validated with test-beam and collision data [43]. This calibration corresponds to the scale that would be obtained applying the jet algorithm to stable particles at the primary collision vertex. Selected jets are required to have  $p_T > 40$  GeV and  $|\eta| < 2.8$ . Events with jets failing jet quality criteria against noise and non-collision backgrounds are rejected [44]. Jets within a distance  $\Delta R < 0.2$  of a selected electron are also rejected.

## 6. Event selection

Events are required to have a reconstructed primary vertex associated with at least five tracks. During the data-taking period considered, a readout failure in the LAr barrel calorimeter resulted in a small “dead” region, in which up to 30% of the incident jet energy may be lost. Should any of the four leading jets with  $p_T > 40$  GeV fall into this region, the event is vetoed. This is applied consistently to all data and Monte Carlo events, and results in a loss of signal efficiency of  $\sim 15\text{--}20\%$  for the models considered. Additionally, electrons incident on this region are discarded.

Selected events contain at least one high- $p_T$  ( $> 40$  GeV) isolated lepton. Two statistically independent samples are defined by separating events for which the leading lepton (that of highest  $p_T$ ) is an electron (muon) into an electron (muon) channel sample.

High multiplicity final states of interest can be separated from Standard Model background events using the quantity:

$$\sum p_T = \sum_{i=\text{objects}} p_{T,i}, \quad (1)$$

which is the scalar sum of the transverse momenta of the selected final state reconstructed objects (leptons and jets), described in Section 5. The signal, containing multiple high- $p_T$  leptons and jets, manifests itself at high  $\sum p_T$ .

The missing transverse momentum  $E_T^{\text{miss}}$  is defined as the opposite of the vectorial  $p_T$  sum of reconstructed objects in the event, comprising selected leptons, jets with  $p_T > 20$  GeV, any additional identified non-isolated muons, and calorimeter clusters not belonging to any of the aforementioned object types. Although  $E_T^{\text{miss}}$  is not considered as an object in this analysis, it is used in the definitions of regions for background estimation.


Preselection requirements are used to select a sample of events with similar kinematics and composition to the signal regions for this search, described later in this section, but with lower  $p_T$  thresholds for selected objects. Events are required to have at least three selected objects passing the 40 GeV  $p_T$  threshold, with at least one lepton, and have a moderate requirement of  $\sum p_T > 300$  GeV. Additionally, the electron channel requires the leading electron to pass the “tight” selection. Fig. 1 shows the transverse momentum of the leading lepton after event preselection for electron and muon channels, where the background distributions have been normalised to be in agreement with data in selected control regions, as described in Section 7.

For the signal region, the  $\sum p_T$ , lepton and jet  $p_T$  requirements are raised further. Events are required to contain at least three reconstructed objects with  $p_T > 100$  GeV, at least one of which must be a lepton. These events are required to have a minimum  $\sum p_T$  of 700 GeV. To determine limits on the cross section for the signal production of these final states, this threshold is varied between 700 and 1500 GeV. In making exclusion contours in the  $M_D$ – $M_{TH}$  plane, using the benchmark models described in Section 4, a single signal region is used, defined by a  $\sum p_T > 1500$  GeV requirement.

## 7. Background estimation

The backgrounds are estimated using a combination of data-driven and MC-based techniques. The dominant Standard Model sources of background are:  $W + \text{jets}$ ,  $Z/\gamma^* + \text{jets}$ ,  $t\bar{t}$  and other non- $t\bar{t}$  multi-jet processes, subsequently referred to as multi-jet events. In  $W + \text{jets}$ ,  $Z/\gamma^* + \text{jets}$  and  $t\bar{t}$  processes, events are produced with real leptons, and associated additional high- $p_T$  jets. In multi-jet events, reconstructed high- $p_T$  leptons are present either due to the production of a real lepton within a jet, via semileptonic quark decays (dominantly heavy flavour decays), or due to a jet being misreconstructed from calorimeter clusters as a high- $p_T$  electron. These are denoted as fake leptons while those originating from  $\tau$ -leptons or heavy gauge bosons are referred to as prompt leptons.

The contribution to the muon channel signal region from multi-jets is predicted to be negligible by MC simulations, cross-checked with data using a non-isolated muon sample with the yield extrapolated to the signal region criteria. The multi-jet contribution to the electron channel is estimated using a data-driven matrix method, described in detail in Ref. [45]. Using the signal region definition, a multi-jet enhanced region is defined by loosening the electron identification criterion used in the event selection from “tight” to “medium”.



**Fig. 1.** The transverse momentum distributions of the highest momentum lepton, after event preselection, in electron (a) and muon (b) channels. The Monte Carlo distributions are rescaled to be in agreement with data in selected control regions. The lower panels show the ratio of the data to the expected background (points) and the uncertainty (shaded band). The shaded band in each panel indicates the total uncertainty on the expectation from the finite size of event samples, jet and lepton energy scales and resolutions. Two representative signal distributions are overlaid for comparison purposes. The signal labelled “Black Hole” is a non-rotating black hole sample with  $n = 6$ ,  $M_D = 0.8$  TeV and  $M_{TH} = 4$  TeV. The signal labelled “String Ball” is a rotating string ball sample with  $n = 6$ ,  $M_D = 1.26$  TeV,  $M_S = 1$  TeV and  $M_{TH} = 3$  TeV. Both signal samples were generated with the CHARYBDIS generator. The final histogram bin shows the integral of all events with  $p_T \geq 760$  GeV.

The numbers of data events in this looser electron sample which pass ( $N_{\text{pass}}$ ) and fail ( $N_{\text{fail}}$ ) the final, tighter lepton selection criteria are counted.  $N_{\text{prompt}}$  and  $N_{\text{fake}}$  are defined as the numbers of events for which the electrons are prompt and fake, respectively. The following relationships hold:

$$N_{\text{pass}} = \epsilon_{\text{prompt}} N_{\text{prompt}} + \epsilon_{\text{fake}} N_{\text{fake}}, \quad (2)$$

$$N_{\text{fail}} = (1 - \epsilon_{\text{prompt}}) N_{\text{prompt}} + (1 - \epsilon_{\text{fake}}) N_{\text{fake}}. \quad (3)$$

Simultaneous solution of these two equations gives a prediction for the number of events in data in the signal region which are events with fake leptons:

$$N_{\text{fake}}^{\text{pass}} = \epsilon_{\text{fake}} N_{\text{fake}} = \frac{N_{\text{fail}} - (1/\epsilon_{\text{prompt}} - 1) N_{\text{pass}}}{1/\epsilon_{\text{fake}} - 1/\epsilon_{\text{prompt}}}. \quad (4)$$

The efficiency  $\epsilon_{\text{fake}}$  is determined from a multi-jet dominated data control region defined by  $300 < \sum p_T < 700$  GeV and  $E_T^{\text{miss}} < 15$  GeV, in which events must have at least three reconstructed objects passing preselection criteria, in the electron channel. This region is also considered with the electron criterion loosened to “medium”. The efficiency for identifying fakes as prompt electrons is measured as the fraction of these events which also pass the tighter electron identification requirement. The MC simulations are used to correct the efficiency for the small fraction (< 10%) of prompt leptons. No dependence on lepton  $p_T$ ,  $\sum p_T$  or the choice of maximum  $E_T^{\text{miss}}$  used to define the control region is observed.

The efficiency  $\epsilon_{\text{prompt}}$  is evaluated in a second control region, again containing at least three preselected objects, but with at least two opposite-sign electrons satisfying  $80 < m_{ee} < 100$  GeV, where  $m_{ee}$  denotes the dilepton invariant mass. The efficiency for identifying prompt electrons is obtained through the ratio of “medium–medium” to “medium–tight” events in this high purity control region.

The numbers of  $Z/\gamma^*$  + jets events in the signal region for each channel are estimated by measuring the ratio of the number of events in data to that in MC simulation in a control region with: two opposite-sign leptons (two electrons or two muons)

with  $80 < m_{ee} < 100$  GeV, at least three preselected objects and  $300 < \sum p_T < 700$  GeV. This ratio is a scaling factor that is then used to rescale the pure MC prediction (normalised to the next-to-next-to-leading order (NNLO) cross section) in the signal region. The factors derived agree with unity to within the experimental uncertainty.

The numbers of  $W$  + jets and  $t\bar{t}$  events in the signal region are estimated in a similar fashion, by defining a control region containing events with: exactly one electron (or muon, separately), with  $40 < m_T < 100$  GeV, where  $m_T$  is the transverse mass, calculated from the lepton transverse momentum vector,  $\vec{p}_T^\ell$ , and the missing transverse momentum vector,  $\vec{p}_T^{\text{miss}}$ :

$$m_T = \sqrt{2 \cdot \vec{p}_T^\ell \cdot E_T^{\text{miss}} \cdot (1 - \cos(\Delta\phi(\vec{p}_T^\ell, \vec{p}_T^{\text{miss}})))}, \quad (5)$$

with  $30 < E_T^{\text{miss}} < 60$  GeV, at least three preselected objects and  $300 < \sum p_T < 700$  GeV. Due to their similar behaviour in  $\sum p_T$ ,  $W$  + jets and  $t\bar{t}$  events are treated as a single background; a scaling factor is derived and used to rescale the pure MC prediction (normalised to the NNLO cross section) in the signal region. The factors derived are consistent with unity to within the experimental uncertainty.

## 8. Systematic uncertainties

In this analysis, the dominant sources of systematic uncertainty on the estimated background event rates are: choice of the control regions used to derive the background estimates (for the multi-jet and  $Z$  + jets backgrounds), MC modelling uncertainties assessed using alternative samples produced with different generators (for the  $Z$  + jets,  $W$  + jets and  $t\bar{t}$  backgrounds) and the jet energy scale (JES). Other uncertainties include those on the jet energy resolution (JER), lepton reconstruction and identification, PDF uncertainties, the finite size of event samples in the control regions and the uncertainties in the effects of initial and final-state radiation. For the  $Z$  + jets,  $W$  + jets and  $t\bar{t}$  backgrounds the use of a control region in data to renormalise the MC predictions, as described in Section 7, mitigates the effects of most of the systematic

**Table 1**

Background estimation summary as a function of  $\sum p_T$  in the electron channel, using the methods described in the main body of this Letter, compared to data. The first quoted errors are statistical, the second systematic. All other backgrounds considered ( $WW$ ,  $ZZ$  and  $WZ$ ) are estimated to have negligible contributions.

$\sum p_T$ (GeV)	Multi-jets	$W + \text{jets}/t\bar{t}$	$Z + \text{jets}$	Total SM	Data
> 700	$137 \pm 10 \pm 45$	$371 \pm 10 \pm 77$	$119 \pm 4 \pm 22$	$627 \pm 15 \pm 92$	586
> 800	$75 \pm 7 \pm 25$	$210 \pm 6 \pm 42$	$74 \pm 4 \pm 13$	$358 \pm 10 \pm 51$	348
> 900	$42 \pm 5 \pm 14$	$122 \pm 5 \pm 28$	$46.9 \pm 2.8 \pm 8.6$	$210 \pm 8 \pm 33$	196
> 1000	$24.6 \pm 4.2 \pm 8.0$	$73 \pm 3 \pm 17$	$22.2 \pm 1.8 \pm 4.5$	$119 \pm 5 \pm 20$	113
> 1200	$8.1 \pm 2.5 \pm 2.7$	$28.5 \pm 1.8 \pm 7.6$	$9.1 \pm 1.0 \pm 1.9$	$45.7 \pm 3.2 \pm 8.3$	41
> 1500	$1.3 \pm 1.1 \pm 0.4$	$6.3 \pm 0.8 \pm 2.5$	$2.6 \pm 0.5 \pm 0.5$	$10.2 \pm 1.4 \pm 2.6$	8

**Table 2**

Background estimation summary as a function of  $\sum p_T$  in the muon channel, using the methods described in the main body of this Letter, compared to data. The first quoted errors are statistical, the second systematic. All other backgrounds considered ( $WW$ ,  $ZZ$ ,  $WZ$  and multi-jet processes) are estimated to have negligible contributions.

$\sum p_T$ (GeV)	$W + \text{jets}/t\bar{t}$	$Z + \text{jets}$	Total SM	Data
> 700	$236 \pm 7 \pm 43$	$49 \pm 3 \pm 11$	$285 \pm 8 \pm 44$	241
> 800	$129 \pm 4 \pm 25$	$32.0 \pm 2.4 \pm 7.5$	$161 \pm 5 \pm 26$	145
> 900	$71 \pm 3 \pm 16$	$19.5 \pm 1.7 \pm 5.0$	$91 \pm 3 \pm 16$	78
> 1000	$38.9 \pm 2.3 \pm 8.3$	$13.1 \pm 1.3 \pm 3.1$	$52.0 \pm 2.6 \pm 8.9$	46
> 1200	$9.9 \pm 1.2 \pm 3.6$	$4.0 \pm 0.6 \pm 1.2$	$14.0 \pm 1.3 \pm 3.8$	15
> 1500	$2.2 \pm 0.5 \pm 1.1$	$0.6 \pm 0.2 \pm 0.4$	$2.8 \pm 0.5 \pm 1.1$	2

uncertainties, which act primarily to vary the overall magnitude of the predicted backgrounds, rather than their shapes. For the background estimates of  $Z + \text{jets}$ ,  $W + \text{jets}$  and  $t\bar{t}$  processes, the dominant uncertainties are those associated with the extrapolation of the background shape to the signal region, followed by the jet energy scale. The sizes of the systematic uncertainties described above vary, depending on the channel and on the  $\sum p_T$  range of the signal region, but are typically 15–20%, except for the highest  $\sum p_T$  bins in which the MC event samples are smaller leading to larger statistical fluctuations. These are summarised in Tables 1 and 2.

The JES and JER uncertainties are applied to Monte Carlo simulated jets, and are propagated throughout the analysis to assess their effect. The JES uncertainties applied were measured using the complete 2010 dataset and the techniques described in Ref. [44]. The JER measured with 2010 data [44] is applied to all Monte Carlo simulated jets, with the difference between the nominal and recalibrated values taken as the systematic uncertainty. Additional contributions are added to both of these uncertainties to account for the effect of high luminosity pile-up in the 2011 run. The effect of pile-up on other analysis-level distributions was investigated and found to be negligible, as expected from the high- $p_T$  objects populating the signal region.

## 9. Results and interpretation

The observed and predicted event yields, following the estimations described in Section 7, are given in Tables 1 and 2, as a function of minimum  $\sum p_T$ . The distribution of  $\sum p_T$  is shown in Fig. 2, along with the distribution of the highest- $p_T$  lepton or jet.

The SM background estimates are in good agreement with the observed data, for all choices of  $\sum p_T$  threshold. No excess is observed beyond the Standard Model expectation;  $p$ -values for the background-only hypothesis in the signal regions are in the range 0.43–0.47. Therefore, model-independent exclusion limits are determined on the fiducial cross section for non-SM production of these final states,  $\sigma(pp \rightarrow \ell X)$ , as a function of minimum  $\sum p_T$ .

The translation from an upper limit on the number of events to a fiducial cross section requires knowledge of the mapping

(or, equivalently, the selection efficiency),  $\epsilon_{\text{fid}}$ , from the true signal production in the fiducial region to that reconstructed. The true fiducial region for the electron (muon) channel is defined from simulated events with final states that pass the following requirements at generator level: the leading lepton is a prompt electron (muon)<sup>5</sup> within the experimental acceptance described in Section 5, with  $p_T > 100$  GeV and separated from jets with  $p_T > 20$  GeV by  $\Delta R(\text{lepton, jet}) > 0.4$ ; at least two additional jets or isolated leptons with  $p_T > 100$  GeV are present and  $\sum p_T$  is above the respective signal region threshold. Jets are defined using the anti- $k_t$  algorithm with  $R = 0.4$  on stable particles.

For the models considered,  $\epsilon_{\text{fid}}$  varies, and averages 63% for the electron channel, and 44% for the muon channel. The full range of  $\epsilon_{\text{fid}}$  is 57–67% for the electron channel and 39–50% for the muon channel.

Under the assumption of equal *a priori* signal model production of electrons and muons, a combined limit can also be calculated: this is a limit on the fiducial cross section for all final states with at least one lepton ( $e$  or  $\mu$ ), for which  $\epsilon_{\text{fid}}$  averages 57%, with a range from 50–61%.


For the derivation of the upper limits on the fiducial cross section, the lowest observed efficiency for each channel is used, for all signal regions. The corresponding observed and expected upper limits on the fiducial cross-section  $\sigma(pp \rightarrow \ell X)$  at 95% confidence level are displayed in Fig. 3 and Table 3. These exclusion regions are obtained using the  $CL_s$  prescription [46]. For  $\sum p_T > 1.5$  TeV, the observed (expected) 95% C.L. upper limit on the non-Standard Model fiducial cross section is 16.7 fb (20.4 fb) for final states containing at least one electron or muon.

The expected and observed limits in the muon channel are slightly more stringent, due to the lower level of the SM background, in spite of the smaller efficiency and acceptance for the signal.

For the models considered, the total signal acceptance is highly model-dependent, driven primarily by the fraction of events containing a lepton in the final states, and averages about 10% and 5% for the (mutually exclusive) electron and muon channels respectively. It is lowest for the low multiplicity, low mass states (small values of  $M_{\text{TH}}/M_{\text{D}}$ , or  $M_{\text{TH}}$  and  $M_{\text{D}}$ ) that are theoretically or experimentally disfavoured.

The observed number of data events in the signal region (for  $\sum p_T > 1500$  GeV) along with the background expectations are used to obtain exclusion contours in the plane of  $M_{\text{D}}$  and  $M_{\text{TH}}$  for several benchmark-model gravitational states. No theoretical uncertainty on signal prediction is assessed; that is, the exclusion limits are set for the exact benchmark models as implemented in the BLACKMAX and CHARYBDIS generators. In deriving the exclusion contours, the uncertainty in the integrated luminosity and the statistical and experimental systematic uncertainties in the signal acceptances are included, and are found to be less than 10%

<sup>5</sup> Electrons (muons) originating from  $\tau$ -leptons, heavy gauge bosons or directly from the black hole are considered to be prompt.



**Fig. 2.** The distributions of  $\sum p_T$  (a), (b) and leading object  $p_T$  (c), (d) for the signal region in the electron (left) and muon (right) channels. The background processes are shown according to their data-derived estimates. The lower panels show the ratio of the data to the expected background (points) and the uncertainty (shaded band). The shaded band in each panel indicates the uncertainty on the expectation from the finite size of event samples, jet and lepton energy scales and resolutions. Two representative signal distributions are overlaid for comparison purposes. The signal labelled “Black Hole” is a non-rotating black hole sample with  $n = 6$ ,  $M_D = 0.8$  TeV and  $M_{TH} = 4$  TeV. The signal labelled “String Ball” is a rotating string ball sample with  $n = 6$ ,  $M_D = 1.26$  TeV,  $M_S = 1$  TeV and  $M_{TH} = 3$  TeV. The final histogram bin shows the integral of all events with  $\sum p_T \geq 2900$  GeV (a), (b) or  $p_T \geq 1100$  GeV (c), (d).


in total. Some of the theoretical uncertainties, such as the effects of black hole rotation, or spin, are discussed in Section 1. One of the more significant theoretical uncertainties is that associated with the decay of the state as its mass approaches  $M_D$ . A common prescription is to end thermal emissions at a mass close to  $M_D$ , at which point the state decays immediately to a remnant state, the multiplicity of which is uncertain. The efficiency of the event selection for searches for strong gravitational states could differ significantly according to the remnant model choice, particularly for samples in which a limited number of Hawking emissions are anticipated, motivating the consideration of multiple remnant models. The requirement of only three high- $p_T$  objects for this analysis mitigates the dependence of the selection efficiency, and resulting cross section limits, on the modelling of the remnant decays.

The 95% exclusion contours in the  $M_D$ - $M_{TH}$  plane ( $M_S$ - $M_{TH}$  plane for string balls) for different models are obtained using the  $CL_s$  prescription. Fig. 4 shows exclusion contours for rotating black

hole benchmark models with high- and low-multiplicity remnant decays. Their comparison allows an assessment of the effect of this modelling uncertainty on the analysis, which is inevitably greatest in the regime of low  $M_{TH}/M_D$ . Limits for rotating and non-rotating string ball models are shown in Fig. 5. The behaviour of the contours observed at high values of  $M_{TH}/M_S$  is due to a step decrease in the gradient of the string ball cross section,  $d\sigma_{SB}/dM_S$  above a value of  $M_{TH} = M_S/g_S^2$ . The string ball models illustrated were simulated using a high-multiplicity remnant model.

## 10. Summary

A search for microscopic black holes and string ball states in ATLAS using a total integrated luminosity of  $1.04 \text{ fb}^{-1}$  was presented. The search has considered final states with three or more high transverse momentum objects, at least one of which was required to be a lepton (electron or muon). No deviation from



**Fig. 3.** Upper limits on the fiducial cross sections  $\sigma(pp \rightarrow \ell X)$  for the production of final states with at least three objects passing a 100 GeV  $p_T$  requirement including at least one isolated lepton, and  $\sum p_T$  above threshold, for all final states with at least one electron or muon. The observed and expected 95% C.L. limits according to the  $CL_s$  prescription are shown, as well as the  $1\sigma$  and  $2\sigma$  bounds on the expected limit.

**Table 3**

The observed and expected 95% C.L. upper limits on the fiducial cross sections  $\sigma(pp \rightarrow \ell X)$  for the production of final states with at least three objects passing a 100 GeV  $p_T$  requirement including at least one isolated lepton, and  $\sum p_T$  above threshold, for muon and electron channels separately, and for their combination (where  $\ell = e$  or  $\mu$ ). The  $CL_s$  method is used to obtain the limits.

$\sum p_T$ (GeV)	$\sigma(pp \rightarrow \ell X)$ 95% C.L. upper limit (fb) Observed (expected)	Electron channel	Muon channel	Channels combined
> 700	282 (323)		166 (233)	448 (536)
> 800	179 (186)		117 (145)	279 (317)
> 900	108 (125)		72.6 (92.8)	173 (202)
> 1000	70.9 (78.5)		48.2 (58.2)	107 (124)
> 1200	33.5 (38.0)		31.0 (28.5)	51.0 (56.8)
> 1500	12.8 (15.4)		11.0 (12.3)	16.7 (20.4)


the Standard Model was observed in either the electron or the muon channels. Consequently, limits are set on TeV-scale gravity models, interpreted in a two-dimensional parameter grid of benchmark models in the  $M_D$ - $M_{TH}$  plane. Upper limits, at 95% C.L., are set on the fiducial cross-sections for new physics production of high- $\sum p_T$  multi-object final states containing a high- $p_T$  ( $> 100$  GeV) isolated lepton within the experimental acceptance. For final states with  $\sum p_T > 1.5$  TeV, a limit of 16.7 fb is set.

### Acknowledgements


We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.



**Fig. 4.** The exclusion limit in the  $M_{TH}$ - $M_D$  plane, with electron and muon channels combined, for rotating black hole models with six extra dimensions. The black hole decays result in a high-multiplicity remnant state generated with BLACKMAX (a), and a low-multiplicity remnant state generated by CHARYBDIS (b). The solid (dashed) line shows the observed (expected) 95% C.L. limits, with the dark and light bands illustrating the expected  $1\sigma$  and  $2\sigma$  variations of the expected limits. The dotted lines indicate constant  $k = M_{TH}/M_D$ .



**Fig. 5.** The exclusion limit in the  $M_{TH}$ – $M_S$  plane, with electron and muon channels combined, for non-rotating (a) and rotating (b) string balls with six extra dimensions. The solid (dashed) line shows the observed (expected) 95% C.L. limits, with the dark and light bands illustrating the expected  $1\sigma$  and  $2\sigma$  variations of the expected limits. The dotted lines indicate constant  $k = M_{TH}/M_S$ . All samples were produced with the CHARYBDIS generator, using a high multiplicity remnant state.

## Open access

This article is published Open Access at [sciedirect.com](http://sciedirect.com). It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

## References

- [1] L. Randall, R. Sundrum, Phys. Rev. Lett. 83 (1999) 3370.
- [2] N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, Phys. Lett. B 429 (1998) 263.
- [3] I. Antoniadis, N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, Phys. Lett. B 436 (1998) 257.
- [4] LEP Exotica Working Group, LEP Exotica WG 2004-03; ALEPH Collaboration, Eur. Phys. J. C 28 (2003) 1; DELPHI Collaboration, Eur. Phys. J. C 38 (2005) 395; L3 Collaboration, Phys. Lett. B 587 (2004) 16; OPAL Collaboration, Eur. Phys. J. C 18 (2000) 253.
- [5] CDF Collaboration, Phys. Rev. Lett. 101 (2008) 181602.
- [6] D0 Collaboration, Phys. Rev. Lett. 101 (2008) 011601.
- [7] ATLAS Collaboration, Phys. Lett. B 705 (2011) 294.
- [8] ATLAS Collaboration, Phys. Lett. B 709 (2012) 322.
- [9] CMS Collaboration, Phys. Rev. Lett. 107 (2011) 201804.
- [10] S. Dimopoulos, R. Emparan, Phys. Lett. B 526 (2002) 393.
- [11] D.M. Gingrich, K. Martell, Phys. Rev. D 78 (2008) 115009.
- [12] L.A. Anchordoqui, J.L. Feng, H. Goldberg, A.D. Shapere, Phys. Rev. D 65 (2002) 124027.
- [13] D.M. Gingrich, Int. J. Mod. Phys. A 21 (2006) 6653.
- [14] S. Hawking, Commun. Math. Phys. 43 (1975) 199.
- [15] D.N. Page, Phys. Rev. D 13 (1976) 198.
- [16] J.A. Frost, et al., JHEP 0910 (2009) 014.
- [17] CMS Collaboration, Phys. Lett. B 697 (2011) 434.
- [18] P. Meade, L. Randall, JHEP 0805 (2008) 003.
- [19] ATLAS Collaboration, New J. Phys. 13 (2011) 053044.
- [20] ATLAS Collaboration, JINST 3 (2008) S08003.
- [21] ATLAS Collaboration, ATLAS-CONF-2011-116, <http://cdsweb.cern.ch/record/1376384>.
- [22] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630.
- [23] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1909, <http://dx.doi.org/10.1140/epjc/s10052-012-1909-1>.
- [24] ATLAS Collaboration, ATLAS-CONF-2010-095, <http://cdsweb.cern.ch/record/1299573>.
- [25] T. Sjostrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026.
- [26] A. Sherstnev, R.S. Thorne, Eur. Phys. J. C 55 (2008) 553.
- [27] S. Frixione, B.R. Webber, JHEP 0206 (2002) 029; S. Frixione, P. Nason, B.R. Webber, JHEP 0308 (2003) 007; S. Frixione, E. Laenen, P. Motylinski, JHEP 0603 (2006) 092.
- [28] P.M. Nadolsky, et al., Phys. Rev. D 78 (2008) 013004.
- [29] M.L. Mangano, M. Moretti, F. Piccinini, R. Pittau, A.D. Polosa, JHEP 0307 (2003) 001.
- [30] J. Pumplin, et al., JHEP 0207 (2002) 012.
- [31] T. Gleisberg, et al., JHEP 0402 (2004) 056.
- [32] G. Corcella, et al., JHEP 0101 (2001) 010.
- [33] J. Butterworth, J. Forshaw, M. Seymour, Z. Phys. C 72 (1996) 637.
- [34] ATLAS Collaboration, ATL-PHYS-PUB-2011-008.
- [35] S. Agostinelli, et al., Nucl. Instr. Meth. A 506 (2003) 250.
- [36] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823.
- [37] D.-C. Dai, G. Starkman, D. Stojkovic, C. Issever, E. Rizvi, J. Tseng, Phys. Rev. D 77 (2008) 076007.
- [38] D.-C. Dai, C. Issever, E. Rizvi, G. Starkman, D. Stojkovic, J. Tseng, arXiv:0902.3577 [hep-ph].
- [39] ATLAS Collaboration, JHEP 1012 (2010) 060.
- [40] ATLAS Collaboration, Phys. Lett. B 705 (2011) 28.
- [41] M. Cacciari, G.P. Salam, G. Soyez, JHEP 0804 (2008) 063.
- [42] ATLAS Collaboration, ATL-LARG-PUB-2008-002.
- [43] ATLAS Collaboration, ATLAS-CONF-2011-032, <http://cdsweb.cern.ch/record/1337782>.
- [44] ATLAS Collaboration, Eur. Phys. J. C, submitted for publication, arXiv:1112.6426 [hep-ex], 2011.
- [45] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1.
- [46] A.L. Read, J. Phys. G 28 (2002) 2693.

## ATLAS Collaboration

G. Aad <sup>48</sup>, B. Abbott <sup>110</sup>, J. Abdallah <sup>11</sup>, A.A. Abdelalim <sup>49</sup>, A. Abdesselam <sup>117</sup>, O. Abdinov <sup>10</sup>, B. Abi <sup>111</sup>, M. Abolins <sup>87</sup>, O.S. AbouZeid <sup>157</sup>, H. Abramowicz <sup>152</sup>, H. Abreu <sup>114</sup>, E. Acerbi <sup>88a,88b</sup>, B.S. Acharya <sup>163a,163b</sup>,

- L. Adamczyk <sup>37</sup>, D.L. Adams <sup>24</sup>, T.N. Addy <sup>56</sup>, J. Adelman <sup>174</sup>, M. Aderholz <sup>98</sup>, S. Adomeit <sup>97</sup>, P. Adragna <sup>74</sup>, T. Adye <sup>128</sup>, S. Aefsky <sup>22</sup>, J.A. Aguilar-Saavedra <sup>123b,a</sup>, M. Aharrouche <sup>80</sup>, S.P. Ahlen <sup>21</sup>, F. Ahles <sup>48</sup>, A. Ahmad <sup>147</sup>, M. Ahsan <sup>40</sup>, G. Aielli <sup>132a,132b</sup>, T. Akdogan <sup>18a</sup>, T.P.A. Åkesson <sup>78</sup>, G. Akimoto <sup>154</sup>, A.V. Akimov <sup>93</sup>, A. Akiyama <sup>66</sup>, M.S. Alam <sup>1</sup>, M.A. Alam <sup>75</sup>, J. Albert <sup>168</sup>, S. Albrand <sup>55</sup>, M. Aleksa <sup>29</sup>, I.N. Aleksandrov <sup>64</sup>, F. Alessandria <sup>88a</sup>, C. Alexa <sup>25a</sup>, G. Alexander <sup>152</sup>, G. Alexandre <sup>49</sup>, T. Alexopoulos <sup>9</sup>, M. Alhroob <sup>20</sup>, M. Aliev <sup>15</sup>, G. Alimonti <sup>88a</sup>, J. Alison <sup>119</sup>, M. Aliyev <sup>10</sup>, B.M.M. Allbrooke <sup>17</sup>, P.P. Allport <sup>72</sup>, S.E. Allwood-Spiers <sup>53</sup>, J. Almond <sup>81</sup>, A. Aloisio <sup>101a,101b</sup>, R. Alon <sup>170</sup>, A. Alonso <sup>78</sup>, B. Alvarez Gonzalez <sup>87</sup>, M.G. Alviggi <sup>101a,101b</sup>, K. Amako <sup>65</sup>, P. Amaral <sup>29</sup>, C. Amelung <sup>22</sup>, V.V. Ammosov <sup>127</sup>, A. Amorim <sup>123a,b</sup>, G. Amorós <sup>166</sup>, N. Amram <sup>152</sup>, C. Anastopoulos <sup>29</sup>, L.S. Ancu <sup>16</sup>, N. Andari <sup>114</sup>, T. Andeen <sup>34</sup>, C.F. Anders <sup>20</sup>, G. Anders <sup>58a</sup>, K.J. Anderson <sup>30</sup>, A. Andreazza <sup>88a,88b</sup>, V. Andrei <sup>58a</sup>, M.-L. Andrieux <sup>55</sup>, X.S. Anduaga <sup>69</sup>, A. Angerami <sup>34</sup>, F. Anghinolfi <sup>29</sup>, A. Anisenkov <sup>106</sup>, N. Anjos <sup>123a</sup>, A. Annovi <sup>47</sup>, A. Antonaki <sup>8</sup>, M. Antonelli <sup>47</sup>, A. Antonov <sup>95</sup>, J. Antos <sup>143b</sup>, F. Anulli <sup>131a</sup>, S. Aoun <sup>82</sup>, L. Aperio Bella <sup>4</sup>, R. Apolle <sup>117,c</sup>, G. Arabidze <sup>87</sup>, I. Aracena <sup>142</sup>, Y. Arai <sup>65</sup>, A.T.H. Arce <sup>44</sup>, S. Arfaoui <sup>147</sup>, J.-F. Arguin <sup>14</sup>, E. Arik <sup>18a,\*</sup>, M. Arik <sup>18a</sup>, A.J. Armbruster <sup>86</sup>, O. Arnaez <sup>80</sup>, C. Arnault <sup>114</sup>, A. Artamonov <sup>94</sup>, G. Artoni <sup>131a,131b</sup>, D. Arutinov <sup>20</sup>, S. Asai <sup>154</sup>, R. Asfandiyarov <sup>171</sup>, S. Ask <sup>27</sup>, B. Åsman <sup>145a,145b</sup>, L. Asquith <sup>5</sup>, K. Assamagan <sup>24</sup>, A. Astbury <sup>168</sup>, A. Astvatsatourov <sup>52</sup>, B. Aubert <sup>4</sup>, E. Auge <sup>114</sup>, K. Augsten <sup>126</sup>, M. Aurousseau <sup>144a</sup>, G. Avolio <sup>162</sup>, R. Avramidou <sup>9</sup>, D. Axen <sup>167</sup>, C. Ay <sup>54</sup>, G. Azuelos <sup>92,d</sup>, Y. Azuma <sup>154</sup>, M.A. Baak <sup>29</sup>, G. Baccaglioni <sup>88a</sup>, C. Bacci <sup>133a,133b</sup>, A.M. Bach <sup>14</sup>, H. Bachacou <sup>135</sup>, K. Bachas <sup>29</sup>, M. Backes <sup>49</sup>, M. Backhaus <sup>20</sup>, E. Badescu <sup>25a</sup>, P. Bagnaia <sup>131a,131b</sup>, S. Bahinipati <sup>2</sup>, Y. Bai <sup>32a</sup>, D.C. Bailey <sup>157</sup>, T. Bain <sup>157</sup>, J.T. Baines <sup>128</sup>, O.K. Baker <sup>174</sup>, M.D. Baker <sup>24</sup>, S. Baker <sup>76</sup>, E. Banas <sup>38</sup>, P. Banerjee <sup>92</sup>, Sw. Banerjee <sup>171</sup>, D. Banfi <sup>29</sup>, A. Bangert <sup>149</sup>, V. Bansal <sup>168</sup>, H.S. Bansil <sup>17</sup>, L. Barak <sup>170</sup>, S.P. Baranov <sup>93</sup>, A. Barashkou <sup>64</sup>, A. Barbaro Galtieri <sup>14</sup>, T. Barber <sup>48</sup>, E.L. Barberio <sup>85</sup>, D. Barberis <sup>50a,50b</sup>, M. Barbero <sup>20</sup>, D.Y. Bardin <sup>64</sup>, T. Barillari <sup>98</sup>, M. Barisonzi <sup>173</sup>, T. Barklow <sup>142</sup>, N. Barlow <sup>27</sup>, B.M. Barnett <sup>128</sup>, R.M. Barnett <sup>14</sup>, A. Baroncelli <sup>133a</sup>, G. Barone <sup>49</sup>, A.J. Barr <sup>117</sup>, F. Barreiro <sup>79</sup>, J. Barreiro Guimarães da Costa <sup>57</sup>, P. Barrillon <sup>114</sup>, R. Bartoldus <sup>142</sup>, A.E. Barton <sup>70</sup>, V. Bartsch <sup>148</sup>, R.L. Bates <sup>53</sup>, L. Batkova <sup>143a</sup>, J.R. Batley <sup>27</sup>, A. Battaglia <sup>16</sup>, M. Battistin <sup>29</sup>, F. Bauer <sup>135</sup>, H.S. Bawa <sup>142,e</sup>, S. Beale <sup>97</sup>, T. Beau <sup>77</sup>, P.H. Beauchemin <sup>160</sup>, R. Beccherle <sup>50a</sup>, P. Bechtle <sup>20</sup>, H.P. Beck <sup>16</sup>, S. Becker <sup>97</sup>, M. Beckingham <sup>137</sup>, K.H. Becks <sup>173</sup>, A.J. Beddall <sup>18c</sup>, A. Beddall <sup>18c</sup>, S. Bedikian <sup>174</sup>, V.A. Bednyakov <sup>64</sup>, C.P. Bee <sup>82</sup>, M. Begel <sup>24</sup>, S. Behar Harpaz <sup>151</sup>, P.K. Behera <sup>62</sup>, M. Beimforde <sup>98</sup>, C. Belanger-Champagne <sup>84</sup>, P.J. Bell <sup>49</sup>, W.H. Bell <sup>49</sup>, G. Bella <sup>152</sup>, L. Bellagamba <sup>19a</sup>, F. Bellina <sup>29</sup>, M. Bellomo <sup>29</sup>, A. Belloni <sup>57</sup>, O. Beloborodova <sup>106,f</sup>, K. Belotskiy <sup>95</sup>, O. Beltramello <sup>29</sup>, S. Ben Ami <sup>151</sup>, O. Benary <sup>152</sup>, D. Benchekroun <sup>134a</sup>, C. Benchouk <sup>82</sup>, M. Bendel <sup>80</sup>, N. Benekos <sup>164</sup>, Y. Benhammou <sup>152</sup>, E. Benhar Noccioli <sup>49</sup>, J.A. Benitez Garcia <sup>158b</sup>, D.P. Benjamin <sup>44</sup>, M. Benoit <sup>114</sup>, J.R. Bensinger <sup>22</sup>, K. Benslama <sup>129</sup>, S. Bentvelsen <sup>104</sup>, D. Berge <sup>29</sup>, E. Bergeaas Kuutmann <sup>41</sup>, N. Berger <sup>4</sup>, F. Berghaus <sup>168</sup>, E. Berglund <sup>104</sup>, J. Beringer <sup>14</sup>, P. Bernat <sup>76</sup>, R. Bernhard <sup>48</sup>, C. Bernius <sup>24</sup>, T. Berry <sup>75</sup>, C. Bertella <sup>82</sup>, A. Bertin <sup>19a,19b</sup>, F. Bertinelli <sup>29</sup>, F. Bertolucci <sup>121a,121b</sup>, M.I. Besana <sup>88a,88b</sup>, N. Besson <sup>135</sup>, S. Bethke <sup>98</sup>, W. Bhimji <sup>45</sup>, R.M. Bianchi <sup>29</sup>, M. Bianco <sup>71a,71b</sup>, O. Biebel <sup>97</sup>, S.P. Bieniek <sup>76</sup>, K. Bierwagen <sup>54</sup>, J. Biesiada <sup>14</sup>, M. Biglietti <sup>133a</sup>, H. Bilokon <sup>47</sup>, M. Bind <sup>19a,19b</sup>, S. Binet <sup>114</sup>, A. Bingul <sup>18c</sup>, C. Bini <sup>131a,131b</sup>, C. Biscarat <sup>176</sup>, U. Bitenc <sup>48</sup>, K.M. Black <sup>21</sup>, R.E. Blair <sup>5</sup>, J.-B. Blanchard <sup>135</sup>, G. Blanchot <sup>29</sup>, T. Blazek <sup>143a</sup>, C. Blocker <sup>22</sup>, J. Blocki <sup>38</sup>, A. Blondel <sup>49</sup>, W. Blum <sup>80</sup>, U. Blumenschein <sup>54</sup>, G.J. Bobbink <sup>104</sup>, V.B. Bobrovnikov <sup>106</sup>, S.S. Bocchetta <sup>78</sup>, A. Bocci <sup>44</sup>, C.R. Boddy <sup>117</sup>, M. Boehler <sup>41</sup>, J. Boek <sup>173</sup>, N. Boelaert <sup>35</sup>, J.A. Bogaerts <sup>29</sup>, A. Bogdanchikov <sup>106</sup>, A. Bogouch <sup>89,\*</sup>, C. Bohm <sup>145a</sup>, V. Boisvert <sup>75</sup>, T. Bold <sup>37</sup>, V. Boldea <sup>25a</sup>, N.M. Bolnet <sup>135</sup>, M. Bona <sup>74</sup>, V.G. Bondarenko <sup>95</sup>, M. Bondioli <sup>162</sup>, M. Boonekamp <sup>135</sup>, C.N. Booth <sup>138</sup>, S. Bordoni <sup>77</sup>, C. Borer <sup>16</sup>, A. Borisov <sup>127</sup>, G. Borissov <sup>70</sup>, I. Borjanovic <sup>12a</sup>, M. Borri <sup>81</sup>, S. Borroni <sup>86</sup>, V. Bortolotto <sup>133a,133b</sup>, K. Bos <sup>104</sup>, D. Boscherini <sup>19a</sup>, M. Bosman <sup>11</sup>, H. Boterenbrood <sup>104</sup>, D. Botterill <sup>128</sup>, J. Bouchami <sup>92</sup>, J. Boudreau <sup>122</sup>, E.V. Bouhova-Thacker <sup>70</sup>, D. Boumediene <sup>33</sup>, C. Bourdarios <sup>114</sup>, N. Bousson <sup>82</sup>, A. Boveia <sup>30</sup>, J. Boyd <sup>29</sup>, I.R. Boyko <sup>64</sup>, N.I. Bozhko <sup>127</sup>, I. Bozovic-Jelisavcic <sup>12b</sup>, J. Bracinik <sup>17</sup>, A. Braem <sup>29</sup>, P. Branchini <sup>133a</sup>, G.W. Brandenburg <sup>57</sup>, A. Brandt <sup>7</sup>, G. Brandt <sup>117</sup>, O. Brandt <sup>54</sup>, U. Bratzler <sup>155</sup>, B. Brau <sup>83</sup>, J.E. Brau <sup>113</sup>, H.M. Braun <sup>173</sup>, B. Brelier <sup>157</sup>, J. Bremer <sup>29</sup>, R. Brenner <sup>165</sup>, S. Bressler <sup>170</sup>, D. Britton <sup>53</sup>, F.M. Brochu <sup>27</sup>, I. Brock <sup>20</sup>, R. Brock <sup>87</sup>, T.J. Brodbeck <sup>70</sup>, E. Brodet <sup>152</sup>, F. Broggi <sup>88a</sup>, C. Bromberg <sup>87</sup>, J. Bronner <sup>98</sup>, G. Brooijmans <sup>34</sup>, W.K. Brooks <sup>31b</sup>, G. Brown <sup>81</sup>, H. Brown <sup>7</sup>, P.A. Bruckman de Renstrom <sup>38</sup>, D. Bruncko <sup>143b</sup>, R. Bruneliere <sup>48</sup>, S. Brunet <sup>60</sup>, A. Bruni <sup>19a</sup>, G. Bruni <sup>19a</sup>, M. Bruschi <sup>19a</sup>, T. Buanes <sup>13</sup>, Q. Buat <sup>55</sup>, F. Bucci <sup>49</sup>, J. Buchanan <sup>117</sup>, N.J. Buchanan <sup>2</sup>, P. Buchholz <sup>140</sup>,

- R.M. Buckingham <sup>117</sup>, A.G. Buckley <sup>45</sup>, S.I. Buda <sup>25a</sup>, I.A. Budagov <sup>64</sup>, B. Budick <sup>107</sup>, V. Büscher <sup>80</sup>,  
 L. Bugge <sup>116</sup>, O. Bulekov <sup>95</sup>, M. Bunse <sup>42</sup>, T. Buran <sup>116</sup>, H. Burckhart <sup>29</sup>, S. Burdin <sup>72</sup>, T. Burgess <sup>13</sup>,  
 S. Burke <sup>128</sup>, E. Busato <sup>33</sup>, P. Bussey <sup>53</sup>, C.P. Buszello <sup>165</sup>, F. Butin <sup>29</sup>, B. Butler <sup>142</sup>, J.M. Butler <sup>21</sup>,  
 C.M. Buttar <sup>53</sup>, J.M. Butterworth <sup>76</sup>, W. Buttlinger <sup>27</sup>, S. Cabrera Urbán <sup>166</sup>, D. Caforio <sup>19a,19b</sup>, O. Cakir <sup>3a</sup>,  
 P. Calafiura <sup>14</sup>, G. Calderini <sup>77</sup>, P. Calfayan <sup>97</sup>, R. Calkins <sup>105</sup>, L.P. Caloba <sup>23a</sup>, R. Caloi <sup>131a,131b</sup>, D. Calvet <sup>33</sup>,  
 S. Calvet <sup>33</sup>, R. Camacho Toro <sup>33</sup>, P. Camarri <sup>132a,132b</sup>, M. Cambiaghi <sup>118a,118b</sup>, D. Cameron <sup>116</sup>,  
 L.M. Caminada <sup>14</sup>, S. Campana <sup>29</sup>, M. Campanelli <sup>76</sup>, V. Canale <sup>101a,101b</sup>, F. Canelli <sup>30,g</sup>, A. Canepa <sup>158a</sup>,  
 J. Cantero <sup>79</sup>, L. Capasso <sup>101a,101b</sup>, M.D.M. Capeans Garrido <sup>29</sup>, I. Caprini <sup>25a</sup>, M. Caprini <sup>25a</sup>, D. Capriotti <sup>98</sup>,  
 M. Capua <sup>36a,36b</sup>, R. Caputo <sup>80</sup>, C. Caramarcu <sup>24</sup>, R. Cardarelli <sup>132a</sup>, T. Carli <sup>29</sup>, G. Carlino <sup>101a</sup>,  
 L. Carminati <sup>88a,88b</sup>, B. Caron <sup>84</sup>, S. Caron <sup>103</sup>, G.D. Carrillo Montoya <sup>171</sup>, A.A. Carter <sup>74</sup>, J.R. Carter <sup>27</sup>,  
 J. Carvalho <sup>123a,h</sup>, D. Casadei <sup>107</sup>, M.P. Casado <sup>11</sup>, M. Cascella <sup>121a,121b</sup>, C. Caso <sup>50a,50b,\*</sup>,  
 A.M. Castaneda Hernandez <sup>171</sup>, E. Castaneda-Miranda <sup>171</sup>, V. Castillo Gimenez <sup>166</sup>, N.F. Castro <sup>123a</sup>,  
 G. Cataldi <sup>71a</sup>, F. Cataneo <sup>29</sup>, A. Catinaccio <sup>29</sup>, J.R. Catmore <sup>29</sup>, A. Cattai <sup>29</sup>, G. Cattani <sup>132a,132b</sup>,  
 S. Caughron <sup>87</sup>, D. Cauz <sup>163a,163c</sup>, P. Cavalleri <sup>77</sup>, D. Cavalli <sup>88a</sup>, M. Cavalli-Sforza <sup>11</sup>, V. Cavasinni <sup>121a,121b</sup>,  
 F. Ceradini <sup>133a,133b</sup>, A.S. Cerqueira <sup>23b</sup>, A. Cerri <sup>29</sup>, L. Cerrito <sup>74</sup>, F. Cerutti <sup>47</sup>, S.A. Cetin <sup>18b</sup>,  
 F. Cevenini <sup>101a,101b</sup>, A. Chafaq <sup>134a</sup>, D. Chakraborty <sup>105</sup>, K. Chan <sup>2</sup>, B. Chapleau <sup>84</sup>, J.D. Chapman <sup>27</sup>,  
 J.W. Chapman <sup>86</sup>, E. Chareyre <sup>77</sup>, D.G. Charlton <sup>17</sup>, V. Chavda <sup>81</sup>, C.A. Chavez Barajas <sup>29</sup>, S. Cheatham <sup>84</sup>,  
 S. Chekanov <sup>5</sup>, S.V. Chekulaev <sup>158a</sup>, G.A. Chelkov <sup>64</sup>, M.A. Chelstowska <sup>103</sup>, C. Chen <sup>63</sup>, H. Chen <sup>24</sup>,  
 S. Chen <sup>32c</sup>, T. Chen <sup>32c</sup>, X. Chen <sup>171</sup>, S. Cheng <sup>32a</sup>, A. Cheplakov <sup>64</sup>, V.F. Chepurnov <sup>64</sup>,  
 R. Cherkaoui El Moursli <sup>134e</sup>, V. Chernyatin <sup>24</sup>, E. Cheu <sup>6</sup>, S.L. Cheung <sup>157</sup>, L. Chevalier <sup>135</sup>,  
 G. Chiefari <sup>101a,101b</sup>, L. Chikovani <sup>51a</sup>, J.T. Childers <sup>29</sup>, A. Chilingarov <sup>70</sup>, G. Chiodini <sup>71a</sup>, A.S. Chisholm <sup>17</sup>,  
 M.V. Chizhov <sup>64</sup>, G. Choudalakis <sup>30</sup>, S. Chouridou <sup>136</sup>, I.A. Christidi <sup>76</sup>, A. Christov <sup>48</sup>,  
 D. Chromek-Burckhart <sup>29</sup>, M.L. Chu <sup>150</sup>, J. Chudoba <sup>124</sup>, G. Ciapetti <sup>131a,131b</sup>, K. Ciba <sup>37</sup>, A.K. Ciftci <sup>3a</sup>,  
 R. Ciftci <sup>3a</sup>, D. Cinca <sup>33</sup>, V. Cindro <sup>73</sup>, M.D. Ciobotaru <sup>162</sup>, C. Ciocca <sup>19a</sup>, A. Ciocio <sup>14</sup>, M. Cirilli <sup>86</sup>,  
 M. Citterio <sup>88a</sup>, M. Ciubancan <sup>25a</sup>, A. Clark <sup>49</sup>, P.J. Clark <sup>45</sup>, W. Cleland <sup>122</sup>, J.C. Clemens <sup>82</sup>, B. Clement <sup>55</sup>,  
 C. Clement <sup>145a,145b</sup>, R.W. Cliff <sup>128</sup>, Y. Coadou <sup>82</sup>, M. Cobal <sup>163a,163c</sup>, A. Coccaro <sup>171</sup>, J. Cochran <sup>63</sup>, P. Coe <sup>117</sup>,  
 J.G. Cogan <sup>142</sup>, J. Coggeshall <sup>164</sup>, E. Cogneras <sup>176</sup>, J. Colas <sup>4</sup>, A.P. Colijn <sup>104</sup>, N.J. Collins <sup>17</sup>, C. Collins-Tooth <sup>53</sup>,  
 J. Collot <sup>55</sup>, G. Colon <sup>83</sup>, P. Conde Muiño <sup>123a</sup>, E. Coniavitis <sup>117</sup>, M.C. Conidi <sup>11</sup>, M. Consonni <sup>103</sup>,  
 V. Consorti <sup>48</sup>, S. Constantinescu <sup>25a</sup>, C. Conta <sup>118a,118b</sup>, F. Conventi <sup>101a,i</sup>, J. Cook <sup>29</sup>, M. Cooke <sup>14</sup>,  
 B.D. Cooper <sup>76</sup>, A.M. Cooper-Sarkar <sup>117</sup>, K. Copic <sup>14</sup>, T. Cornelissen <sup>173</sup>, M. Corradi <sup>19a</sup>, F. Corriveau <sup>84,j</sup>,  
 A. Cortes-Gonzalez <sup>164</sup>, G. Cortiana <sup>98</sup>, G. Costa <sup>88a</sup>, M.J. Costa <sup>166</sup>, D. Costanzo <sup>138</sup>, T. Costin <sup>30</sup>, D. Côté <sup>29</sup>,  
 R. Coura Torres <sup>23a</sup>, L. Courtneyea <sup>168</sup>, G. Cowan <sup>75</sup>, C. Cowden <sup>27</sup>, B.E. Cox <sup>81</sup>, K. Cranmer <sup>107</sup>,  
 F. Crescioli <sup>121a,121b</sup>, M. Cristinziani <sup>20</sup>, G. Crosetti <sup>36a,36b</sup>, R. Crupi <sup>71a,71b</sup>, S. Crépé-Renaudin <sup>55</sup>,  
 C.-M. Cuciuc <sup>25a</sup>, C. Cuenca Almenar <sup>174</sup>, T. Cuhadar Donszelmann <sup>138</sup>, M. Curatolo <sup>47</sup>, C.J. Curtis <sup>17</sup>,  
 C. Cuthbert <sup>149</sup>, P. Cwetanski <sup>60</sup>, H. Czirr <sup>140</sup>, P. Czodrowski <sup>43</sup>, Z. Czyczula <sup>174</sup>, S. D'Auria <sup>53</sup>,  
 M. D'Onofrio <sup>72</sup>, A. D'Orazio <sup>131a,131b</sup>, P.V.M. Da Silva <sup>23a</sup>, C. Da Via <sup>81</sup>, W. Dabrowski <sup>37</sup>, T. Dai <sup>86</sup>,  
 C. Dallapiccola <sup>83</sup>, M. Dam <sup>35</sup>, M. Dameri <sup>50a,50b</sup>, D.S. Damiani <sup>136</sup>, H.O. Danielsson <sup>29</sup>, D. Dannheim <sup>98</sup>,  
 V. Dao <sup>49</sup>, G. Darbo <sup>50a</sup>, G.L. Darlea <sup>25b</sup>, W. Davey <sup>20</sup>, T. Davidek <sup>125</sup>, N. Davidson <sup>85</sup>, R. Davidson <sup>70</sup>,  
 E. Davies <sup>117,c</sup>, M. Davies <sup>92</sup>, A.R. Davison <sup>76</sup>, Y. Davygora <sup>58a</sup>, E. Dawe <sup>141</sup>, I. Dawson <sup>138</sup>, J.W. Dawson <sup>5,\*</sup>,  
 R.K. Daya-Ishmukhametova <sup>22</sup>, K. De <sup>7</sup>, R. de Asmundis <sup>101a</sup>, S. De Castro <sup>19a,19b</sup>,  
 P.E. De Castro Faria Salgado <sup>24</sup>, S. De Cecco <sup>77</sup>, J. de Graat <sup>97</sup>, N. De Groot <sup>103</sup>, P. de Jong <sup>104</sup>,  
 C. De La Taille <sup>114</sup>, H. De la Torre <sup>79</sup>, B. De Lotto <sup>163a,163c</sup>, L. de Mora <sup>70</sup>, L. De Nooij <sup>104</sup>, D. De Pedis <sup>131a</sup>,  
 A. De Salvo <sup>131a</sup>, U. De Sanctis <sup>163a,163c</sup>, A. De Santo <sup>148</sup>, J.B. De Vivie De Regie <sup>114</sup>, S. Dean <sup>76</sup>,  
 W.J. Dearnaley <sup>70</sup>, R. Debbe <sup>24</sup>, C. Debenedetti <sup>45</sup>, D.V. Dedovich <sup>64</sup>, J. Degenhardt <sup>119</sup>, M. Dehchar <sup>117</sup>,  
 C. Del Papa <sup>163a,163c</sup>, J. Del Peso <sup>79</sup>, T. Del Prete <sup>121a,121b</sup>, T. Delemontex <sup>55</sup>, M. Deliyergiyev <sup>73</sup>,  
 A. Dell'Acqua <sup>29</sup>, L. Dell'Asta <sup>21</sup>, M. Della Pietra <sup>101a,i</sup>, D. della Volpe <sup>101a,101b</sup>, M. Delmastro <sup>4</sup>,  
 N. Delrueelle <sup>29</sup>, P.A. Delsart <sup>55</sup>, C. Deluca <sup>147</sup>, S. Demers <sup>174</sup>, M. Demichev <sup>64</sup>, B. Demirkoz <sup>11,k</sup>, J. Deng <sup>162</sup>,  
 S.P. Denisov <sup>127</sup>, D. Derendarz <sup>38</sup>, J.E. Derkaoui <sup>134d</sup>, F. Derue <sup>77</sup>, P. Dervan <sup>72</sup>, K. Desch <sup>20</sup>, E. Devetak <sup>147</sup>,  
 P.O. Deviveiros <sup>104</sup>, A. Dewhurst <sup>128</sup>, B. DeWilde <sup>147</sup>, S. Dhaliwal <sup>157</sup>, R. Dhullipudi <sup>24,l</sup>,  
 A. Di Ciaccio <sup>132a,132b</sup>, L. Di Ciaccio <sup>4</sup>, A. Di Girolamo <sup>29</sup>, B. Di Girolamo <sup>29</sup>, S. Di Luise <sup>133a,133b</sup>,  
 A. Di Mattia <sup>171</sup>, B. Di Micco <sup>29</sup>, R. Di Nardo <sup>47</sup>, A. Di Simone <sup>132a,132b</sup>, R. Di Sipio <sup>19a,19b</sup>, M.A. Diaz <sup>31a</sup>,  
 F. Diblen <sup>18c</sup>, E.B. Diehl <sup>86</sup>, J. Dietrich <sup>41</sup>, T.A. Dietzsch <sup>58a</sup>, S. Diglio <sup>85</sup>, K. Dindar Yagci <sup>39</sup>, J. Dingfelder <sup>20</sup>,

- C. Dionisi 131a,131b, P. Dita 25a, S. Dita 25a, F. Dittus 29, F. Djama 82, T. Djobava 51b, M.A.B. do Vale 23c,  
 A. Do Valle Wemans 123a, T.K.O. Doan 4, M. Dobbs 84, R. Dobinson 29,\* D. Dobos 29, E. Dobson 29,m,  
 J. Dodd 34, C. Doglioni 49, T. Doherty 53, Y. Doi 65,\* J. Dolejsi 125, I. Dolenc 73, Z. Dolezal 125,  
 B.A. Dolgoshein 95,\* T. Dohmae 154, M. Donadelli 23d, M. Donega 119, J. Donini 33, J. Dopke 29, A. Doria 101a,  
 A. Dos Anjos 171, M. Dosil 11, A. Dotti 121a,121b, M.T. Dova 69, J.D. Dowell 17, A.D. Doxiadis 104, A.T. Doyle 53,  
 Z. Drasal 125, J. Drees 173, N. Dressnandt 119, H. Drevermann 29, C. Driouichi 35, M. Dris 9, J. Dubbert 98,  
 S. Dube 14, E. Duchovni 170, G. Duckeck 97, A. Dudarev 29, F. Dudziak 63, M. Dührssen 29, I.P. Duerdorff 81,  
 L. Duflot 114, M.-A. Dufour 84, M. Dunford 29, H. Duran Yildiz 3a, R. Duxfield 138, M. Dwuznik 37,  
 F. Dydak 29, M. Düren 52, W.L. Ebenstein 44, J. Ebke 97, S. Eckweiler 80, K. Edmonds 80, C.A. Edwards 75,  
 N.C. Edwards 53, W. Ehrenfeld 41, T. Ehrich 98, T. Eifert 142, G. Eigen 13, K. Einsweiler 14, E. Eisenhandler 74,  
 T. Ekelof 165, M. El Kacimi 134c, M. Ellert 165, S. Elles 4, F. Ellinghaus 80, K. Ellis 74, N. Ellis 29,  
 J. Elmsheuser 97, M. Elsing 29, D. Emeliyanov 128, R. Engelmann 147, A. Engl 97, B. Epp 61, A. Eppig 86,  
 J. Erdmann 54, A. Ereditato 16, D. Eriksson 145a, J. Ernst 1, M. Ernst 24, J. Ernwein 135, D. Errede 164,  
 S. Errede 164, E. Ertel 80, M. Escalier 114, C. Escobar 122, X. Espinal Curull 11, B. Esposito 47, F. Etienne 82,  
 A.I. Etienvre 135, E. Etzion 152, D. Evangelakou 54, H. Evans 60, L. Fabbri 19a,19b, C. Fabre 29,  
 R.M. Fakhrutdinov 127, S. Falciano 131a, Y. Fang 171, M. Fanti 88a,88b, A. Farbin 7, A. Farilla 133a, J. Farley 147,  
 T. Farooque 157, S.M. Farrington 117, P. Farthouat 29, P. Fassnacht 29, D. Fassouliotis 8, B. Fatholahzadeh 157,  
 A. Favareto 88a,88b, L. Fayard 114, S. Fazio 36a,36b, R. Febbraro 33, P. Federic 143a, O.L. Fedin 120,  
 W. Fedorko 87, M. Fehling-Kaschek 48, L. Feligioni 82, D. Fellmann 5, C. Feng 32d, E.J. Feng 30,  
 A.B. Fenyuk 127, J. Ferencei 143b, J. Ferland 92, W. Fernando 108, S. Ferrag 53, J. Ferrando 53, V. Ferrara 41,  
 A. Ferrari 165, P. Ferrari 104, R. Ferrari 118a, D.E. Ferreira de Lima 53, A. Ferrer 166, M.L. Ferrer 47,  
 D. Ferrere 49, C. Ferretti 86, A. Ferretto Parodi 50a,50b, M. Fiascaris 30, F. Fiedler 80, A. Filipčič 73,  
 A. Filippas 9, F. Filthaut 103, M. Fincke-Keeler 168, M.C.N. Fiolhais 123a,h, L. Fiorini 166, A. Firat 39,  
 G. Fischer 41, P. Fischer 20, M.J. Fisher 108, M. Flechl 48, I. Fleck 140, J. Fleckner 80, P. Fleischmann 172,  
 S. Fleischmann 173, T. Flick 173, A. Floderus 78, L.R. Flores Castillo 171, M.J. Flowerdew 98, M. Fokitis 9,  
 T. Fonseca Martin 16, D.A. Forbush 137, A. Formica 135, A. Forti 81, D. Fortin 158a, J.M. Foster 81,  
 D. Fournier 114, A. Foussat 29, A.J. Fowler 44, K. Fowler 136, H. Fox 70, P. Francavilla 11, S. Franchino 118a,118b,  
 D. Francis 29, T. Frank 170, M. Franklin 57, S. Franz 29, M. Fraternali 118a,118b, S. Fratina 119, S.T. French 27,  
 F. Friedrich 43, R. Froeschl 29, D. Froidevaux 29, J.A. Frost 27, C. Fukunaga 155, E. Fullana Torregrosa 29,  
 J. Fuster 166, C. Gabaldon 29, O. Gabizon 170, T. Gadfort 24, S. Gadomski 49, G. Gagliardi 50a,50b, P. Gagnon 60,  
 C. Galea 97, E.J. Gallas 117, V. Gallo 16, B.J. Gallop 128, P. Gallus 124, K.K. Gan 108, Y.S. Gao 142,e,  
 V.A. Gapienko 127, A. Gaponenko 14, F. Garberson 174, M. Garcia-Sciveres 14, C. García 166,  
 J.E. García Navarro 166, R.W. Gardner 30, N. Garelli 29, H. Garitaonandia 104, V. Garonne 29, J. Garvey 17,  
 C. Gatti 47, G. Gaudio 118a, B. Gaur 140, L. Gauthier 135, I.L. Gavrilenko 93, C. Gay 167, G. Gaycken 20,  
 J.-C. Gayde 29, E.N. Gazis 9, P. Ge 32d, C.N.P. Gee 128, D.A.A. Geerts 104, Ch. Geich-Gimbel 20,  
 K. Gellerstedt 145a,145b, C. Gemme 50a, A. Gemmell 53, M.H. Genest 55, S. Gentile 131a,131b, M. George 54,  
 S. George 75, P. Gerlach 173, A. Gershon 152, C. Geweniger 58a, H. Ghazlane 134b, N. Ghodbane 33,  
 B. Giacobbe 19a, S. Giagu 131a,131b, V. Giakoumopoulou 8, V. Giangiobbe 11, F. Gianotti 29, B. Gibbard 24,  
 A. Gibson 157, S.M. Gibson 29, L.M. Gilbert 117, V. Gilewsky 90, D. Gillberg 28, A.R. Gillman 128,  
 D.M. Gingrich 2,d, J. Ginzburg 152, N. Giokaris 8, M.P. Giordani 163c, R. Giordano 101a,101b, F.M. Giorgi 15,  
 P. Giovannini 98, P.F. Giraud 135, D. Giugni 88a, M. Giunta 92, P. Giusti 19a, B.K. Gjelsten 116, L.K. Gladilin 96,  
 C. Glasman 79, J. Glatzer 48, A. Glazov 41, K.W. Glitz 173, G.L. Glonti 64, J.R. Goddard 74, J. Godfrey 141,  
 J. Godlewski 29, M. Goebel 41, T. Göpfert 43, C. Goeringer 80, C. Gössling 42, T. Göttfert 98, S. Goldfarb 86,  
 T. Golling 174, A. Gomes 123a,b, L.S. Gomez Fajardo 41, R. Gonçalo 75,  
 J. Goncalves Pinto Firmino Da Costa 41, L. Gonella 20, A. Gonidec 29, S. Gonzalez 171,  
 S. González de la Hoz 166, G. Gonzalez Parra 11, M.L. Gonzalez Silva 26, S. Gonzalez-Sevilla 49,  
 J.J. Goodson 147, L. Goossens 29, P.A. Gorbounov 94, H.A. Gordon 24, I. Gorelov 102, G. Gorfine 173,  
 B. Gorini 29, E. Gorini 71a,71b, A. Gorišek 73, E. Gornicki 38, S.A. Gorokhov 127, V.N. Goryachev 127,  
 B. Gosdzik 41, M. Gosselink 104, M.I. Gostkin 64, I. Gough Eschrich 162, M. Gouighri 134a, D. Goujdami 134c,  
 M.P. Goulette 49, A.G. Goussiou 137, C. Goy 4, S. Gozpinar 22, I. Grabowska-Bold 37, P. Grafström 29,  
 K.-J. Grahn 41, F. Grancagnolo 71a, S. Grancagnolo 15, V. Grassi 147, V. Gratchev 120, N. Grau 34, H.M. Gray 29,  
 J.A. Gray 147, E. Graziani 133a, O.G. Grebenyuk 120, T. Greenshaw 72, Z.D. Greenwood 24,l, K. Gregersen 35,

- I.M. Gregor <sup>41</sup>, P. Grenier <sup>142</sup>, J. Griffiths <sup>137</sup>, N. Grigalashvili <sup>64</sup>, A.A. Grillo <sup>136</sup>, S. Grinstein <sup>11</sup>, Y.V. Grishkevich <sup>96</sup>, J.-F. Grivaz <sup>114</sup>, M. Groh <sup>98</sup>, E. Gross <sup>170</sup>, J. Grosse-Knetter <sup>54</sup>, J. Groth-Jensen <sup>170</sup>, K. Grybel <sup>140</sup>, V.J. Guarino <sup>5</sup>, D. Guest <sup>174</sup>, C. Guicheney <sup>33</sup>, A. Guida <sup>71a,71b</sup>, S. Guindon <sup>54</sup>, H. Guler <sup>84,n</sup>, J. Gunther <sup>124</sup>, B. Guo <sup>157</sup>, J. Guo <sup>34</sup>, A. Gupta <sup>30</sup>, Y. Gusakov <sup>64</sup>, V.N. Gushchin <sup>127</sup>, P. Gutierrez <sup>110</sup>, N. Guttman <sup>152</sup>, O. Gutzwiller <sup>171</sup>, C. Guyot <sup>135</sup>, C. Gwenlan <sup>117</sup>, C.B. Gwilliam <sup>72</sup>, A. Haas <sup>142</sup>, S. Haas <sup>29</sup>, C. Haber <sup>14</sup>, H.K. Hadavand <sup>39</sup>, D.R. Hadley <sup>17</sup>, P. Haefner <sup>98</sup>, F. Hahn <sup>29</sup>, S. Haider <sup>29</sup>, Z. Hajduk <sup>38</sup>, H. Hakobyan <sup>175</sup>, D. Hall <sup>117</sup>, J. Haller <sup>54</sup>, K. Hamacher <sup>173</sup>, P. Hamal <sup>112</sup>, M. Hamer <sup>54</sup>, A. Hamilton <sup>144b,o</sup>, S. Hamilton <sup>160</sup>, H. Han <sup>32a</sup>, L. Han <sup>32b</sup>, K. Hanagaki <sup>115</sup>, K. Hanawa <sup>159</sup>, M. Hance <sup>14</sup>, C. Handel <sup>80</sup>, P. Hanke <sup>58a</sup>, J.R. Hansen <sup>35</sup>, J.B. Hansen <sup>35</sup>, J.D. Hansen <sup>35</sup>, P.H. Hansen <sup>35</sup>, P. Hansson <sup>142</sup>, K. Hara <sup>159</sup>, G.A. Hare <sup>136</sup>, T. Harenberg <sup>173</sup>, S. Harkusha <sup>89</sup>, D. Harper <sup>86</sup>, R.D. Harrington <sup>45</sup>, O.M. Harris <sup>137</sup>, K. Harrison <sup>17</sup>, J. Hartert <sup>48</sup>, F. Hartjes <sup>104</sup>, T. Haruyama <sup>65</sup>, A. Harvey <sup>56</sup>, S. Hasegawa <sup>100</sup>, Y. Hasegawa <sup>139</sup>, S. Hassani <sup>135</sup>, M. Hatch <sup>29</sup>, D. Hauff <sup>98</sup>, S. Haug <sup>16</sup>, M. Hauschild <sup>29</sup>, R. Hauser <sup>87</sup>, M. Havranek <sup>20</sup>, B.M. Hawes <sup>117</sup>, C.M. Hawkes <sup>17</sup>, R.J. Hawkings <sup>29</sup>, A.D. Hawkins <sup>78</sup>, D. Hawkins <sup>162</sup>, T. Hayakawa <sup>66</sup>, T. Hayashi <sup>159</sup>, D. Hayden <sup>75</sup>, H.S. Hayward <sup>72</sup>, S.J. Haywood <sup>128</sup>, E. Hazen <sup>21</sup>, M. He <sup>32d</sup>, S.J. Head <sup>17</sup>, V. Hedberg <sup>78</sup>, L. Heelan <sup>7</sup>, S. Heim <sup>87</sup>, B. Heinemann <sup>14</sup>, S. Heisterkamp <sup>35</sup>, L. Helary <sup>4</sup>, C. Heller <sup>97</sup>, M. Heller <sup>29</sup>, S. Hellman <sup>145a,145b</sup>, D. Hellmich <sup>20</sup>, C. Helsens <sup>11</sup>, R.C.W. Henderson <sup>70</sup>, M. Henke <sup>58a</sup>, A. Henrichs <sup>54</sup>, A.M. Henriques Correia <sup>29</sup>, S. Henrot-Versille <sup>114</sup>, F. Henry-Couannier <sup>82</sup>, C. Hensel <sup>54</sup>, T. Henß <sup>173</sup>, C.M. Hernandez <sup>7</sup>, Y. Hernández Jiménez <sup>166</sup>, R. Herrberg <sup>15</sup>, A.D. Hershenhorn <sup>151</sup>, G. Herten <sup>48</sup>, R. Hertenberger <sup>97</sup>, L. Hervas <sup>29</sup>, G.G. Hesketh <sup>76</sup>, N.P. Hessey <sup>104</sup>, E. Higón-Rodriguez <sup>166</sup>, D. Hill <sup>5,\*</sup>, J.C. Hill <sup>27</sup>, N. Hill <sup>5</sup>, K.H. Hiller <sup>41</sup>, S. Hillert <sup>20</sup>, S.J. Hillier <sup>17</sup>, I. Hinchliffe <sup>14</sup>, E. Hines <sup>119</sup>, M. Hirose <sup>115</sup>, F. Hirsch <sup>42</sup>, D. Hirschbuehl <sup>173</sup>, J. Hobbs <sup>147</sup>, N. Hod <sup>152</sup>, M.C. Hodgkinson <sup>138</sup>, P. Hodgson <sup>138</sup>, A. Hoecker <sup>29</sup>, M.R. Hoeferkamp <sup>102</sup>, J. Hoffmann <sup>39</sup>, D. Hoffmann <sup>82</sup>, M. Hohlfeld <sup>80</sup>, M. Holder <sup>140</sup>, S.O. Holmgren <sup>145a</sup>, T. Holy <sup>126</sup>, J.L. Holzbauer <sup>87</sup>, Y. Homma <sup>66</sup>, T.M. Hong <sup>119</sup>, L. Hooft van Huysduynen <sup>107</sup>, T. Horazdovsky <sup>126</sup>, C. Horn <sup>142</sup>, S. Horner <sup>48</sup>, J.-Y. Hostachy <sup>55</sup>, S. Hou <sup>150</sup>, M.A. Houlden <sup>72</sup>, A. Hoummada <sup>134a</sup>, J. Howarth <sup>81</sup>, D.F. Howell <sup>117</sup>, I. Hristova <sup>15</sup>, J. Hrivnac <sup>114</sup>, I. Hruska <sup>124</sup>, T. Hryna'ova <sup>4</sup>, P.J. Hsu <sup>80</sup>, S.-C. Hsu <sup>14</sup>, G.S. Huang <sup>110</sup>, Z. Hubacek <sup>126</sup>, F. Hubaut <sup>82</sup>, F. Huegging <sup>20</sup>, A. Huettmann <sup>41</sup>, T.B. Huffman <sup>117</sup>, E.W. Hughes <sup>34</sup>, G. Hughes <sup>70</sup>, R.E. Hughes-Jones <sup>81</sup>, M. Huhtinen <sup>29</sup>, P. Hurst <sup>57</sup>, M. Hurwitz <sup>14</sup>, U. Husemann <sup>41</sup>, N. Huseynov <sup>64,p</sup>, J. Huston <sup>87</sup>, J. Huth <sup>57</sup>, G. Iacobucci <sup>49</sup>, G. Iakovidis <sup>9</sup>, M. Ibbotson <sup>81</sup>, I. Ibragimov <sup>140</sup>, R. Ichimiya <sup>66</sup>, L. Iconomidou-Fayard <sup>114</sup>, J. Idarraga <sup>114</sup>, P. Iengo <sup>101a</sup>, O. Igonkina <sup>104</sup>, Y. Ikegami <sup>65</sup>, M. Ikeno <sup>65</sup>, Y. Ilchenko <sup>39</sup>, D. Iliadis <sup>153</sup>, N. Ilic <sup>157</sup>, M. Imori <sup>154</sup>, T. Ince <sup>20</sup>, J. Inigo-Golfin <sup>29</sup>, P. Ioannou <sup>8</sup>, M. Iodice <sup>133a</sup>, V. Ippolito <sup>131a,131b</sup>, A. Irles Quiles <sup>166</sup>, C. Isaksson <sup>165</sup>, A. Ishikawa <sup>66</sup>, M. Ishino <sup>67</sup>, R. Ishmukhametov <sup>39</sup>, C. Issever <sup>117</sup>, S. Istin <sup>18a</sup>, A.V. Ivashin <sup>127</sup>, W. Iwanski <sup>38</sup>, H. Iwasaki <sup>65</sup>, J.M. Izen <sup>40</sup>, V. Izzo <sup>101a</sup>, B. Jackson <sup>119</sup>, J.N. Jackson <sup>72</sup>, P. Jackson <sup>142</sup>, M.R. Jaekel <sup>29</sup>, V. Jain <sup>60</sup>, K. Jakobs <sup>48</sup>, S. Jakobsen <sup>35</sup>, J. Jakubek <sup>126</sup>, D.K. Jana <sup>110</sup>, E. Jankowski <sup>157</sup>, E. Jansen <sup>76</sup>, H. Jansen <sup>29</sup>, A. Jantsch <sup>98</sup>, M. Janus <sup>20</sup>, G. Jarlskog <sup>78</sup>, L. Jeanty <sup>57</sup>, K. Jelen <sup>37</sup>, I. Jen-La Plante <sup>30</sup>, P. Jenni <sup>29</sup>, A. Jeremie <sup>4</sup>, P. Jež <sup>35</sup>, S. Jézéquel <sup>4</sup>, M.K. Jha <sup>19a</sup>, H. Ji <sup>171</sup>, W. Ji <sup>80</sup>, J. Jia <sup>147</sup>, Y. Jiang <sup>32b</sup>, M. Jimenez Belenguer <sup>41</sup>, G. Jin <sup>32b</sup>, S. Jin <sup>32a</sup>, O. Jinnouchi <sup>156</sup>, M.D. Joergensen <sup>35</sup>, D. Joffe <sup>39</sup>, L.G. Johansen <sup>13</sup>, M. Johansen <sup>145a,145b</sup>, K.E. Johansson <sup>145a</sup>, P. Johansson <sup>138</sup>, S. Johnert <sup>41</sup>, K.A. Johns <sup>6</sup>, K. Jon-And <sup>145a,145b</sup>, G. Jones <sup>117</sup>, R.W.L. Jones <sup>70</sup>, T.W. Jones <sup>76</sup>, T.J. Jones <sup>72</sup>, O. Jonsson <sup>29</sup>, C. Joram <sup>29</sup>, P.M. Jorge <sup>123a</sup>, J. Joseph <sup>14</sup>, J. Jovicevic <sup>146</sup>, T. Jovin <sup>12b</sup>, X. Ju <sup>171</sup>, C.A. Jung <sup>42</sup>, R.M. Jungst <sup>29</sup>, V. Juraneck <sup>124</sup>, P. Jussel <sup>61</sup>, A. Juste Rozas <sup>11</sup>, V.V. Kabachenko <sup>127</sup>, S. Kabana <sup>16</sup>, M. Kaci <sup>166</sup>, A. Kaczmarska <sup>38</sup>, P. Kadlecik <sup>35</sup>, M. Kado <sup>114</sup>, H. Kagan <sup>108</sup>, M. Kagan <sup>57</sup>, S. Kaiser <sup>98</sup>, E. Kajomovitz <sup>151</sup>, S. Kalinin <sup>173</sup>, L.V. Kalinovskaya <sup>64</sup>, S. Kama <sup>39</sup>, N. Kanaya <sup>154</sup>, M. Kaneda <sup>29</sup>, S. Kaneti <sup>27</sup>, T. Kanno <sup>156</sup>, V.A. Kantserov <sup>95</sup>, J. Kanzaki <sup>65</sup>, B. Kaplan <sup>174</sup>, A. Kapliy <sup>30</sup>, J. Kaplon <sup>29</sup>, D. Kar <sup>43</sup>, M. Karagounis <sup>20</sup>, M. Karagoz <sup>117</sup>, M. Karnevskiy <sup>41</sup>, K. Karr <sup>5</sup>, V. Kartvelishvili <sup>70</sup>, A.N. Karyukhin <sup>127</sup>, L. Kashif <sup>171</sup>, G. Kasieczka <sup>58b</sup>, R.D. Kass <sup>108</sup>, A. Kastanas <sup>13</sup>, M. Kataoka <sup>4</sup>, Y. Kataoka <sup>154</sup>, E. Katsoufis <sup>9</sup>, J. Katzy <sup>41</sup>, V. Kaushik <sup>6</sup>, K. Kawagoe <sup>66</sup>, T. Kawamoto <sup>154</sup>, G. Kawamura <sup>80</sup>, M.S. Kayl <sup>104</sup>, V.A. Kazanin <sup>106</sup>, M.Y. Kazarinov <sup>64</sup>, R. Keeler <sup>168</sup>, R. Kehoe <sup>39</sup>, M. Keil <sup>54</sup>, G.D. Kekelidze <sup>64</sup>, J. Kennedy <sup>97</sup>, C.J. Kenney <sup>142</sup>, M. Kenyon <sup>53</sup>, O. Kepka <sup>124</sup>, N. Kerschen <sup>29</sup>, B.P. Kerševan <sup>73</sup>, S. Kersten <sup>173</sup>, K. Kessoku <sup>154</sup>, J. Keung <sup>157</sup>, F. Khalil-zada <sup>10</sup>, H. Khandanyan <sup>164</sup>, A. Khanov <sup>111</sup>, D. Kharchenko <sup>64</sup>, A. Khodinov <sup>95</sup>, A.G. Kholodenko <sup>127</sup>, A. Khomich <sup>58a</sup>, T.J. Khoo <sup>27</sup>, G. Khoriauli <sup>20</sup>, A. Khoroshilov <sup>173</sup>, N. Khovanskiy <sup>64</sup>, V. Khovanskiy <sup>94</sup>, E. Khramov <sup>64</sup>, J. Khubua <sup>51b</sup>, H. Kim <sup>145a,145b</sup>, M.S. Kim <sup>2</sup>, S.H. Kim <sup>159</sup>, N. Kimura <sup>169</sup>,

- O. Kind 15, B.T. King 72, M. King 66, R.S.B. King 117, J. Kirk 128, L.E. Kirsch 22, A.E. Kiryunin 98,  
 T. Kishimoto 66, D. Kisielewska 37, T. Kittelmann 122, A.M. Kiver 127, E. Kladiva 143b, J. Klaiber-Lodewigs 42,  
 M. Klein 72, U. Klein 72, K. Kleinknecht 80, M. Klemetti 84, A. Klier 170, P. Klimek 145a,145b, A. Klimentov 24,  
 R. Klingenberg 42, J.A. Klinger 81, E.B. Klinkby 35, T. Klioutchnikova 29, P.F. Klok 103, S. Klous 104,  
 E.-E. Kluge 58a, T. Kluge 72, P. Kluit 104, S. Kluth 98, N.S. Knecht 157, E. Kneringer 61, J. Knobloch 29,  
 E.B.F.G. Knoops 82, A. Knue 54, B.R. Ko 44, T. Kobayashi 154, M. Kobel 43, M. Kocian 142, P. Kodys 125,  
 K. Köneke 29, A.C. König 103, S. Koenig 80, L. Köpke 80, F. Koetsveld 103, P. Koevesarki 20, T. Koffas 28,  
 E. Koffeman 104, L.A. Kogan 117, F. Kohn 54, Z. Kohout 126, T. Kohriki 65, T. Koi 142, T. Kokott 20,  
 G.M. Kolachev 106, H. Kolanoski 15, V. Kolesnikov 64, I. Koletsou 88a, J. Koll 87, M. Kollefrath 48, S.D. Kolya 81,  
 A.A. Komar 93, Y. Komori 154, T. Kondo 65, T. Kono 41,q, A.I. Kononov 48, R. Konoplich 107,r,  
 N. Konstantinidis 76, A. Kootz 173, S. Koperny 37, K. Korcyl 38, K. Kordas 153, V. Koreshev 127, A. Korn 117,  
 A. Korol 106, I. Korolkov 11, E.V. Korolkova 138, V.A. Korotkov 127, O. Kortner 98, S. Kortner 98,  
 V.V. Kostyukhin 20, M.J. Kotamäki 29, S. Kotov 98, V.M. Kotov 64, A. Kotwal 44, C. Kourkoumelis 8,  
 V. Kouskoura 153, A. Koutsman 158a, R. Kowalewski 168, T.Z. Kowalski 37, W. Kozanecki 135, A.S. Kozhin 127,  
 V. Kral 126, V.A. Kramarenko 96, G. Kramberger 73, M.W. Krasny 77, A. Krasznahorkay 107, J. Kraus 87,  
 J.K. Kraus 20, A. Kreisel 152, F. Krejci 126, J. Kretzschmar 72, N. Krieger 54, P. Krieger 157, K. Kroeninger 54,  
 H. Kroha 98, J. Kroll 119, J. Kruseberg 20, J. Krstic 12a, U. Kruchonak 64, H. Krüger 20, T. Krucker 16,  
 N. Krumnack 63, Z.V. Krumshteyn 64, A. Kruth 20, T. Kubota 85, S. Kuday 3a, S. Kuehn 48, A. Kugel 58c,  
 T. Kuhl 41, D. Kuhn 61, V. Kukhtin 64, Y. Kulchitsky 89, S. Kuleshov 31b, C. Kummer 97, M. Kuna 77,  
 N. Kundu 117, J. Kunkle 119, A. Kupco 124, H. Kurashige 66, M. Kurata 159, Y.A. Kurochkin 89, V. Kus 124,  
 E.S. Kuwertz 146, M. Kuze 156, J. Kvita 141, R. Kwee 15, A. La Rosa 49, L. La Rotonda 36a,36b, L. Labarga 79,  
 J. Labbe 4, S. Lablak 134a, C. Lacasta 166, F. Lacava 131a,131b, H. Lacker 15, D. Lacour 77, V.R. Lacuesta 166,  
 E. Ladygin 64, R. Lafaye 4, B. Laforge 77, T. Lagouri 79, S. Lai 48, E. Laisne 55, M. Lamanna 29, C.L. Lampen 6,  
 W. Lampl 6, E. Lancon 135, U. Landgraf 48, M.P.J. Landon 74, J.L. Lane 81, C. Lange 41, A.J. Lankford 162,  
 F. Lanni 24, K. Lantzsch 173, S. Laplace 77, C. Lapoire 20, J.F. Laporte 135, T. Lari 88a, A.V. Larionov 127,  
 A. Larner 117, C. Lasseur 29, M. Lassnig 29, P. Laurelli 47, V. Lavorini 36a,36b, W. Lavrijsen 14, P. Laycock 72,  
 A.B. Lazarev 64, O. Le Dortz 77, E. Le Guiriec 82, C. Le Maner 157, E. Le Menedeu 9, C. Lebel 92,  
 T. LeCompte 5, F. Ledroit-Guillon 55, H. Lee 104, J.S.H. Lee 115, S.C. Lee 150, L. Lee 174, M. Lefebvre 168,  
 M. Legendre 135, A. Leger 49, B.C. LeGeyt 119, F. Legger 97, C. Leggett 14, M. Lehmaccher 20,  
 G. Lehmann Miotto 29, X. Lei 6, M.A.L. Leite 23d, R. Leitner 125, D. Lellouch 170, M. Leltchouk 34,  
 B. Lemmer 54, V. Lendermann 58a, K.J.C. Leney 144b, T. Lenz 104, G. Lenzen 173, B. Lenzi 29, K. Leonhardt 43,  
 S. Leontsinis 9, C. Leroy 92, J.-R. Lessard 168, J. Lesser 145a, C.G. Lester 27, A. Leung Fook Cheong 171,  
 J. Levêque 4, D. Levin 86, L.J. Levinson 170, M.S. Levitski 127, A. Lewis 117, G.H. Lewis 107, A.M. Leyko 20,  
 M. Leyton 15, B. Li 82, H. Li 171,s, S. Li 32b,t, X. Li 86, Z. Liang 117,u, H. Liao 33, B. Liberti 132a, P. Lichard 29,  
 M. Lichtnecker 97, K. Lie 164, W. Liebig 13, R. Lifshitz 151, C. Limbach 20, A. Limosani 85, M. Limper 62,  
 S.C. Lin 150,v, F. Linde 104, J.T. Linnemann 87, E. Lipeles 119, L. Lipinsky 124, A. Lipniacka 13, T.M. Liss 164,  
 D. Lissauer 24, A. Lister 49, A.M. Litke 136, C. Liu 28, D. Liu 150, H. Liu 86, J.B. Liu 86, M. Liu 32b, Y. Liu 32b,  
 M. Livan 118a,118b, S.S.A. Livermore 117, A. Lleres 55, J. Llorente Merino 79, S.L. Lloyd 74, E. Lobodzinska 41,  
 P. Loch 6, W.S. Lockman 136, T. Loddenkoetter 20, F.K. Loebinger 81, A. Loginov 174, C.W. Loh 167, T. Lohse 15,  
 K. Lohwasser 48, M. Lokajicek 124, J. Loken 117, V.P. Lombardo 4, R.E. Long 70, L. Lopes 123a,  
 D. Lopez Mateos 57, J. Lorenz 97, N. Lorenzo Martinez 114, M. Losada 161, P. Loscutoff 14,  
 F. Lo Sterzo 131a,131b, M.J. Losty 158a, X. Lou 40, A. Lounis 114, K.F. Loureiro 161, J. Love 21, P.A. Love 70,  
 A.J. Lowe 142,e, F. Lu 32a, H.J. Lubatti 137, C. Luci 131a,131b, A. Lucotte 55, A. Ludwig 43, D. Ludwig 41,  
 I. Ludwig 48, J. Ludwig 48, F. Luehring 60, G. Luijckx 104, D. Lumb 48, L. Luminari 131a, E. Lund 116,  
 B. Lund-Jensen 146, B. Lundberg 78, J. Lundberg 145a,145b, J. Lundquist 35, M. Lungwitz 80, G. Lutz 98,  
 D. Lynn 24, J. Lys 14, E. Lytken 78, H. Ma 24, L.L. Ma 171, J.A. Macana Goia 92, G. Maccarrone 47,  
 A. Macchiolo 98, B. Maček 73, J. Machado Miguens 123a, R. Mackeprang 35, R.J. Madaras 14, W.F. Mader 43,  
 R. Maenner 58c, T. Maeno 24, P. Mättig 173, S. Mättig 41, L. Magnoni 29, E. Magradze 54, Y. Mahalalel 152,  
 K. Mahboubi 48, G. Mahout 17, C. Maiani 131a,131b, C. Maidantchik 23a, A. Maio 123a,b, S. Majewski 24,  
 Y. Makida 65, N. Makovec 114, P. Mal 135, B. Malaescu 29, Pa. Malecki 38, P. Malecki 38, V.P. Maleev 120,  
 F. Malek 55, U. Mallik 62, D. Malon 5, C. Malone 142, S. Maltezos 9, V. Malyshev 106, S. Malyukov 29,  
 R. Mameghani 97, J. Mamuzic 12b, A. Manabe 65, L. Mandelli 88a, I. Mandić 73, R. Mandrysch 15,

- J. Maneira <sup>123a</sup>, P.S. Mangeard <sup>87</sup>, L. Manhaes de Andrade Filho <sup>23a</sup>, I.D. Manjavidze <sup>64</sup>, A. Mann <sup>54</sup>,  
 P.M. Manning <sup>136</sup>, A. Manousakis-Katsikakis <sup>8</sup>, B. Mansoulie <sup>135</sup>, A. Manz <sup>98</sup>, A. Mapelli <sup>29</sup>, L. Mapelli <sup>29</sup>,  
 L. March <sup>79</sup>, J.F. Marchand <sup>28</sup>, F. Marchese <sup>132a,132b</sup>, G. Marchiori <sup>77</sup>, M. Marcisovsky <sup>124</sup>, A. Marin <sup>21,\*</sup>,  
 C.P. Marino <sup>168</sup>, F. Marroquim <sup>23a</sup>, R. Marshall <sup>81</sup>, Z. Marshall <sup>29</sup>, F.K. Martens <sup>157</sup>, S. Marti-Garcia <sup>166</sup>,  
 A.J. Martin <sup>174</sup>, B. Martin <sup>29</sup>, B. Martin <sup>87</sup>, F.F. Martin <sup>119</sup>, J.P. Martin <sup>92</sup>, Ph. Martin <sup>55</sup>, T.A. Martin <sup>17</sup>,  
 V.J. Martin <sup>45</sup>, B. Martin dit Latour <sup>49</sup>, S. Martin-Haugh <sup>148</sup>, M. Martinez <sup>11</sup>, V. Martinez Outschoorn <sup>57</sup>,  
 A.C. Martyniuk <sup>168</sup>, M. Marx <sup>81</sup>, F. Marzano <sup>131a</sup>, A. Marzin <sup>110</sup>, L. Masetti <sup>80</sup>, T. Mashimo <sup>154</sup>,  
 R. Mashinistov <sup>93</sup>, J. Masik <sup>81</sup>, A.L. Maslennikov <sup>106</sup>, I. Massa <sup>19a,19b</sup>, G. Massaro <sup>104</sup>, N. Massol <sup>4</sup>,  
 P. Mastrandrea <sup>131a,131b</sup>, A. Mastroberardino <sup>36a,36b</sup>, T. Masubuchi <sup>154</sup>, M. Mathes <sup>20</sup>, P. Matricon <sup>114</sup>,  
 H. Matsumoto <sup>154</sup>, H. Matsunaga <sup>154</sup>, T. Matsushita <sup>66</sup>, C. Mattravers <sup>117,c</sup>, J.M. Maugain <sup>29</sup>, J. Maurer <sup>82</sup>,  
 S.J. Maxfield <sup>72</sup>, D.A. Maximov <sup>106,f</sup>, E.N. May <sup>5</sup>, A. Mayne <sup>138</sup>, R. Mazini <sup>150</sup>, M. Mazur <sup>20</sup>, M. Mazzanti <sup>88a</sup>,  
 E. Mazzoni <sup>121a,121b</sup>, S.P. Mc Kee <sup>86</sup>, A. McCarn <sup>164</sup>, R.L. McCarthy <sup>147</sup>, T.G. McCarthy <sup>28</sup>, N.A. McCubbin <sup>128</sup>,  
 K.W. McFarlane <sup>56</sup>, J.A. McFayden <sup>138</sup>, H. McGlone <sup>53</sup>, G. Mchedlidze <sup>51b</sup>, R.A. McLaren <sup>29</sup>, T. McLaughlan <sup>17</sup>,  
 S.J. McMahon <sup>128</sup>, R.A. McPherson <sup>168,j</sup>, A. Meade <sup>83</sup>, J. Mechnick <sup>104</sup>, M. Mechtel <sup>173</sup>, M. Medinnis <sup>41</sup>,  
 R. Meera-Lebbai <sup>110</sup>, T. Meguro <sup>115</sup>, R. Mehdiyev <sup>92</sup>, S. Mehlhase <sup>35</sup>, A. Mehta <sup>72</sup>, K. Meier <sup>58a</sup>, B. Meirose <sup>78</sup>,  
 C. Melachrinos <sup>30</sup>, B.R. Mellado Garcia <sup>171</sup>, L. Mendoza Navas <sup>161</sup>, Z. Meng <sup>150,s</sup>, A. Mengarelli <sup>19a,19b</sup>,  
 S. Menke <sup>98</sup>, C. Menot <sup>29</sup>, E. Meoni <sup>11</sup>, K.M. Mercurio <sup>57</sup>, P. Mermod <sup>49</sup>, L. Merola <sup>101a,101b</sup>, C. Meroni <sup>88a</sup>,  
 F.S. Merritt <sup>30</sup>, H. Merritt <sup>108</sup>, A. Messina <sup>29</sup>, J. Metcalfe <sup>102</sup>, A.S. Mete <sup>63</sup>, C. Meyer <sup>80</sup>, C. Meyer <sup>30</sup>,  
 J.-P. Meyer <sup>135</sup>, J. Meyer <sup>172</sup>, J. Meyer <sup>54</sup>, T.C. Meyer <sup>29</sup>, W.T. Meyer <sup>63</sup>, J. Miao <sup>32d</sup>, S. Michal <sup>29</sup>, L. Micu <sup>25a</sup>,  
 R.P. Middleton <sup>128</sup>, S. Migas <sup>72</sup>, L. Mijović <sup>41</sup>, G. Mikenberg <sup>170</sup>, M. Mikestikova <sup>124</sup>, M. Mikuž <sup>73</sup>,  
 D.W. Miller <sup>30</sup>, R.J. Miller <sup>87</sup>, W.J. Mills <sup>167</sup>, C. Mills <sup>57</sup>, A. Milov <sup>170</sup>, D.A. Milstead <sup>145a,145b</sup>, D. Milstein <sup>170</sup>,  
 A.A. Minaenko <sup>127</sup>, M. Miñano Moya <sup>166</sup>, I.A. Minashvili <sup>64</sup>, A.I. Mincer <sup>107</sup>, B. Mindur <sup>37</sup>, M. Mineev <sup>64</sup>,  
 Y. Ming <sup>171</sup>, L.M. Mir <sup>11</sup>, G. Mirabelli <sup>131a</sup>, L. Miralles Verge <sup>11</sup>, A. Misiejuk <sup>75</sup>, J. Mitrevski <sup>136</sup>,  
 G.Y. Mitrofanov <sup>127</sup>, V.A. Mitsou <sup>166</sup>, S. Mitsui <sup>65</sup>, P.S. Miyagawa <sup>138</sup>, K. Miyazaki <sup>66</sup>, J.U. Mjörnmark <sup>78</sup>,  
 T. Moa <sup>145a,145b</sup>, P. Mockett <sup>137</sup>, S. Moed <sup>57</sup>, V. Moeller <sup>27</sup>, K. Mönig <sup>41</sup>, N. Möser <sup>20</sup>, S. Mohapatra <sup>147</sup>,  
 W. Mohr <sup>48</sup>, S. Mohrdieck-Möck <sup>98</sup>, A.M. Moisseev <sup>127,\*</sup>, R. Moles-Valls <sup>166</sup>, J. Molina-Perez <sup>29</sup>, J. Monk <sup>76</sup>,  
 E. Monnier <sup>82</sup>, S. Montesano <sup>88a,88b</sup>, F. Monticelli <sup>69</sup>, S. Monzani <sup>19a,19b</sup>, R.W. Moore <sup>2</sup>, G.F. Moorhead <sup>85</sup>,  
 C. Mora Herrera <sup>49</sup>, A. Moraes <sup>53</sup>, N. Morange <sup>135</sup>, J. Morel <sup>54</sup>, G. Morello <sup>36a,36b</sup>, D. Moreno <sup>80</sup>,  
 M. Moreno Llácer <sup>166</sup>, P. Morettini <sup>50a</sup>, M. Morgenstern <sup>43</sup>, M. Morii <sup>57</sup>, J. Morin <sup>74</sup>, A.K. Morley <sup>29</sup>,  
 G. Mornacchi <sup>29</sup>, S.V. Morozov <sup>95</sup>, J.D. Morris <sup>74</sup>, L. Morvaj <sup>100</sup>, H.G. Moser <sup>98</sup>, M. Mosidze <sup>51b</sup>, J. Moss <sup>108</sup>,  
 R. Mount <sup>142</sup>, E. Mountricha <sup>9,w</sup>, S.V. Mouraviev <sup>93</sup>, E.J.W. Moyse <sup>83</sup>, M. Mudrinic <sup>12b</sup>, F. Mueller <sup>58a</sup>,  
 J. Mueller <sup>122</sup>, K. Mueller <sup>20</sup>, T.A. Müller <sup>97</sup>, T. Mueller <sup>80</sup>, D. Muenstermann <sup>29</sup>, A. Muir <sup>167</sup>, Y. Munwes <sup>152</sup>,  
 W.J. Murray <sup>128</sup>, I. Mussche <sup>104</sup>, E. Musto <sup>101a,101b</sup>, A.G. Myagkov <sup>127</sup>, M. Myska <sup>124</sup>, J. Nadal <sup>11</sup>,  
 K. Nagai <sup>159</sup>, K. Nagano <sup>65</sup>, A. Nagarkar <sup>108</sup>, Y. Nagasaka <sup>59</sup>, M. Nagel <sup>98</sup>, A.M. Nairz <sup>29</sup>, Y. Nakahama <sup>29</sup>,  
 K. Nakamura <sup>154</sup>, T. Nakamura <sup>154</sup>, I. Nakano <sup>109</sup>, G. Nanava <sup>20</sup>, A. Napier <sup>160</sup>, R. Narayan <sup>58b</sup>, M. Nash <sup>76,c</sup>,  
 N.R. Nation <sup>21</sup>, T. Nattermann <sup>20</sup>, T. Naumann <sup>41</sup>, G. Navarro <sup>161</sup>, H.A. Neal <sup>86</sup>, E. Nebot <sup>79</sup>,  
 P.Yu. Nechaeva <sup>93</sup>, T.J. Neep <sup>81</sup>, A. Negri <sup>118a,118b</sup>, G. Negri <sup>29</sup>, S. Nektarijevic <sup>49</sup>, A. Nelson <sup>162</sup>, S. Nelson <sup>142</sup>,  
 T.K. Nelson <sup>142</sup>, S. Nemecek <sup>124</sup>, P. Nemethy <sup>107</sup>, A.A. Nepomuceno <sup>23a</sup>, M. Nessi <sup>29,x</sup>, M.S. Neubauer <sup>164</sup>,  
 A. Neusiedl <sup>80</sup>, R.M. Neves <sup>107</sup>, P. Nevski <sup>24</sup>, P.R. Newman <sup>17</sup>, V. Nguyen Thi Hong <sup>135</sup>, R.B. Nickerson <sup>117</sup>,  
 R. Nicolaïdou <sup>135</sup>, L. Nicolas <sup>138</sup>, B. Nicquevert <sup>29</sup>, F. Niedercorn <sup>114</sup>, J. Nielsen <sup>136</sup>, T. Niinikoski <sup>29</sup>,  
 N. Nikiforou <sup>34</sup>, A. Nikiforov <sup>15</sup>, V. Nikolaenko <sup>127</sup>, K. Nikolaev <sup>64</sup>, I. Nikolic-Audit <sup>77</sup>, K. Nikolics <sup>49</sup>,  
 K. Nikolopoulos <sup>24</sup>, H. Nilsen <sup>48</sup>, P. Nilsson <sup>7</sup>, Y. Ninomiya <sup>154</sup>, A. Nisati <sup>131a</sup>, T. Nishiyama <sup>66</sup>, R. Nisius <sup>98</sup>,  
 L. Nodulman <sup>5</sup>, M. Nomachi <sup>115</sup>, I. Nomidis <sup>153</sup>, M. Nordberg <sup>29</sup>, B. Nordkvist <sup>145a,145b</sup>, P.R. Norton <sup>128</sup>,  
 J. Novakova <sup>125</sup>, M. Nozaki <sup>65</sup>, L. Nozka <sup>112</sup>, I.M. Nugent <sup>158a</sup>, A.-E. Nuncio-Quiroz <sup>20</sup>,  
 G. Nunes Hanninger <sup>85</sup>, T. Nunnemann <sup>97</sup>, E. Nurse <sup>76</sup>, B.J. O'Brien <sup>45</sup>, S.W. O'Neale <sup>17,\*</sup>, D.C. O'Neil <sup>141</sup>,  
 V. O'Shea <sup>53</sup>, L.B. Oakes <sup>97</sup>, F.G. Oakham <sup>28,d</sup>, H. Oberlack <sup>98</sup>, J. Ocariz <sup>77</sup>, A. Ochi <sup>66</sup>, S. Oda <sup>154</sup>, S. Odaka <sup>65</sup>,  
 J. Odier <sup>82</sup>, H. Ogren <sup>60</sup>, A. Oh <sup>81</sup>, S.H. Oh <sup>44</sup>, C.C. Ohm <sup>145a,145b</sup>, T. Ohshima <sup>100</sup>, H. Ohshita <sup>139</sup>,  
 T. Ohsugi <sup>177</sup>, S. Okada <sup>66</sup>, H. Okawa <sup>162</sup>, Y. Okumura <sup>100</sup>, T. Okuyama <sup>154</sup>, A. Olariu <sup>25a</sup>, M. Olcese <sup>50a</sup>,  
 A.G. Olchevski <sup>64</sup>, S.A. Olivares Pino <sup>31a</sup>, M. Oliveira <sup>123a,h</sup>, D. Oliveira Damazio <sup>24</sup>, E. Oliver Garcia <sup>166</sup>,  
 D. Olivito <sup>119</sup>, A. Olszewski <sup>38</sup>, J. Olszowska <sup>38</sup>, C. Omachi <sup>66</sup>, A. Onofre <sup>123a,y</sup>, P.U.E. Onyisi <sup>30</sup>,  
 C.J. Oram <sup>158a</sup>, M.J. Oreglia <sup>30</sup>, Y. Oren <sup>152</sup>, D. Orestano <sup>133a,133b</sup>, I. Orlov <sup>106</sup>, C. Oropeza Barrera <sup>53</sup>,  
 R.S. Orr <sup>157</sup>, B. Osculati <sup>50a,50b</sup>, R. Ospanov <sup>119</sup>, C. Osuna <sup>11</sup>, G. Otero y Garzon <sup>26</sup>, J.P. Ottersbach <sup>104</sup>,

- M. Ouchrif <sup>134d</sup>, E.A. Ouellette <sup>168</sup>, F. Ould-Saada <sup>116</sup>, A. Ouraou <sup>135</sup>, Q. Ouyang <sup>32a</sup>, A. Ovcharova <sup>14</sup>, M. Owen <sup>81</sup>, S. Owen <sup>138</sup>, V.E. Ozcan <sup>18a</sup>, N. Ozturk <sup>7</sup>, A. Pacheco Pages <sup>11</sup>, C. Padilla Aranda <sup>11</sup>, S. Pagan Griso <sup>14</sup>, E. Paganis <sup>138</sup>, F. Paige <sup>24</sup>, P. Pais <sup>83</sup>, K. Pajchel <sup>116</sup>, G. Palacino <sup>158b</sup>, C.P. Paleari <sup>6</sup>, S. Palestini <sup>29</sup>, D. Pallin <sup>33</sup>, A. Palma <sup>123a</sup>, J.D. Palmer <sup>17</sup>, Y.B. Pan <sup>171</sup>, E. Panagiotopoulou <sup>9</sup>, B. Panes <sup>31a</sup>, N. Panikashvili <sup>86</sup>, S. Panitkin <sup>24</sup>, D. Pantea <sup>25a</sup>, M. Panuskova <sup>124</sup>, V. Paolone <sup>122</sup>, A. Papadelis <sup>145a</sup>, Th.D. Papadopoulou <sup>9</sup>, A. Paramonov <sup>5</sup>, D. Paredes Hernandez <sup>33</sup>, W. Park <sup>24,z</sup>, M.A. Parker <sup>27</sup>, F. Parodi <sup>50a,50b</sup>, J.A. Parsons <sup>34</sup>, U. Parzefall <sup>48</sup>, E. Pasqualucci <sup>131a</sup>, S. Passaggio <sup>50a</sup>, A. Passeri <sup>133a</sup>, F. Pastore <sup>133a,133b</sup>, Fr. Pastore <sup>75</sup>, G. Pásztor <sup>49,aa</sup>, S. Pataraia <sup>173</sup>, N. Patel <sup>149</sup>, J.R. Pater <sup>81</sup>, S. Patricelli <sup>101a,101b</sup>, T. Pauly <sup>29</sup>, M. Pecsy <sup>143a</sup>, M.I. Pedraza Morales <sup>171</sup>, S.V. Peleganchuk <sup>106</sup>, H. Peng <sup>32b</sup>, R. Pengo <sup>29</sup>, B. Penning <sup>30</sup>, A. Penson <sup>34</sup>, J. Penwell <sup>60</sup>, M. Perantoni <sup>23a</sup>, K. Perez <sup>34,ab</sup>, T. Perez Cavalcanti <sup>41</sup>, E. Perez Codina <sup>11</sup>, M.T. Pérez García-Estañ <sup>166</sup>, V. Perez Reale <sup>34</sup>, L. Perini <sup>88a,88b</sup>, H. Pernegger <sup>29</sup>, R. Perrino <sup>71a</sup>, P. Perrodo <sup>4</sup>, S. Persembe <sup>3a</sup>, A. Perus <sup>114</sup>, V.D. Peshekhonov <sup>64</sup>, K. Peters <sup>29</sup>, B.A. Petersen <sup>29</sup>, J. Petersen <sup>29</sup>, T.C. Petersen <sup>35</sup>, E. Petit <sup>4</sup>, A. Petridis <sup>153</sup>, C. Petridou <sup>153</sup>, E. Petrolo <sup>131a</sup>, F. Petrucci <sup>133a,133b</sup>, D. Petschull <sup>41</sup>, M. Petteni <sup>141</sup>, R. Pezoa <sup>31b</sup>, A. Phan <sup>85</sup>, P.W. Phillips <sup>128</sup>, G. Piacquadio <sup>29</sup>, E. Piccaro <sup>74</sup>, M. Piccinini <sup>19a,19b</sup>, S.M. Piec <sup>41</sup>, R. Piegaia <sup>26</sup>, D.T. Pignotti <sup>108</sup>, J.E. Pilcher <sup>30</sup>, A.D. Pilkington <sup>81</sup>, J. Pina <sup>123a,b</sup>, M. Pinamonti <sup>163a,163c</sup>, A. Pinder <sup>117</sup>, J.L. Pinfold <sup>2</sup>, J. Ping <sup>32c</sup>, B. Pinto <sup>123a</sup>, O. Pirotte <sup>29</sup>, C. Pizio <sup>88a,88b</sup>, M. Plamondon <sup>168</sup>, M.-A. Pleier <sup>24</sup>, A.V. Pleskach <sup>127</sup>, A. Poblaguev <sup>24</sup>, S. Poddar <sup>58a</sup>, F. Podlaski <sup>33</sup>, L. Poggioli <sup>114</sup>, T. Poghosyan <sup>20</sup>, M. Pohl <sup>49</sup>, F. Polci <sup>55</sup>, G. Polesello <sup>118a</sup>, A. Policicchio <sup>36a,36b</sup>, A. Polini <sup>19a</sup>, J. Poll <sup>74</sup>, V. Polychronakos <sup>24</sup>, D.M. Pomareda <sup>135</sup>, D. Pomeroy <sup>22</sup>, K. Pommès <sup>29</sup>, L. Pontecorvo <sup>131a</sup>, B.G. Pope <sup>87</sup>, G.A. Popeneiciu <sup>25a</sup>, D.S. Popovic <sup>12a</sup>, A. Poppleton <sup>29</sup>, X. Portell Bueso <sup>29</sup>, C. Posch <sup>21</sup>, G.E. Pospelov <sup>98</sup>, S. Pospisil <sup>126</sup>, I.N. Potrap <sup>98</sup>, C.J. Potter <sup>148</sup>, C.T. Potter <sup>113</sup>, G. Pouillard <sup>29</sup>, J. Poveda <sup>171</sup>, V. Pozdnyakov <sup>64</sup>, R. Prabhu <sup>76</sup>, P. Pralavorio <sup>82</sup>, A. Pranko <sup>14</sup>, S. Prasad <sup>57</sup>, R. Pravahan <sup>7</sup>, S. Prell <sup>63</sup>, K. Pretzl <sup>16</sup>, L. Pribyl <sup>29</sup>, D. Price <sup>60</sup>, J. Price <sup>72</sup>, L.E. Price <sup>5</sup>, M.J. Price <sup>29</sup>, D. Prieur <sup>122</sup>, M. Primavera <sup>71a</sup>, K. Prokofiev <sup>107</sup>, F. Prokoshin <sup>31b</sup>, S. Protopopescu <sup>24</sup>, J. Proudfoot <sup>5</sup>, X. Prudent <sup>43</sup>, M. Przybycien <sup>37</sup>, H. Przysiezniak <sup>4</sup>, S. Psoroulas <sup>20</sup>, E. Ptacek <sup>113</sup>, E. Pueschel <sup>83</sup>, J. Purdham <sup>86</sup>, M. Purohit <sup>24,z</sup>, P. Puzo <sup>114</sup>, Y. Pylypchenko <sup>62</sup>, J. Qian <sup>86</sup>, Z. Qian <sup>82</sup>, Z. Qin <sup>41</sup>, A. Quadt <sup>54</sup>, D.R. Quarrie <sup>14</sup>, W.B. Quayle <sup>171</sup>, F. Quinonez <sup>31a</sup>, M. Raas <sup>103</sup>, V. Radescu <sup>58b</sup>, B. Radics <sup>20</sup>, P. Radloff <sup>113</sup>, T. Rador <sup>18a</sup>, F. Ragusa <sup>88a,88b</sup>, G. Rahal <sup>176</sup>, A.M. Rahimi <sup>108</sup>, D. Rahm <sup>24</sup>, S. Rajagopalan <sup>24</sup>, M. Rammensee <sup>48</sup>, M. Rammes <sup>140</sup>, A.S. Randle-Conde <sup>39</sup>, K. Randrianarivony <sup>28</sup>, P.N. Ratoff <sup>70</sup>, F. Rauscher <sup>97</sup>, T.C. Rave <sup>48</sup>, M. Raymond <sup>29</sup>, A.L. Read <sup>116</sup>, D.M. Rebuzzi <sup>118a,118b</sup>, A. Redelbach <sup>172</sup>, G. Redlinger <sup>24</sup>, R. Reece <sup>119</sup>, K. Reeves <sup>40</sup>, A. Reichold <sup>104</sup>, E. Reinherz-Aronis <sup>152</sup>, A. Reinsch <sup>113</sup>, I. Reisinger <sup>42</sup>, C. Rembser <sup>29</sup>, Z.L. Ren <sup>150</sup>, A. Renaud <sup>114</sup>, P. Renkel <sup>39</sup>, M. Rescigno <sup>131a</sup>, S. Resconi <sup>88a</sup>, B. Resende <sup>135</sup>, P. Reznicek <sup>97</sup>, R. Rezvani <sup>157</sup>, A. Richards <sup>76</sup>, R. Richter <sup>98</sup>, E. Richter-Was <sup>4,ac</sup>, M. Ridel <sup>77</sup>, M. Rijpstra <sup>104</sup>, M. Rijssenbeek <sup>147</sup>, A. Rimoldi <sup>118a,118b</sup>, L. Rinaldi <sup>19a</sup>, R.R. Rios <sup>39</sup>, I. Riu <sup>11</sup>, G. Rivoltella <sup>88a,88b</sup>, F. Rizatdinova <sup>111</sup>, E. Rizvi <sup>74</sup>, S.H. Robertson <sup>84,j</sup>, A. Robichaud-Veronneau <sup>117</sup>, D. Robinson <sup>27</sup>, J.E.M. Robinson <sup>76</sup>, M. Robinson <sup>113</sup>, A. Robson <sup>53</sup>, J.G. Rocha de Lima <sup>105</sup>, C. Roda <sup>121a,121b</sup>, D. Roda Dos Santos <sup>29</sup>, D. Rodriguez <sup>161</sup>, A. Roe <sup>54</sup>, S. Roe <sup>29</sup>, O. Røhne <sup>116</sup>, V. Rojo <sup>1</sup>, S. Rolli <sup>160</sup>, A. Romanikou <sup>95</sup>, M. Romano <sup>19a,19b</sup>, V.M. Romanov <sup>64</sup>, G. Romeo <sup>26</sup>, E. Romero Adam <sup>166</sup>, L. Roos <sup>77</sup>, E. Ros <sup>166</sup>, S. Rosati <sup>131a</sup>, K. Rosbach <sup>49</sup>, A. Rose <sup>148</sup>, M. Rose <sup>75</sup>, G.A. Rosenbaum <sup>157</sup>, E.I. Rosenberg <sup>63</sup>, P.L. Rosendahl <sup>13</sup>, O. Rosenthal <sup>140</sup>, L. Rosselet <sup>49</sup>, V. Rossetti <sup>11</sup>, E. Rossi <sup>131a,131b</sup>, L.P. Rossi <sup>50a</sup>, M. Rotaru <sup>25a</sup>, I. Roth <sup>170</sup>, J. Rothberg <sup>137</sup>, D. Rousseau <sup>114</sup>, C.R. Royon <sup>135</sup>, A. Rozanov <sup>82</sup>, Y. Rozen <sup>151</sup>, X. Ruan <sup>32a,ad</sup>, I. Rubinskiy <sup>41</sup>, B. Ruckert <sup>97</sup>, N. Ruckstuhl <sup>104</sup>, V.I. Rud <sup>96</sup>, C. Rudolph <sup>43</sup>, G. Rudolph <sup>61</sup>, F. Rühr <sup>6</sup>, F. Ruggieri <sup>133a,133b</sup>, A. Ruiz-Martinez <sup>63</sup>, V. Rumiantsev <sup>90,\*</sup>, L. Rumyantsev <sup>64</sup>, K. Runge <sup>48</sup>, Z. Rurikova <sup>48</sup>, N.A. Rusakovich <sup>64</sup>, D.R. Rust <sup>60</sup>, J.P. Rutherford <sup>6</sup>, C. Ruwiedel <sup>14</sup>, P. Ruzicka <sup>124</sup>, Y.F. Ryabov <sup>120</sup>, V. Ryadovikov <sup>127</sup>, P. Ryan <sup>87</sup>, M. Rybar <sup>125</sup>, G. Rybkin <sup>114</sup>, N.C. Ryder <sup>117</sup>, S. Rzaeva <sup>10</sup>, A.F. Saavedra <sup>149</sup>, I. Sadeh <sup>152</sup>, H.F.-W. Sadrozinski <sup>136</sup>, R. Sadykov <sup>64</sup>, F. Safai Tehrani <sup>131a</sup>, H. Sakamoto <sup>154</sup>, G. Salamanna <sup>74</sup>, A. Salamon <sup>132a</sup>, M. Saleem <sup>110</sup>, D. Salihagic <sup>98</sup>, A. Salnikov <sup>142</sup>, J. Salt <sup>166</sup>, B.M. Salvachua Ferrando <sup>5</sup>, D. Salvatore <sup>36a,36b</sup>, F. Salvatore <sup>148</sup>, A. Salvucci <sup>103</sup>, A. Salzburger <sup>29</sup>, D. Sampsonidis <sup>153</sup>, B.H. Samset <sup>116</sup>, A. Sanchez <sup>101a,101b</sup>, V. Sanchez Martinez <sup>166</sup>, H. Sandaker <sup>13</sup>, H.G. Sander <sup>80</sup>, M.P. Sanders <sup>97</sup>, M. Sandhoff <sup>173</sup>, T. Sandoval <sup>27</sup>, C. Sandoval <sup>161</sup>, R. Sandstroem <sup>98</sup>, S. Sandvoss <sup>173</sup>, D.P.C. Sankey <sup>128</sup>, A. Sansoni <sup>47</sup>, C. Santamarina Rios <sup>84</sup>, C. Santoni <sup>33</sup>, R. Santonico <sup>132a,132b</sup>, H. Santos <sup>123a</sup>, J.G. Saraiva <sup>123a</sup>, T. Sarangi <sup>171</sup>, E. Sarkisyan-Grinbaum <sup>7</sup>,

- F. Sarri 121a, 121b, G. Sartisohn 173, O. Sasaki 65, N. Sasaki 67, I. Satsounkevitch 89, G. Sauvage 4, E. Sauvan 4, J.B. Sauvan 114, P. Savard 157,d, V. Savinov 122, D.O. Savu 29, L. Sawyer 24,l, D.H. Saxon 53, L.P. Says 33, C. Sbarra 19a, A. Sbrizzi 19a, 19b, O. Scallon 92, D.A. Scannicchio 162, M. Scarella 149, J. Schaarschmidt 114, P. Schacht 98, U. Schäfer 80, S. Schaepe 20, S. Schaetzl 58b, A.C. Schaffer 114, D. Schaile 97, R.D. Schamberger 147, A.G. Schamov 106, V. Scharf 58a, V.A. Schegelsky 120, D. Scheirich 86, M. Schernau 162, M.I. Scherzer 34, C. Schiavi 50a, 50b, J. Schieck 97, M. Schioppa 36a, 36b, S. Schlenker 29, J.L. Schlereth 5, E. Schmidt 48, K. Schmieden 20, C. Schmitt 80, S. Schmitt 58b, M. Schmitz 20, A. Schöning 58b, M. Schott 29, D. Schouten 158a, J. Schovancova 124, M. Schram 84, C. Schroeder 80, N. Schroer 58c, S. Schuh 29, G. Schuler 29, M.J. Schultens 20, J. Schultes 173, H.-C. Schultz-Coulon 58a, H. Schulz 15, J.W. Schumacher 20, M. Schumacher 48, B.A. Schumm 136, Ph. Schune 135, C. Schwanenberger 81, A. Schwartzman 142, Ph. Schwemling 77, R. Schwienhorst 87, R. Schwierz 43, J. Schwindling 135, T. Schwindt 20, M. Schwoerer 4, W.G. Scott 128, J. Searcy 113, G. Sedov 41, E. Sedykh 120, E. Segura 11, S.C. Seidel 102, A. Seiden 136, F. Seifert 43, J.M. Seixas 23a, G. Sekhniaidze 101a, K.E. Selbach 45, D.M. Seliverstov 120, B. Sellden 145a, G. Sellers 72, M. Seman 143b, N. Semprini-Cesari 19a, 19b, C. Serfon 97, L. Serin 114, L. Serkin 54, R. Seuster 98, H. Severini 110, M.E. Sevior 85, A. Sfyrla 29, E. Shabalina 54, M. Shamim 113, L.Y. Shan 32a, J.T. Shank 21, Q.T. Shao 85, M. Shapiro 14, P.B. Shatalov 94, L. Shaver 6, K. Shaw 163a, 163c, D. Sherman 174, P. Sherwood 76, A. Shibata 107, H. Shichi 100, S. Shimizu 29, M. Shimojima 99, T. Shin 56, M. Shiyakova 64, A. Shmeleva 93, M.J. Shochet 30, D. Short 117, S. Shrestha 63, E. Shulga 95, M.A. Shupe 6, P. Sicho 124, A. Sidoti 131a, F. Siegert 48, Dj. Sijacki 12a, O. Silbert 170, J. Silva 123a,b, Y. Silver 152, D. Silverstein 142, S.B. Silverstein 145a, V. Simak 126, O. Simard 135, Lj. Simic 12a, S. Simion 114, B. Simmons 76, M. Simonyan 35, P. Sinervo 157, N.B. Sinev 113, V. Sipica 140, G. Siragusa 172, A. Sircar 24, A.N. Sisakyan 64, S.Yu. Sivoklokov 96, J. Sjölin 145a, 145b, T.B. Sjursen 13, L.A. Skinnari 14, H.P. Skottowe 57, K. Skovpen 106, P. Skubic 110, N. Skvorodnev 22, M. Slater 17, T. Slavicek 126, K. Sliwa 160, J. Sloper 29, V. Smakhtin 170, B.H. Smart 45, S.Yu. Smirnov 95, Y. Smirnov 95, L.N. Smirnova 96, O. Smirnova 78, B.C. Smith 57, D. Smith 142, K.M. Smith 53, M. Smizanska 70, K. Smolek 126, A.A. Snesarev 93, S.W. Snow 81, J. Snow 110, J. Snuverink 104, S. Snyder 24, M. Soares 123a, R. Sobie 168,j, J. Sodomka 126, A. Soffer 152, C.A. Solans 166, M. Solar 126, J. Solc 126, E. Soldatov 95, U. Soldevila 166, E. Solfaroli Camillocci 131a, 131b, A.A. Solodkov 127, O.V. Solovyanov 127, N. Soni 2, V. Sopko 126, B. Sopko 126, M. Sosebee 7, R. Soualah 163a, 163c, A. Soukharev 106, S. Spagnolo 71a, 71b, F. Spanò 75, R. Spighi 19a, G. Spigo 29, F. Spila 131a, 131b, R. Spiwoks 29, M. Spousta 125, T. Spreitzer 157, B. Spurlock 7, R.D. St. Denis 53, J. Stahlman 119, R. Stamen 58a, E. Stanecka 38, R.W. Stanek 5, C. Stanescu 133a, S. Stapnes 116, E.A. Starchenko 127, J. Stark 55, P. Staroba 124, P. Starovoitov 90, A. Staude 97, P. Stavina 143a, G. Stavropoulos 14, G. Steele 53, P. Steinbach 43, P. Steinberg 24, I. Stekl 126, B. Stelzer 141, H.J. Stelzer 87, O. Stelzer-Chilton 158a, H. Stenzel 52, S. Stern 98, K. Stevenson 74, G.A. Stewart 29, J.A. Stillings 20, M.C. Stockton 84, K. Stoerig 48, G. Stoica 25a, S. Stonjek 98, P. Strachota 125, A.R. Stradling 7, A. Straessner 43, J. Strandberg 146, S. Strandberg 145a, 145b, A. Strandlie 116, M. Strang 108, E. Strauss 142, M. Strauss 110, P. Strizenec 143b, R. Ströhmer 172, D.M. Strom 113, J.A. Strong 75,\* R. Stroynowski 39, J. Strube 128, B. Stugu 13, I. Stumer 24,\* J. Stupak 147, P. Sturm 173, N.A. Styles 41, D.A. Soh 150,u, D. Su 142, HS. Subramania 2, A. Succurro 11, Y. Sugaya 115, T. Sugimoto 100, C. Suhr 105, K. Suita 66, M. Suk 125, V.V. Sulin 93, S. Sultansoy 3d, T. Sumida 67, X. Sun 55, J.E. Sundermann 48, K. Suruliz 138, S. Sushkov 11, G. Susinno 36a, 36b, M.R. Sutton 148, Y. Suzuki 65, Y. Suzuki 66, M. Svatos 124, Yu.M. Sviridov 127, S. Swedish 167, I. Sykora 143a, T. Sykora 125, B. Szeless 29, J. Sánchez 166, D. Ta 104, K. Tackmann 41, A. Taffard 162, R. Tafirout 158a, N. Taiblum 152, Y. Takahashi 100, H. Takai 24, R. Takashima 68, H. Takeda 66, T. Takeshita 139, Y. Takubo 65, M. Talby 82, A. Talyshев 106,f, M.C. Tamsett 24, J. Tanaka 154, R. Tanaka 114, S. Tanaka 130, S. Tanaka 65, Y. Tanaka 99, A.J. Tanasiyczuk 141, K. Tani 66, N. Tannoury 82, G.P. Tappern 29, S. Tapprogge 80, D. Tardif 157, S. Tarem 151, F. Tarrade 28, G.F. Tartarelli 88a, P. Tas 125, M. Tasevsky 124, E. Tassi 36a, 36b, M. Tatarkhanov 14, Y. Tayalati 134d, C. Taylor 76, F.E. Taylor 91, G.N. Taylor 85, W. Taylor 158b, M. Teinturier 114, M. Teixeira Dias Castanheira 74, P. Teixeira-Dias 75, K.K. Temming 48, H. Ten Kate 29, P.K. Teng 150, S. Terada 65, K. Terashi 154, J. Terron 79, M. Testa 47, R.J. Teuscher 157,j, J. Thadome 173, J. Therhaag 20, T. Theveneaux-Pelzer 77, M. Thiolye 174, S. Thoma 48, J.P. Thomas 17, E.N. Thompson 34, P.D. Thompson 17, P.D. Thompson 157, A.S. Thompson 53, L.A. Thomsen 35, E. Thomson 119, M. Thomson 27, R.P. Thun 86, F. Tian 34, M.J. Tibbetts 14, T. Tic 124, V.O. Tikhomirov 93, Y.A. Tikhonov 106,f, S. Timoshenko 95, P. Tipton 174, F.J. Tique Aires Viegas 29,

- S. Tisserant <sup>82</sup>, B. Toczek <sup>37</sup>, T. Todorov <sup>4</sup>, S. Todorova-Nova <sup>160</sup>, B. Toggerson <sup>162</sup>, J. Tojo <sup>65</sup>, S. Tokár <sup>143a</sup>, K. Tokunaga <sup>66</sup>, K. Tokushuku <sup>65</sup>, K. Tollefson <sup>87</sup>, M. Tomoto <sup>100</sup>, L. Tompkins <sup>30</sup>, K. Toms <sup>102</sup>, G. Tong <sup>32a</sup>, A. Tonoyan <sup>13</sup>, C. Topfel <sup>16</sup>, N.D. Topilin <sup>64</sup>, I. Torchiani <sup>29</sup>, E. Torrence <sup>113</sup>, H. Torres <sup>77</sup>, E. Torró Pastor <sup>166</sup>, J. Toth <sup>82,aa</sup>, F. Touchard <sup>82</sup>, D.R. Tovey <sup>138</sup>, T. Trefzger <sup>172</sup>, L. Tremblet <sup>29</sup>, A. Tricoli <sup>29</sup>, I.M. Trigger <sup>158a</sup>, S. Trincaz-Duvold <sup>77</sup>, T.N. Trinh <sup>77</sup>, M.F. Tripiana <sup>69</sup>, W. Trischuk <sup>157</sup>, A. Trivedi <sup>24,z</sup>, B. Trocmé <sup>55</sup>, C. Troncon <sup>88a</sup>, M. Trottier-McDonald <sup>141</sup>, M. Trzebinski <sup>38</sup>, A. Trzupek <sup>38</sup>, C. Tsarouchas <sup>29</sup>, J.C.-L. Tseng <sup>117</sup>, M. Tsiakiris <sup>104</sup>, P.V. Tsiareshka <sup>89</sup>, D. Tsionou <sup>4,ae</sup>, G. Tsipolitis <sup>9</sup>, V. Tsiskaridze <sup>48</sup>, E.G. Tskhadadze <sup>51a</sup>, I.I. Tsukerman <sup>94</sup>, V. Tsulaia <sup>14</sup>, J.-W. Tsung <sup>20</sup>, S. Tsuno <sup>65</sup>, D. Tsybychev <sup>147</sup>, A. Tua <sup>138</sup>, A. Tudorache <sup>25a</sup>, V. Tudorache <sup>25a</sup>, J.M. Tuggle <sup>30</sup>, M. Turala <sup>38</sup>, D. Turecek <sup>126</sup>, I. Turk Cakir <sup>3e</sup>, E. Turlay <sup>104</sup>, R. Turra <sup>88a,88b</sup>, P.M. Tuts <sup>34</sup>, A. Tykhanov <sup>73</sup>, M. Tylmad <sup>145a,145b</sup>, M. Tyndel <sup>128</sup>, G. Tzanakos <sup>8</sup>, K. Uchida <sup>20</sup>, I. Ueda <sup>154</sup>, R. Ueno <sup>28</sup>, M. Ugland <sup>13</sup>, M. Uhlenbrock <sup>20</sup>, M. Uhrmacher <sup>54</sup>, F. Ukegawa <sup>159</sup>, G. Unal <sup>29</sup>, D.G. Underwood <sup>5</sup>, A. Undrus <sup>24</sup>, G. Unel <sup>162</sup>, Y. Unno <sup>65</sup>, D. Urbaniec <sup>34</sup>, G. Usai <sup>7</sup>, M. Uslenghi <sup>118a,118b</sup>, L. Vacavant <sup>82</sup>, V. Vacek <sup>126</sup>, B. Vachon <sup>84</sup>, S. Vahsen <sup>14</sup>, J. Valenta <sup>124</sup>, P. Valente <sup>131a</sup>, S. Valentinetto <sup>19a,19b</sup>, S. Valkar <sup>125</sup>, E. Valladolid Gallego <sup>166</sup>, S. Vallecorsa <sup>151</sup>, J.A. Valls Ferrer <sup>166</sup>, H. van der Graaf <sup>104</sup>, E. van der Kraaij <sup>104</sup>, R. Van Der Leeuw <sup>104</sup>, E. van der Poel <sup>104</sup>, D. van der Ster <sup>29</sup>, N. van Eldik <sup>83</sup>, P. van Gemmeren <sup>5</sup>, Z. van Kesteren <sup>104</sup>, I. van Vulpen <sup>104</sup>, M. Vanadia <sup>98</sup>, W. Vandelli <sup>29</sup>, G. Vandoni <sup>29</sup>, A. Vaniachine <sup>5</sup>, P. Vankov <sup>41</sup>, F. Vannucci <sup>77</sup>, F. Varela Rodriguez <sup>29</sup>, R. Vari <sup>131a</sup>, E.W. Varnes <sup>6</sup>, D. Varouchas <sup>14</sup>, A. Vartapetian <sup>7</sup>, K.E. Varvell <sup>149</sup>, V.I. Vassilakopoulos <sup>56</sup>, F. Vazeille <sup>33</sup>, G. Vegni <sup>88a,88b</sup>, J.J. Veillet <sup>114</sup>, C. Vellidis <sup>8</sup>, F. Veloso <sup>123a</sup>, R. Veness <sup>29</sup>, S. Veneziano <sup>131a</sup>, A. Ventura <sup>71a,71b</sup>, D. Ventura <sup>137</sup>, M. Venturi <sup>48</sup>, N. Venturi <sup>157</sup>, V. Vercesi <sup>118a</sup>, M. Verducci <sup>137</sup>, W. Verkerke <sup>104</sup>, J.C. Vermeulen <sup>104</sup>, A. Vest <sup>43</sup>, M.C. Vetterli <sup>141,d</sup>, I. Vichou <sup>164</sup>, T. Vickey <sup>144b,af</sup>, O.E. Vickey Boeriu <sup>144b</sup>, G.H.A. Viehhauser <sup>117</sup>, S. Viel <sup>167</sup>, M. Villa <sup>19a,19b</sup>, M. Villaplana Perez <sup>166</sup>, E. Vilucchi <sup>47</sup>, M.G. Vincter <sup>28</sup>, E. Vinek <sup>29</sup>, V.B. Vinogradov <sup>64</sup>, M. Virchaux <sup>135,\*</sup>, J. Virzi <sup>14</sup>, O. Vitells <sup>170</sup>, M. Viti <sup>41</sup>, I. Vivarelli <sup>48</sup>, F. Vives Vaque <sup>2</sup>, S. Vlachos <sup>9</sup>, D. Vladoiu <sup>97</sup>, M. Vlasak <sup>126</sup>, N. Vlasov <sup>20</sup>, A. Vogel <sup>20</sup>, P. Vokac <sup>126</sup>, G. Volpi <sup>47</sup>, M. Volpi <sup>85</sup>, G. Volpini <sup>88a</sup>, H. von der Schmitt <sup>98</sup>, J. von Loeben <sup>98</sup>, H. von Radziewski <sup>48</sup>, E. von Toerne <sup>20</sup>, V. Vorobel <sup>125</sup>, A.P. Vorobiev <sup>127</sup>, V. Vorwerk <sup>11</sup>, M. Vos <sup>166</sup>, R. Voss <sup>29</sup>, T.T. Voss <sup>173</sup>, J.H. Vossebeld <sup>72</sup>, N. Vranjes <sup>135</sup>, M. Vranjes Milosavljevic <sup>104</sup>, V. Vrba <sup>124</sup>, M. Vreeswijk <sup>104</sup>, T. Vu Anh <sup>48</sup>, R. Vuillermet <sup>29</sup>, I. Vukotic <sup>114</sup>, W. Wagner <sup>173</sup>, P. Wagner <sup>119</sup>, H. Wahlen <sup>173</sup>, J. Wakabayashi <sup>100</sup>, J. Walbersloh <sup>42</sup>, S. Walch <sup>86</sup>, J. Walder <sup>70</sup>, R. Walker <sup>97</sup>, W. Walkowiak <sup>140</sup>, R. Wall <sup>174</sup>, P. Waller <sup>72</sup>, C. Wang <sup>44</sup>, H. Wang <sup>171</sup>, H. Wang <sup>32b,ag</sup>, J. Wang <sup>150</sup>, J. Wang <sup>55</sup>, J.C. Wang <sup>137</sup>, R. Wang <sup>102</sup>, S.M. Wang <sup>150</sup>, A. Warburton <sup>84</sup>, C.P. Ward <sup>27</sup>, M. Warsinsky <sup>48</sup>, P.M. Watkins <sup>17</sup>, A.T. Watson <sup>17</sup>, I.J. Watson <sup>149</sup>, M.F. Watson <sup>17</sup>, G. Watts <sup>137</sup>, S. Watts <sup>81</sup>, A.T. Waugh <sup>149</sup>, B.M. Waugh <sup>76</sup>, M. Weber <sup>128</sup>, M.S. Weber <sup>16</sup>, P. Weber <sup>54</sup>, A.R. Weidberg <sup>117</sup>, P. Weigell <sup>98</sup>, J. Weingarten <sup>54</sup>, C. Weiser <sup>48</sup>, H. Wellenstein <sup>22</sup>, P.S. Wells <sup>29</sup>, M. Wen <sup>47</sup>, T. Wenaus <sup>24</sup>, D. Wendland <sup>15</sup>, S. Wendler <sup>122</sup>, Z. Weng <sup>150,u</sup>, T. Wengler <sup>29</sup>, S. Wenig <sup>29</sup>, N. Wermes <sup>20</sup>, M. Werner <sup>48</sup>, P. Werner <sup>29</sup>, M. Werth <sup>162</sup>, M. Wessels <sup>58a</sup>, C. Weydert <sup>55</sup>, K. Whalen <sup>28</sup>, S.J. Wheeler-Ellis <sup>162</sup>, S.P. Whitaker <sup>21</sup>, A. White <sup>7</sup>, M.J. White <sup>85</sup>, S.R. Whitehead <sup>117</sup>, D. Whiteson <sup>162</sup>, D. Whittington <sup>60</sup>, F. Wicek <sup>114</sup>, D. Wicke <sup>173</sup>, F.J. Wickens <sup>128</sup>, W. Wiedenmann <sup>171</sup>, M. Wielers <sup>128</sup>, P. Wienemann <sup>20</sup>, C. Wiglesworth <sup>74</sup>, L.A.M. Wiik-Fuchs <sup>48</sup>, P.A. Wijeratne <sup>76</sup>, A. Wildauer <sup>166</sup>, M.A. Wildt <sup>41,q</sup>, I. Wilhelm <sup>125</sup>, H.G. Wilkens <sup>29</sup>, J.Z. Will <sup>97</sup>, E. Williams <sup>34</sup>, H.H. Williams <sup>119</sup>, W. Willis <sup>34</sup>, S. Willocq <sup>83</sup>, J.A. Wilson <sup>17</sup>, M.G. Wilson <sup>142</sup>, A. Wilson <sup>86</sup>, I. Wingerter-Seez <sup>4</sup>, S. Winkelmann <sup>48</sup>, F. Winklmeier <sup>29</sup>, M. Wittgen <sup>142</sup>, M.W. Wolter <sup>38</sup>, H. Wolters <sup>123a,h</sup>, W.C. Wong <sup>40</sup>, G. Wooden <sup>86</sup>, B.K. Wosiek <sup>38</sup>, J. Wotschack <sup>29</sup>, M.J. Woudstra <sup>83</sup>, K.W. Wozniak <sup>38</sup>, K. Wright <sup>53</sup>, C. Wright <sup>53</sup>, M. Wright <sup>53</sup>, B. Wrona <sup>72</sup>, S.L. Wu <sup>171</sup>, X. Wu <sup>49</sup>, Y. Wu <sup>32b,ah</sup>, E. Wulf <sup>34</sup>, R. Wunstorf <sup>42</sup>, B.M. Wynne <sup>45</sup>, S. Xella <sup>35</sup>, M. Xiao <sup>135</sup>, S. Xie <sup>48</sup>, Y. Xie <sup>32a</sup>, C. Xu <sup>32b,w</sup>, D. Xu <sup>138</sup>, G. Xu <sup>32a</sup>, B. Yabsley <sup>149</sup>, S. Yacoob <sup>144b</sup>, M. Yamada <sup>65</sup>, H. Yamaguchi <sup>154</sup>, A. Yamamoto <sup>65</sup>, K. Yamamoto <sup>63</sup>, S. Yamamoto <sup>154</sup>, T. Yamamura <sup>154</sup>, T. Yamanaka <sup>154</sup>, J. Yamaoka <sup>44</sup>, T. Yamazaki <sup>154</sup>, Y. Yamazaki <sup>66</sup>, Z. Yan <sup>21</sup>, H. Yang <sup>86</sup>, U.K. Yang <sup>81</sup>, Y. Yang <sup>60</sup>, Y. Yang <sup>32a</sup>, Z. Yang <sup>145a,145b</sup>, S. Yanush <sup>90</sup>, Y. Yao <sup>14</sup>, Y. Yasu <sup>65</sup>, G.V. Ybeles Smit <sup>129</sup>, J. Ye <sup>39</sup>, S. Ye <sup>24</sup>, M. Yilmaz <sup>3c</sup>, R. Yoosoofmiya <sup>122</sup>, K. Yorita <sup>169</sup>, R. Yoshida <sup>5</sup>, C. Young <sup>142</sup>, S. Youssef <sup>21</sup>, D. Yu <sup>24</sup>, J. Yu <sup>7</sup>, J. Yu <sup>111</sup>, L. Yuan <sup>32a,ai</sup>, A. Yurkewicz <sup>105</sup>, B. Zabinski <sup>38</sup>, V.G. Zaets <sup>127</sup>, R. Zaidan <sup>62</sup>, A.M. Zaitsev <sup>127</sup>, Z. Zajacova <sup>29</sup>, L. Zanello <sup>131a,131b</sup>, P. Zarzhitsky <sup>39</sup>, A. Zaytsev <sup>106</sup>, C. Zeitnitz <sup>173</sup>, M. Zeller <sup>174</sup>, M. Zeman <sup>124</sup>, A. Zemla <sup>38</sup>, C. Zendler <sup>20</sup>, O. Zenin <sup>127</sup>, T. Ženiš <sup>143a</sup>, Z. Zinonos <sup>121a,121b</sup>, S. Zenz <sup>14</sup>, D. Zerwas <sup>114</sup>, G. Zevi della Porta <sup>57</sup>, Z. Zhan <sup>32d</sup>, D. Zhang <sup>32b,ag</sup>, H. Zhang <sup>87</sup>, J. Zhang <sup>5</sup>, X. Zhang <sup>32d</sup>,

Z. Zhang <sup>114</sup>, L. Zhao <sup>107</sup>, T. Zhao <sup>137</sup>, Z. Zhao <sup>32b</sup>, A. Zhemchugov <sup>64</sup>, S. Zheng <sup>32a</sup>, J. Zhong <sup>117</sup>, B. Zhou <sup>86</sup>, N. Zhou <sup>162</sup>, Y. Zhou <sup>150</sup>, C.G. Zhu <sup>32d</sup>, H. Zhu <sup>41</sup>, J. Zhu <sup>86</sup>, Y. Zhu <sup>32b</sup>, X. Zhuang <sup>97</sup>, V. Zhuravlov <sup>98</sup>, D. Ziemińska <sup>60</sup>, R. Zimmermann <sup>20</sup>, S. Zimmermann <sup>20</sup>, S. Zimmermann <sup>48</sup>, M. Ziolkowski <sup>140</sup>, R. Zitoun <sup>4</sup>, L. Živković <sup>34</sup>, V.V. Zmouchko <sup>127,\*</sup>, G. Zobernig <sup>171</sup>, A. Zoccoli <sup>19a,19b</sup>, Y. Zolnierowski <sup>4</sup>, A. Zsenei <sup>29</sup>, M. zur Nedden <sup>15</sup>, V. Zutshi <sup>105</sup>, L. Zwalski <sup>29</sup>

<sup>1</sup> University at Albany, Albany, NY, United States

<sup>2</sup> Department of Physics, University of Alberta, Edmonton, AB, Canada

<sup>3</sup> <sup>(a)</sup> Department of Physics, Ankara University, Ankara; <sup>(b)</sup> Department of Physics, Dumlupınar University, Kütahya; <sup>(c)</sup> Department of Physics, Gazi University, Ankara; <sup>(d)</sup> Division of Physics, TOBB University of Economics and Technology, Ankara; <sup>(e)</sup> Turkish Atomic Energy Authority, Ankara, Turkey

<sup>4</sup> LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

<sup>5</sup> High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

<sup>6</sup> Department of Physics, University of Arizona, Tucson, AZ, United States

<sup>7</sup> Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

<sup>8</sup> Physics Department, University of Athens, Athens, Greece

<sup>9</sup> Physics Department, National Technical University of Athens, Zografou, Greece

<sup>10</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

<sup>11</sup> Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

<sup>12</sup> <sup>(a)</sup> Institute of Physics, University of Belgrade, Belgrade; <sup>(b)</sup> Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

<sup>13</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway

<sup>14</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

<sup>15</sup> Department of Physics, Humboldt University, Berlin, Germany

<sup>16</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

<sup>17</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

<sup>18</sup> <sup>(a)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup> Division of Physics, Dogus University, Istanbul; <sup>(c)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep;

<sup>19</sup> <sup>(a)</sup> INFN Sezione di Bologna; <sup>(b)</sup> Dipartimento di Fisica, Università di Bologna, Bologna, Italy

<sup>20</sup> Physikalisches Institut, University of Bonn, Bonn, Germany

<sup>21</sup> Department of Physics, Boston University, Boston, MA, United States

<sup>22</sup> Department of Physics, Brandeis University, Waltham, MA, United States

<sup>23</sup> <sup>(a)</sup> Universidade Federal do Rio de Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(b)</sup> Federal University of Juiz de Fora (UFJF), Juiz de Fora; <sup>(c)</sup> Federal University of São João del Rei (UFSJ), São João del Rei; <sup>(d)</sup> Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

<sup>24</sup> Physics Department, Brookhaven National Laboratory, Upton, NY, United States

<sup>25</sup> <sup>(a)</sup> National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(b)</sup> University Politehnica Bucharest, Bucharest; <sup>(c)</sup> West University in Timisoara, Timisoara, Romania

<sup>26</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

<sup>27</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

<sup>28</sup> Department of Physics, Carleton University, Ottawa, ON, Canada

<sup>29</sup> CERN, Geneva, Switzerland

<sup>30</sup> Enrico Fermi Institute, University of Chicago, Chicago, IL, United States

<sup>31</sup> <sup>(a)</sup> Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

<sup>32</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Department of Modern Physics, University of Science and Technology of China, Anhui; <sup>(c)</sup> Department of Physics, Nanjing University, Jiangsu; <sup>(d)</sup> School of Physics, Shandong University, Shandong, China

<sup>33</sup> Laboratoire de Physique Corpusculaire, Clermont Université et Université Blaise Pascal and CNRS/IN2P3, Aubière Cedex, France

<sup>34</sup> Nevis Laboratory, Columbia University, Irvington, NY, United States

<sup>35</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

<sup>36</sup> <sup>(a)</sup> INFN Gruppo Collegato di Cosenza; <sup>(b)</sup> Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy

<sup>37</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland

<sup>38</sup> The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

<sup>39</sup> Physics Department, Southern Methodist University, Dallas, TX, United States

<sup>40</sup> Physics Department, University of Texas at Dallas, Richardson, TX, United States

<sup>41</sup> DESY, Hamburg and Zeuthen, Germany

<sup>42</sup> Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

<sup>43</sup> Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

<sup>44</sup> Department of Physics, Duke University, Durham, NC, United States

<sup>45</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

<sup>46</sup> Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3 2700 Wiener Neustadt, Austria

<sup>47</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>48</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany

<sup>49</sup> Section de Physique, Université de Genève, Geneva, Switzerland

<sup>50</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy

<sup>51</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

<sup>52</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

<sup>53</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

<sup>54</sup> II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany

<sup>55</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France

<sup>56</sup> Department of Physics, Hampton University, Hampton, VA, United States

<sup>57</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States

<sup>58</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(c)</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

<sup>59</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

<sup>60</sup> Department of Physics, Indiana University, Bloomington, IN, United States

<sup>61</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität Innsbruck, Austria

<sup>62</sup> University of Iowa, Iowa City, IA, United States

<sup>63</sup> Department of Physics and Astronomy, Iowa State University, Ames, IA, United States

<sup>64</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

<sup>65</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

<sup>66</sup> Graduate School of Science, Kobe University, Kobe, Japan

- <sup>67</sup> Faculty of Science, Kyoto University, Kyoto, Japan  
<sup>68</sup> Kyoto University of Education, Kyoto, Japan  
<sup>69</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina  
<sup>70</sup> Physics Department, Lancaster University, Lancaster, United Kingdom  
<sup>71</sup> <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Fisica, Università del Salento, Lecce, Italy  
<sup>72</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom  
<sup>73</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia  
<sup>74</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom  
<sup>75</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom  
<sup>76</sup> Department of Physics and Astronomy, University College London, London, United Kingdom  
<sup>77</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France  
<sup>78</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden  
<sup>79</sup> Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain  
<sup>80</sup> Institut für Physik, Universität Mainz, Mainz, Germany  
<sup>81</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom  
<sup>82</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France  
<sup>83</sup> Department of Physics, University of Massachusetts, Amherst, MA, United States  
<sup>84</sup> Department of Physics, McGill University, Montreal, QC, Canada  
<sup>85</sup> School of Physics, University of Melbourne, Victoria, Australia  
<sup>86</sup> Department of Physics, The University of Michigan, Ann Arbor, MI, United States  
<sup>87</sup> Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States  
<sup>88</sup> <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy  
<sup>89</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus  
<sup>90</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus  
<sup>91</sup> Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States  
<sup>92</sup> Group of Particle Physics, University of Montreal, Montreal, QC, Canada  
<sup>93</sup> P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia  
<sup>94</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia  
<sup>95</sup> Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia  
<sup>96</sup> Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia  
<sup>97</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany  
<sup>98</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany  
<sup>99</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan  
<sup>100</sup> Graduate School of Science, Nagoya University, Nagoya, Japan  
<sup>101</sup> <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy  
<sup>102</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States  
<sup>103</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands  
<sup>104</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands  
<sup>105</sup> Department of Physics, Northern Illinois University, DeKalb, IL, United States  
<sup>106</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia  
<sup>107</sup> Department of Physics, New York University, New York, NY, United States  
<sup>108</sup> Ohio State University, Columbus, OH, United States  
<sup>109</sup> Faculty of Science, Okayama University, Okayama, Japan  
<sup>110</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States  
<sup>111</sup> Department of Physics, Oklahoma State University, Stillwater, OK, United States  
<sup>112</sup> Palacký University, RCPMT, Olomouc, Czech Republic  
<sup>113</sup> Center for High Energy Physics, University of Oregon, Eugene, OR, United States  
<sup>114</sup> LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France  
<sup>115</sup> Graduate School of Science, Osaka University, Osaka, Japan  
<sup>116</sup> Department of Physics, University of Oslo, Oslo, Norway  
<sup>117</sup> Department of Physics, Oxford University, Oxford, United Kingdom  
<sup>118</sup> <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
<sup>119</sup> Department of Physics, University of Pennsylvania, Philadelphia, PA, United States  
<sup>120</sup> Petersburg Nuclear Physics Institute, Gatchina, Russia  
<sup>121</sup> <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
<sup>122</sup> Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States  
<sup>123</sup> <sup>(a)</sup> Laboratorio de Instrumentacão e Física Experimental de Partículas – LIP, Lisboa, Portugal; <sup>(b)</sup> Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain  
<sup>124</sup> Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic  
<sup>125</sup> Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic  
<sup>126</sup> Czech Technical University in Prague, Praha, Czech Republic  
<sup>127</sup> State Research Center Institute for High Energy Physics, Protvino, Russia  
<sup>128</sup> Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom  
<sup>129</sup> Physics Department, University of Regina, Regina, SK, Canada  
<sup>130</sup> Ritsumeikan University, Kusatsu, Shiga, Japan  
<sup>131</sup> <sup>(a)</sup> INFN Sezione di Roma I; <sup>(b)</sup> Dipartimento di Fisica, Università La Sapienza, Roma, Italy  
<sup>132</sup> <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy  
<sup>133</sup> <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Fisica, Università Roma Tre, Roma, Italy  
<sup>134</sup> <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; <sup>(b)</sup> Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; <sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; <sup>(d)</sup> Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; <sup>(e)</sup> Faculté des Sciences, Université Mohammed V – Agdal, Rabat, Morocco  
<sup>135</sup> DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France  
<sup>136</sup> Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States  
<sup>137</sup> Department of Physics, University of Washington, Seattle, WA, United States  
<sup>138</sup> Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom  
<sup>139</sup> Department of Physics, Shinshu University, Nagano, Japan  
<sup>140</sup> Fachbereich Physik, Universität Siegen, Siegen, Germany  
<sup>141</sup> Department of Physics, Simon Fraser University, Burnaby, BC, Canada  
<sup>142</sup> SLAC National Accelerator Laboratory, Stanford, CA, United States

- <sup>143</sup> <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- <sup>144</sup> <sup>(a)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(b)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- <sup>145</sup> <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden
- <sup>146</sup> Physics Department, Royal Institute of Technology, Stockholm, Sweden
- <sup>147</sup> Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
- <sup>148</sup> Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- <sup>149</sup> School of Physics, University of Sydney, Sydney, Australia
- <sup>150</sup> Institute of Physics, Academia Sinica, Taipei, Taiwan
- <sup>151</sup> Department of Physics, Technion: Israel Inst. of Technology, Haifa, Israel
- <sup>152</sup> Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- <sup>153</sup> Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- <sup>154</sup> International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- <sup>155</sup> Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- <sup>156</sup> Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- <sup>157</sup> Department of Physics, University of Toronto, Toronto, ON, Canada
- <sup>158</sup> <sup>(a)</sup> TRIUMF, Vancouver, BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto, ON, Canada
- <sup>159</sup> Institute of Pure and Applied Sciences, University of Tsukuba, 1-1 Tennodai, Tsukuba, Ibaraki 305-8571, Japan
- <sup>160</sup> Science and Technology Center, Tufts University, Medford, MA, United States
- <sup>161</sup> Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- <sup>162</sup> Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
- <sup>163</sup> <sup>(a)</sup> INFN Gruppo Collegato di Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- <sup>164</sup> Department of Physics, University of Illinois, Urbana, IL, United States
- <sup>165</sup> Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- <sup>166</sup> Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- <sup>167</sup> Department of Physics, University of British Columbia, Vancouver, BC, Canada
- <sup>168</sup> Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
- <sup>169</sup> Waseda University, Tokyo, Japan
- <sup>170</sup> Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- <sup>171</sup> Department of Physics, University of Wisconsin, Madison, WI, United States
- <sup>172</sup> Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- <sup>173</sup> Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- <sup>174</sup> Department of Physics, Yale University, New Haven, CT, United States
- <sup>175</sup> Yerevan Physics Institute, Yerevan, Armenia
- <sup>176</sup> Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France
- <sup>177</sup> Faculty of Science, Hiroshima University, Hiroshima, Japan

<sup>a</sup> Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.

<sup>b</sup> Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

<sup>c</sup> Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

<sup>d</sup> Also at TRIUMF, Vancouver, BC, Canada.

<sup>e</sup> Also at Department of Physics, California State University, Fresno, CA, United States.

<sup>f</sup> Also at Novosibirsk State University, Novosibirsk, Russia.

<sup>g</sup> Also at Fermilab, Batavia, IL, United States.

<sup>h</sup> Also at Department of Physics, University of Coimbra, Coimbra, Portugal.

<sup>i</sup> Also at Università di Napoli Parthenope, Napoli, Italy.

<sup>j</sup> Also at Institute of Particle Physics (IPP), Canada.

<sup>k</sup> Also at Department of Physics, Middle East Technical University, Ankara, Turkey.

<sup>l</sup> Also at Louisiana Tech University, Ruston, LA, United States.

<sup>m</sup> Also at Department of Physics and Astronomy, University College London, London, United Kingdom.

<sup>n</sup> Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.

<sup>o</sup> Also at Department of Physics, University of Cape Town, Cape Town, South Africa.

<sup>p</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

<sup>q</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

<sup>r</sup> Also at Manhattan College, New York, NY, United States.

<sup>s</sup> Also at School of Physics, Shandong University, Shandong, China.

<sup>t</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

<sup>u</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

<sup>v</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>w</sup> Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.

<sup>x</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland.

<sup>y</sup> Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.

<sup>z</sup> Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

<sup>aa</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

<sup>ab</sup> Also at California Institute of Technology, Pasadena, CA, United States.

<sup>ac</sup> Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

<sup>ad</sup> Also at LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France.

<sup>ae</sup> Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.

<sup>af</sup> Also at Department of Physics, Oxford University, Oxford, United Kingdom.

<sup>ag</sup> Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>ah</sup> Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

<sup>ai</sup> Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

\* Deceased.